/o //

Length of Stay by Diagnosis, Canada, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 6
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 17

- Summary of All Patients. 18
- Summary of All Patients Except Newborn 19
- Diagnosis Groups 1-398 20

Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	22	9.1	3,434	391	11.4
25-49	194	72	37.1	6,680	2,463	36.9
50-99	174	47	27.0	12,300	3,187	25.9
100-199	120	31	25.8	16,507	4,291	26.0
200-299	74	15	20.3	17,869	3,540	19.8
300-399	58	7	12.1	20,119	2,424	12.0
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	10	27.0	25,481	7,809	30.6
Total	919	206	22.4	111,371	25,072	22.5
Province or Territory						
Alberta	125	113	90.4	11,653	10,639	91.3
British Columbia	111	36	32.4	12,355	5,687	46.0
Manitoba	78	0	–	5,150	0	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	6	17.1	2,588	1,202	46.4
Nova Scotia	48	11	22.9	4,833	2,567	53.1
Ontario	207	0	–	37,688	0	–
Prince Edward Island	9	0	–	644	0	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	5	3.8	6,260	758	12.1
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	206	22.4	111,371	25,072	22.5

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1983* or *Length of Stay by Operation, Canada, 1983.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84335	4.1	13	1	1	4	5	7	9	17
20-34	51942	4.4	30	<1	1	3	5	7	11	29
35-49	17650	5.9	51	1	1	4	7	12	18	37
50-64	15930	7.1	61	1	1	5	9	15	21	41
65+	19769	8.7	84	1	2	6	11	18	26	55
B. *Operated*										
0-19 YRS	30644	3.3	13	<1	1	2	4	6	9	17
20-34	61048	4.1	13	<1	1	3	5	7	9	17
35-49	24803	5.1	24	<1	1	4	7	10	13	24
50-64	19827	6.2	36	1	1	5	8	13	17	29
65+	16955	7.8	62	1	2	5	10	17	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75924	5.6	34	1	2	4	6	9	14	31
20-34	29297	6.2	71	1	1	4	7	13	21	50
35-49	21180	7.7	78	1	1	5	9	16	23	49
50-64	33227	9.0	88	1	2	6	11	18	26	53
65+	65576	11.7	139	2	3	8	14	25	36	92
B. *Operated*										
0-19 YRS	16853	6.1	84	1	1	3	6	13	21	58
20-34	53811	6.4	47	1	2	5	7	11	16	40
35-49	27989	8.3	77	1	2	6	9	16	24	51
50-64	30216	10.9	124	1	2	8	14	23	33	66
65+	37068	14.4	202	2	2	10	19	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189626	5.1	35	1	1	4	6	10	14	31
B. *Operated*	153277	4.8	25	<1	1	3	6	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	225204	8.1	88	1	2	5	9	17	25	58
B. *Operated*	165937	9.3	115	1	2	6	11	21	30	67
1. SINGLE DX	342903	4.9	31	1	1	4	6	9	14	28
2. MULTIPLE DX	391141	8.6	100	1	2	6	10	19	28	62
A. NOT OPERATED	414830	6.7	66	1	1	4	7	14	21	47
B. OPERATED	319214	7.1	77	1	1	5	8	15	23	51
TOTAL 0-19 YRS	207756	4.7	28	1	1	4	5	8	11	27
20-34	196098	5.1	37	<1	1	4	6	9	13	33
35-49	91622	6.8	60	1	1	5	8	14	20	43
50-64	99200	8.7	87	1	2	6	11	18	26	52
65+	139368	11.5	143	2	2	8	14	25	37	85
GRAND TOTAL	**734044**	**6.9**	**71**	**1**	**1**	**4**	**8**	**14**	**22**	**49**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52239	4.0	20	1	1	3	5	8	11	22
20-34	51942	4.4	30	<1	1	3	5	7	11	29
35-49	17650	5.9	51	1	1	4	7	12	18	37
50-64	15930	7.1	61	1	1	5	9	15	21	41
65+	19769	8.7	84	1	2	6	11	18	26	55
B. *Operated*										
0-19 YRS	30641	3.3	13	<1	1	2	4	6	9	17
20-34	61048	4.1	13	<1	1	3	5	7	9	17
35-49	24803	5.1	24	<1	1	4	7	10	13	24
50-64	19827	6.2	36	1	1	5	8	13	17	29
65+	16955	7.8	62	1	2	5	10	17	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36736	5.6	42	1	1	4	7	11	16	33
20-34	29297	6.2	71	1	1	4	7	13	21	50
35-49	21180	7.7	78	1	1	5	9	16	23	49
50-64	33227	9.0	88	1	2	6	11	18	26	53
65+	65576	11.7	139	2	3	8	14	25	36	92
B. *Operated*										
0-19 YRS	16386	5.7	63	1	1	3	6	12	18	47
20-34	53811	6.4	47	1	2	5	7	11	16	40
35-49	27989	8.3	77	1	2	6	9	16	24	51
50-64	30216	10.9	124	1	2	8	14	23	33	66
65+	37068	14.4	202	2	2	10	19	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157530	5.2	42	1	1	4	6	11	15	34
B. *Operated*	153274	4.8	25	<1	1	3	6	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	186016	8.7	99	1	2	6	11	19	28	63
B. *Operated*	165470	9.2	113	1	2	6	11	20	30	66
1. SINGLE DX	310804	5.0	33	<1	1	4	6	10	14	30
2. MULTIPLE DX	351486	8.9	106	1	2	6	11	19	29	64
A. NOT OPERATED	343546	7.1	76	1	1	4	8	15	22	51
B. OPERATED	318744	7.1	76	1	1	5	8	15	23	51
TOTAL 0-19 YRS	136002	4.5	30	1	1	3	5	9	12	28
20-34	196098	5.1	37	<1	1	4	6	9	13	33
35-49	91622	6.8	60	1	1	5	8	14	20	43
50-64	99200	8.7	87	1	2	6	11	18	26	52
65+	139368	11.5	143	2	2	8	14	25	37	85
GRAND TOTAL	**662290**	**7.1**	**76**	**1**	**1**	**5**	**8**	**15**	**23**	**51**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1414	4.1	10	1	1	3	5	8	11	16
20-34	337	3.5	7	1	1	3	4	7	9	12
35-49	116	4.1	10	1	1	3	5	8	11	15
50-64	106	4.0	7	1	1	4	6	8	9	12
65+	101	4.9	17	1	1	4	6	10	13	21
B. *Operated*										
0-19 YRS	16	6.1	18	3	3	4	6	13	16	18
20-34	41	5.6	10	2	3	5	6	9	10	21
35-49	8	7.3	43	2	2	4	10	18	21	21
50-64	7	7.9	38	3	3	6	9	19	21	21
65+	3	12.7	72	4	4	13	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1027	5.9	26	1	2	5	7	11	16	26
20-34	211	4.0	10	1	1	3	5	8	10	18
35-49	105	5.0	26	1	1	4	6	9	14	32
50-64	145	5.7	19	1	2	5	7	11	16	19
65+	245	9.2	124	2	2	6	11	16	29	77
B. *Operated*										
0-19 YRS	20	6.8	23	1	2	5	9	13	17	21
20-34	23	10.0	56	3	4	7	12	20	27	35
35-49	17	9.4	51	3	4	7	9	23	25	26
50-64	13	17.7	181	3	4	16	22	39	47	49
65+	27	16.5	221	4	5	11	17	39	47	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2074	4.1	10	1	1	3	5	8	10	16
B. *Operated*	75	6.4	21	3	3	5	7	12	20	21
2. MULTIPLE DX										
A. *Not Operated*	1733	6.1	39	1	2	4	7	12	16	33
B. *Operated*	100	12.0	122	2	4	8	15	26	36	58
1. SINGLE DX	2149	4.1	10	1	1	3	5	8	10	16
2. MULTIPLE DX	1833	6.4	45	1	2	5	8	12	17	35
A. NOT OPERATED	3807	5.0	24	1	1	4	6	9	13	22
B. OPERATED	175	9.6	86	3	3	6	11	21	28	47
TOTAL 0-19 YRS	2477	4.9	17	1	2	4	6	9	13	21
20-34	612	4.0	12	1	1	3	5	8	10	19
35-49	246	5.0	22	1	1	4	6	9	14	26
50-64	271	5.7	30	1	1	4	7	11	16	28
65+	376	8.6	110	1	2	5	10	16	27	68
GRAND TOTAL	**3982**	**5.2**	**28**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	21.6	510	4	5	10	31	60	74	80
20-34	24	20.5	161	5	5	21	29	41	64	99+
35-49	10	20.1	499	8	8	11	17	56	80	80
50-64	11	22.2	266	2	7	17	26	51	56	56
65+	13	30.1	744	1	3	22	59	95	99	99+
B. *Operated*										
0-19 YRS	3	36.3	421	19	19	31	52	59	59	59
20-34	4	9.0	21	4	4	8	12	15	15	15
35-49	3	12.7	14	10	10	14	58	99+	99+	99+
50-64	8	19.6	98	11	12	17	21	36	42	42
65+	8	23.0	242	4	8	18	40	80	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	23.7	385	2	3	16	41	51	58	59
20-34	27	26.5	492	6	8	19	32	59	83	85
35-49	9	31.1	774	6	7	18	46	78	81	81
50-64	22	26.9	303	2	7	23	45	53	57	57
65+	31	23.0	352	3	7	19	46	83	99+	99+
B. *Operated*										
0-19 YRS										
20-34	11	32.5	737	4	10	26	69	99+	99+	99+
35-49	12	25.3	348	6	8	25	61	99+	99+	99+
50-64	10	29.8	771	7	9	19	52	98	99+	99+
65+	26	23.7	296	5	8	17	36	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	22.6	390	4	5	16	30	58	80	99+
B. *Operated*	26	20.2	193	4	8	17	31	57	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	100	25.6	408	4	7	20	40	58	82	99+
B. *Operated*	59	26.7	453	6	8	19	56	99+	99+	99+
1. SINGLE DX	101	22.0	338	4	6	16	30	59	84	99+
2. MULTIPLE DX	159	26.0	422	4	7	20	45	77	99+	99+
A. NOT OPERATED	175	24.3	400	3	6	18	33	58	81	99+
B. OPERATED	85	24.7	380	5	8	19	41	99+	99+	99+
TOTAL 0-19 YRS	31	23.8	447	3	4	14	34	59	64	80
20-34	66	24.3	401	4	7	19	33	61	95	99+
35-49	34	24.2	471	7	8	17	37	94	99+	99+
50-64	51	25.3	346	3	9	19	36	56	58	99+
65+	78	24.4	378	4	7	18	42	81	99+	99+
GRAND TOTAL	**260**	**24.5**	**392**	**4**	**7**	**18**	**35**	**62**	**99+**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	3	9.0	49	2	2	9	14	16	16	16
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	20.0	72	14	14	20	26	26	26	26
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	9	9.1	124	3	3	4	10	28	37	37
35-49	4	10.3	48	3	3	9	15	19	19	19
50-64	6	9.7	61	2	2	8	15	21	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	6.3	9	3	3	7	7	11	12	12
35-49	9	9.1	18	2	2	10	11	14	15	15
50-64	3	6.7	16	2	2	9	9	9	9	9
65+	4	40.8	1127	7	7	34	62	87	87	87
B. *Operated*										
0-19 YRS	3	51.0	1764	9	9	51	82	93	93	93
20-34	4	8.5	27	5	5	3	12	16	16	16
35-49	6	35.8	573	17	17	23	65	68	68	68
50-64	9	18.9	246	1	4	14	28	43	53	53
65+	9	28.4	701	3	6	17	43	71	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	10.6	54	2	2	9	14	22	26	26
B. *Operated*	22	8.6	75	2	2	5	12	20	28	37
2. MULTIPLE DX										
A. *Not Operated*	24	13.0	321	2	2	8	11	32	53	87
B. *Operated*	31	26.7	607	3	5	17	39	66	87	93
1. SINGLE DX	31	9.2	67	2	2	7	13	20	26	37
2. MULTIPLE DX	55	20.7	522	2	3	11	24	53	82	93
A. NOT OPERATED	33	12.3	245	2	2	9	12	27	37	87
B. OPERATED	53	19.2	462	2	3	12	22	51	68	93
TOTAL 0-19 YRS	8	21.4	1109	2	2	6	30	80	93	93
20-34	22	8.0	55	3	3	6	8	15	24	37
35-49	22	16.6	300	2	3	11	18	36	66	68
50-64	19	13.2	162	1	2	9	16	29	42	53
65+	15	30.6	696	4	7	21	42	87	88	88
GRAND TOTAL	**86**	**16.5**	**386**	**2**	**3**	**10**	**17**	**42**	**66**	**91**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	3.7	27	1	1	3	4	6	7	16
20-34	52	3.4	3	2	2	3	4	5	6	10
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.0	9	1	1	3	5	6	11	18
20-34	34	3.9	6	2	2	3	4	8	10	11
35-49	7	4.1	2	1	2	4	5	6	6	6
50-64	7	5.6	5	3	3	5	7	9	9	9
65+	7	5.9	11	2	2	5	9	11	11	11
B. *Operated*										
0-19 YRS	2	10.0	32	6	6	10	14	14	14	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	3.6	20	1	1	3	4	5	7	10
B. *Operated*	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	176	4.1	8	1	2	3	5	7	11	16
B. *Operated*	2	10.0	32	6	6	10	14	14	14	14
1. SINGLE DX	200	3.6	20	1	1	3	4	5	7	10
2. MULTIPLE DX	178	4.2	9	1	2	3	5	7	11	16
A. NOT OPERATED	372	3.8	14	1	1	3	5	6	8	14
B. OPERATED	6	4.7	23	2	2	2	6	13	14	14
TOTAL 0-19 YRS	265	3.8	19	1	1	3	4	6	8	17
20-34	86	3.6	4	2	2	3	4	6	8	11
35-49	12	3.8	2	1	2	4	5	5	6	6
50-64	8	5.1	6	2	2	5	7	9	9	9
65+	7	5.9	11	2	2	5	9	11	11	11
GRAND TOTAL	**378**	**3.8**	**15**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	5.7	12	2	2	5	8	11	12	14
20-34	8	5.5	25	2	2	3	8	14	15	15
35-49	7	8.1	25	<1	1	9	10	16	17	17
50-64	9	8.2	27	2	3	7	11	17	19	19
65+	19	9.8	53	2	3	7	12	23	27	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	10.1	111	2	3	8	12	18	23	71
20-34	20	10.8	74	3	4	8	12	21	32	41
35-49	31	10.2	76	3	3	8	14	20	21	47
50-64	46	12.3	69	4	5	9	16	26	29	38
65+	115	14.9	137	4	5	12	19	30	41	83
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	23.5	147	7	8	20	34	40	41	41
35-49	10	18.2	134	7	8	15	22	37	45	45
50-64	11	13.7	84	2	5	12	21	53	93	99+
65+	34	30.9	484	10	11	22	40	73	79	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	7.0	26	2	2	6	9	13	17	27
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	272	12.6	111	3	4	9	16	25	32	70
B. *Operated*	62	24.8	360	7	9	19	32	52	76	99
1. SINGLE DX	91	7.0	26	2	2	6	9	13	17	27
2. MULTIPLE DX	334	14.8	179	3	4	11	18	30	42	82
A. NOT OPERATED	362	11.2	96	2	3	8	14	23	29	54
B. OPERATED	63	24.5	358	7	8	18	32	51	76	99
TOTAL 0-19 YRS	108	8.2	71	2	2	6	10	14	19	49
20-34	34	11.8	105	2	3	8	15	24	39	41
35-49	48	11.6	89	3	4	9	15	21	31	47
50-64	67	11.9	66	3	5	9	15	27	30	89
65+	168	17.6	243	4	5	13	21	36	50	90
GRAND TOTAL	**425**	**13.2**	**156**	**3**	**3**	**9**	**16**	**28**	**39**	**77**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	7.9	44	2	2	6	11	16	20	31
20-34	17	4.6	8	1	1	5	6	9	11	12
35-49	12	6.2	4	3	4	6	8	9	9	9
50-64	7	5.1	2	3	3	6	6	7	7	7
65+	16	9.3	76	2	3	6	12	14	31	38
B. *Operated*										
0-19 YRS	8	7.9	24	2	3	7	10	15	17	17
20-34	2	21.5	545	5	5	21	38	38	38	38
35-49	4	31.5	715	11	11	23	51	68	68	68
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	10.9	159	2	3	7	13	21	27	81
20-34	10	6.7	28	1	1	5	11	15	18	18
35-49	8	10.3	34	3	4	9	14	19	20	20
50-64	15	9.5	86	3	4	5	12	23	33	36
65+	27	13.0	174	2	4	7	14	36	48	50
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49										
50-64	3	19.0	604	1	1	9	37	47	47	47
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	7.5	41	2	2	6	10	15	18	34
B. *Operated*	16	17.0	314	3	4	10	24	38	59	68
2. MULTIPLE DX										
A. *Not Operated*	150	10.8	139	2	3	7	13	21	30	64
B. *Operated*	6	12.2	305	1	1	6	10	43	47	47
1. SINGLE DX	223	8.2	65	2	2	6	10	16	24	38
2. MULTIPLE DX	156	10.8	144	2	3	7	13	21	33	63
A. NOT OPERATED	357	8.9	84	2	2	6	11	18	25	47
B. OPERATED	22	15.7	302	1	2	9	17	41	55	68
TOTAL 0-19 YRS	254	8.9	85	2	2	6	12	17	25	38
20-34	31	6.5	49	1	1	5	8	12	18	38
35-49	24	11.8	190	3	4	8	10	21	45	68
50-64	26	9.3	113	2	3	6	8	22	38	47
65+	44	12.0	145	2	3	7	14	32	41	50
GRAND TOTAL	**379**	**9.3**	**99**	**2**	**2**	**6**	**12**	**18**	**28**	**49**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.8	4	2	2	3	5	7	9	11
20-34	94	4.4	9	1	2	3	5	8	11	15
35-49	14	4.2	5	1	2	4	5	7	9	10
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	3	8.3	56	1	1	8	14	16	16	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.7	4	1	2	3	5	7	8	8
20-34	27	5.4	12	1	2	5	7	10	13	14
35-49	8	6.1	32	1	2	4	7	16	19	19
50-64	4	7.5	14	3	3	8	10	11	11	11
65+	3	14.7	412	1	1	5	30	38	38	38
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	50.0		50	50	50	50	50	50	50
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	4.1	7	1	2	3	5	8	9	13
B. *Operated*	4	7.5	40	1	1	6	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	62	5.5	30	1	2	4	7	10	13	36
B. *Operated*	3	23.3	537	8	8	12	40	50	50	50
1. SINGLE DX	192	4.2	7	1	2	3	5	8	10	15
2. MULTIPLE DX	65	6.4	60	1	2	4	7	11	15	48
A. NOT OPERATED	250	4.5	13	1	2	3	6	8	10	17
B. OPERATED	7	14.3	271	1	2	8	15	43	50	50
TOTAL 0-19 YRS	97	3.8	5	2	2	3	5	7	9	12
20-34	125	4.7	11	1	2	4	6	9	12	16
35-49	23	4.9	14	1	2	4	6	8	13	19
50-64	8	11.6	253	2	2	7	10	38	50	50
65+	4	12.3	298	1	1	5	22	38	38	38
GRAND TOTAL	**257**	**4.7**	**21**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	3.7	6	1	1	3	5	7	9	13
20-34	47	4.8	11	1	2	4	6	10	12	16
35-49	15	4.7	6	1	2	4	6	8	9	10
50-64	39	6.8	16	2	2	7	9	13	15	18
65+	70	10.6	66	2	3	8	15	22	31	35
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	10.5	41	6	6	10	15	15	15	15
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	2	15.0	288	3	3	15	27	27	27	27
65+	3	5.7	2	4	4	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.1	8	1	2	3	5	8	10	14
20-34	31	6.6	16	2	2	6	8	13	15	18
35-49	24	8.0	10	4	4	8	10	11	13	17
50-64	38	8.2	31	2	3	6	12	15	21	24
65+	179	13.2	134	3	4	9	16	28	40	67
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	7.5	41	3	3	7	12	12	12	12
35-49	3	13.0	147	2	2	11	22	26	26	26
50-64	7	15.7	269	3	3	8	21	44	49	49
65+	19	18.7	257	4	6	14	36	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	5.3	24	1	2	4	6	10	15	26
B. *Operated*	10	8.4	54	3	3	6	8	21	27	27
2. MULTIPLE DX										
A. *Not Operated*	494	8.1	72	2	2	5	9	17	25	51
B. *Operated*	33	15.9	227	2	3	11	26	60	99+	99+
1. SINGLE DX	420	5.4	25	1	2	4	7	11	15	28
2. MULTIPLE DX	527	8.6	85	2	2	6	10	19	28	63
A. NOT OPERATED	904	6.8	52	1	2	5	8	14	20	40
B. OPERATED	43	14.2	195	2	3	10	23	50	99+	99+
TOTAL 0-19 YRS	464	3.9	7	1	1	3	5	8	9	14
20-34	82	5.7	15	1	2	5	7	12	14	17
35-49	44	7.1	19	2	3	7	9	11	13	26
50-64	86	8.3	49	2	3	6	10	15	22	41
65+	271	12.8	127	3	3	9	17	30	41	99+
GRAND TOTAL	**947**	**7.2**	**61**	**1**	**2**	**5**	**9**	**15**	**22**	**50**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	7.9	16	2	4	7	10	13	15	19
20-34	62	7.2	19	1	2	7	10	13	15	22
35-49	14	5.6	9	2	2	5	8	10	11	11
50-64	12	10.3	46	3	3	8	14	21	24	24
65+	10	10.0	67	3	3	6	21	22	22	22
B. *Operated*										
0-19 YRS										
20-34	4	6.8	15	1	1	8	9	9	9	9
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.1	26	3	3	7	11	16	17	17
20-34	14	8.9	42	1	2	8	11	21	23	23
35-49	13	11.6	32	5	5	10	17	19	21	21
50-64	9	6.4	18	1	1	5	10	13	13	13
65+	4	11.3	75	5	5	8	16	24	24	24
B. *Operated*										
0-19 YRS										
20-34	5	10.6	49	1	1	9	15	20	20	20
35-49	3	9.3	30	4	4	9	13	15	15	15
50-64	4	23.5	120	11	11	24	32	35	35	35
65+	5	22.8	447	5	5	19	30	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	7.7	24	2	3	7	10	14	19	23
B. *Operated*	7	7.9	11	1	2	8	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	48	9.3	35	2	3	8	12	18	21	24
B. *Operated*	17	17.0	195	2	4	14	20	34	51	59
1. SINGLE DX	133	7.7	24	2	3	7	10	13	19	23
2. MULTIPLE DX	65	11.3	86	2	3	9	15	21	25	55
A. NOT OPERATED	174	8.1	28	2	3	7	10	17	20	24
B. OPERATED	24	14.3	157	1	4	10	18	30	42	59
TOTAL 0-19 YRS	36	7.9	17	2	4	7	10	14	16	19
20-34	85	7.7	24	1	2	7	10	13	19	23
35-49	31	8.7	27	2	3	8	11	17	18	21
50-64	26	10.9	74	2	3	8	13	24	31	35
65+	20	13.4	169	3	4	8	20	23	41	59
GRAND TOTAL	**198**	**8.9**	**47**	**2**	**3**	**7**	**11**	**18**	**21**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	4.6	9	2	2	4	5	8	11	15
20-34	65	4.6	14	1	2	4	5	8	10	22
35-49	7	5.1	13	2	2	4	7	11	12	12
50-64	4	3.3	4	2	2	3	4	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	5.0	12	2	2	4	7	9	9	19
20-34	46	6.1	14	1	2	5	9	12	13	15
35-49	3	10.0	28	6	6	8	14	16	16	16
50-64	4	9.3	12	6	6	8	11	14	14	14
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5	5.6	2	4	4	5	7	7	7	7
20-34	3	6.3		6	6	6	7	7	7	7
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	4.6	10	1	2	4	5	8	11	17
B. *Operated*	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	188	5.5	13	2	2	4	7	9	12	16
B. *Operated*	8	5.9	1	4	4	6	7	7	7	7
1. SINGLE DX	280	4.6	10	1	2	4	5	8	12	17
2. MULTIPLE DX	196	5.5	12	2	2	5	7	9	12	16
A. NOT OPERATED	466	4.9	11	2	2	4	6	9	12	16
B. OPERATED	10	6.6	10	4	4	6	7	11	15	15
TOTAL 0-19 YRS	340	4.8	10	2	2	4	6	8	10	15
20-34	115	5.3	15	1	2	4	6	10	13	20
35-49	11	6.4	19	2	2	5	8	14	16	16
50-64	8	6.3	17	2	2	6	8	12	14	14
65+	2	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**476**	**5.0**	**11**	**2**	**2**	**4**	**6**	**9**	**12**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	13	<1	<1	1	7	9	9	9
20-34	5	3.8	5	2	2	3	5	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	200	1.5	2	<1	<1	1	2	2	3	5
20-34	249	1.7	1	<1	<1	1	2	3	4	6
35-49	28	2.4	3	<1	<1	2	3	5	6	8
50-64	19	2.3	3	<1	<1	2	3	5	7	7
65+	11	9.5	353	<1	<1	3	7	34	62	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	6	1.8	3	<1	<1	1	2	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	19	1.6	2	<1	<1	1	2	3	5	7
20-34	65	3.0	12	<1	<1	2	3	5	10	20
35-49	15	3.8	8	<1	<1	3	6	9	9	9
50-64	10	3.3	3	<1	1	3	4	6	6	6
65+	7	5.7	25	3	3	4	5	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.4	8	<1	<1	2	6	8	9	9
B. *Operated*	507	1.8	10	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	8	2.1	3	<1	<1	1	3	5	5	5
B. *Operated*	116	3.1	11	<1	<1	2	4	6	9	19
1. SINGLE DX	519	1.9	10	<1	<1	1	2	3	4	8
2. MULTIPLE DX	124	3.0	10	<1	<1	2	4	6	9	19
A. NOT OPERATED	20	2.9	6	<1	<1	2	5	7	8	9
B. OPERATED	623	2.1	10	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	227	1.5	2	<1	<1	1	2	3	4	8
20-34	325	2.0	4	<1	<1	1	2	4	5	10
35-49	44	2.9	5	<1	<1	2	4	6	8	9
50-64	29	2.6	3	<1	<1	2	3	6	6	7
65+	18	8.1	221	<1	<1	4	5	16	46	65
GRAND TOTAL	**643**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	436	3.0	5	1	1	3	4	5	7	11
20-34	118	4.2	9	1	1	3	5	9	11	14
35-49	50	4.9	21	1	1	4	6	8	13	25
50-64	28	5.8	16	2	2	4	7	11	14	19
65+	40	5.8	23	1	1	4	8	11	17	21
B. *Operated*										
0-19 YRS	21	2.5	10	<1	<1	1	2	7	11	12
20-34										
35-49	2	13.5	85	7	7	13	20	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	347	3.9	11	1	1	3	5	7	9	13
20-34	89	4.9	16	1	1	4	6	9	11	24
35-49	54	5.3	9	1	2	5	7	10	12	13
50-64	62	5.1	10	1	2	4	7	9	11	15
65+	100	7.8	36	1	2	7	10	16	19	33
B. *Operated*										
0-19 YRS	6	6.2	18	2	2	5	10	12	12	12
20-34	12	22.3	746	2	3	11	25	67	91	95
35-49	3	9.0	16	5	5	9	12	13	13	13
50-64	3	10.3	161	3	3	3	20	25	25	25
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	3.7	9	1	1	3	4	7	9	16
B. *Operated*	23	3.5	23	<1	<1	1	4	11	15	20
2. MULTIPLE DX										
A. *Not Operated*	652	4.9	17	1	1	4	6	9	12	21
B. *Operated*	25	15.1	414	2	2	9	14	35	65	95
1. SINGLE DX	695	3.7	9	1	1	3	4	7	10	18
2. MULTIPLE DX	677	5.2	35	1	1	4	7	10	13	31
A. NOT OPERATED	1324	4.2	13	1	1	3	5	8	10	19
B. OPERATED	48	9.5	257	<1	1	4	11	19	37	95
TOTAL 0-19 YRS	810	3.4	8	1	1	3	4	6	8	13
20-34	219	5.5	65	1	1	4	6	10	13	41
35-49	109	5.4	17	1	2	5	7	10	13	23
50-64	93	5.5	16	2	2	4	7	10	13	22
65+	141	7.3	33	1	2	6	10	15	19	32
GRAND TOTAL	**1372**	**4.4**	**22**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	9	2	2	4	7	9	9	9
20-34	17	3.6	8	1	1	3	5	7	10	12
35-49	5	3.0	4	1	1	3	4	6	6	6
50-64	4	4.8	8	3	3	4	6	9	9	9
65+	2	10.5	25	7	7	10	14	14	14	14
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	3.8	10	1	1	3	5	9	9	9
65+	4	4.5	14	2	2	3	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.2	10	1	1	3	5	9	12	14
B. *Operated*	3	6.7	4	5	5	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	16	4.3	8	1	1	3	6	9	10	10
B. *Operated*										
1. SINGLE DX	35	4.4	10	1	1	3	6	9	11	14
2. MULTIPLE DX	16	4.3	8	1	1	3	6	9	10	10
A. NOT OPERATED	48	4.2	9	1	1	3	5	9	10	14
B. OPERATED	3	6.7	4	5	5	6	8	9	9	9
TOTAL 0-19 YRS	8	5.0	4	2	2	5	6	8	9	9
20-34	22	3.8	8	1	1	3	5	8	10	12
35-49	6	3.8	7	1	1	3	6	8	8	8
50-64	9	4.2	8	1	1	3	5	9	9	9
65+	6	6.5	23	2	2	5	10	14	14	14
GRAND TOTAL	**51**	**4.4**	**9**	**1**	**1**	**3**	**6**	**9**	**10**	**14**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	6.5	27	2	2	6	8	10	13	34
20-34	79	5.2	19	1	2	5	6	8	10	30
35-49	9	8.6	15	3	3	9	11	14	15	15
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	9.3	5	8	8	8	11	12	12	12
B. *Operated*										
0-19 YRS	11	3.8	6	<1	<1	4	6	7	8	8
20-34	22	3.5	8	<1	<1	2	6	8	9	10
35-49	5	3.4	11	1	1	2	5	9	9	9
50-64	5	2.4	1	1	1	2	3	4	4	4
65+	2	8.5	113	1	1	8	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.7	19	2	3	6	10	13	16	17
20-34	38	6.3	19	2	3	5	6	14	18	19
35-49	10	9.0	26	4	4	7	11	17	21	21
50-64	7	22.1	449	3	4	10	39	55	58	58
65+	10	15.8	355	3	3	11	15	45	66	66
B. *Operated*										
0-19 YRS	5	9.2	24	4	4	8	12	17	17	17
20-34	10	7.3	51	1	2	5	8	18	26	26
35-49	3	16.3	210	2	2	16	27	31	31	31
50-64	5	7.4	13	4	4	6	10	13	13	13
65+	2	5.5	25	2	2	5	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	6.0	22	2	2	5	7	10	12	34
B. *Operated*	45	3.6	10	<1	1	2	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	84	9.2	111	2	3	6	10	17	23	63
B. *Operated*	25	8.6	53	2	2	7	10	17	27	3[illegible]
1. SINGLE DX	181	5.4	20	1	1	5	7	9	12	29
2. MULTIPLE DX	109	9.0	97	2	3	6	10	17	24	61
A. NOT OPERATED	220	7.2	58	2	3	5	8	13	17	49
B. OPERATED	70	5.4	31	1	1	4	7	11	16	30
TOTAL 0-19 YRS	79	6.3	23	1	2	6	8	11	16	29
20-34	149	5.4	20	1	1	5	6	9	14	26
35-49	27	8.6	44	1	2	8	11	16	22	31
50-64	18	11.9	238	1	2	7	11	38	53	58
65+	17	12.6	226	1	2	9	14	22	51	66
GRAND TOTAL	**290**	**6.8**	**52**	**1**	**2**	**5**	**8**	**12**	**17**	**41**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.3	17	1	2	5	6	9	10	28
20-34	5	5.4	2	4	4	5	7	7	7	7
35-49	3	6.7	5	4	4	8	8	8	8	8
50-64	7	9.6	40	1	2	9	11	20	22	22
65+	11	5.5	34	1	1	5	8	14	19	20
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	13.3	1	12	12	14	14	14	14	14
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	3	17.0	49	10	10	17	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.4	24	1	2	5	9	11	17	28
20-34	13	4.4	7	2	2	3	5	7	11	12
35-49	10	7.4	14	2	3	7	10	12	14	14
50-64	5	15.4	92	7	7	11	21	31	31	31
65+	27	11.9	55	3	4	11	16	20	24	37
B. *Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	15.7	25	11	11	15	19	21	21	21
50-64	6	19.8	389	2	2	11	36	50	52	52
65+	5	18.4	337	7	7	12	51	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	5.7	20	1	1	5	7	9	11	26
B. *Operated*	11	11.4	40	2	3	12	14	20	24	24
2. MULTIPLE DX										
A. *Not Operated*	147	7.6	36	2	2	6	10	15	19	31
B. *Operated*	16	15.6	251	2	3	11	25	52	83	99+
1. SINGLE DX	106	6.3	25	1	2	5	8	11	17	27
2. MULTIPLE DX	163	8.5	63	2	2	6	11	17	22	52
A. NOT OPERATED	242	6.8	31	1	2	6	9	13	18	31
B. OPERATED	27	14.4	167	2	3	12	16	46	57	99+
TOTAL 0-19 YRS	162	5.9	21	1	2	5	7	10	14	29
20-34	23	5.7	14	2	3	4	7	13	14	14
35-49	18	8.7	26	2	3	8	11	15	19	21
50-64	20	13.7	161	1	3	10	15	33	44	52
65+	46	11.4	88	1	2	10	16	22	39	99+
GRAND TOTAL	**269**	**7.6**	**49**	**1**	**2**	**6**	**9**	**15**	**20**	**48**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	7.9	159	1	1	3	6	28	41	41
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	3	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49										
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	2	16.5	1	16	16	16	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	11	1	1	5	8	10	10	10
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	11.5	85	5	5	11	18	18	18	18
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	23.0		23	23	23	23	23	23	23
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.1	97	1	1	3	7	12	32	41
B. *Operated*	8	7.1	38	1	1	5	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	13	5.8	20	1	2	5	7	12	17	18
B. *Operated*	4	9.3	90	2	2	6	15	23	23	23
1. SINGLE DX	24	6.5	75	1	1	3	8	16	24	41
2. MULTIPLE DX	17	6.6	34	1	2	5	8	16	21	23
A. NOT OPERATED	29	6.0	60	1	1	3	7	11	19	41
B. OPERATED	12	7.8	50	1	2	5	12	19	22	23
TOTAL 0-19 YRS	19	6.1	78	1	1	4	7	9	27	41
20-34	7	6.7	57	2	2	3	7	20	23	23
35-49	3	9.3	5	8	8	8	11	12	12	12
50-64	8	2.6	5	1	1	2	4	6	7	7
65+	4	14.0	37	5	5	16	17	18	18	18
GRAND TOTAL	**41**	**6.5**	**57**	**1**	**1**	**4**	**8**	**16**	**20**	**41**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.9	8	2	2	5	7	8	8	14
20-34	20	5.8	5	1	3	6	7	9	9	9
35-49	7	7.3	23	2	2	8	11	14	14	14
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	3	7.7	9	5	5	7	10	11	11	11
B. *Operated*										
0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34	33	5.4	13	2	2	4	7	12	13	16
35-49	19	9.8	64	2	2	7	13	24	29	29
50-64	18	11.7	105	<1	1	11	16	24	34	40
65+	4	10.8	48	5	5	9	16	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	7.3	31	2	2	6	8	13	21	27
20-34	26	5.3	10	1	2	5	7	11	12	13
35-49	18	7.9	27	1	2	8	10	17	17	17
50-64	12	9.7	36	<1	2	9	15	18	19	19
65+	11	10.7	57	1	2	12	14	22	26	26
B. *Operated*										
0-19 YRS	3	9.0	57	1	1	10	14	16	16	16
20-34	19	10.4	50	1	2	9	14	21	23	25
35-49	26	9.6	45	1	3	9	12	17	21	33
50-64	17	10.7	52	1	2	9	14	22	25	26
65+	8	17.8	272	3	4	12	27	45	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.6	9	2	2	5	7	9	11	14
B. *Operated*	76	8.4	55	2	2	6	12	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	110	7.5	30	1	2	6	10	15	19	26
B. *Operated*	73	10.9	74	1	3	9	14	20	26	46
1. SINGLE DX	139	7.1	36	2	2	5	8	15	18	30
2. MULTIPLE DX	183	8.9	50	1	2	7	12	18	22	36
A. NOT OPERATED	173	6.8	23	2	2	6	9	13	17	26
B. OPERATED	149	9.7	65	1	2	7	13	20	26	40
TOTAL 0-19 YRS	79	6.5	24	2	2	6	8	13	16	26
20-34	98	6.4	21	2	2	5	8	13	15	23
35-49	70	9.0	42	2	2	8	12	17	18	32
50-64	49	10.6	65	1	2	9	16	20	26	40
65+	26	12.5	119	2	3	10	15	25	40	48
GRAND TOTAL	**322**	**8.1**	**44**	**2**	**2**	**6**	**11**	**16**	**20**	**34**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	7.0	72	1	1	7	13	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	30.5	545	14	14	30	47	47	47	47
35-49	1	23.0		23	23	23	23	23	23	23
50-64	3	19.0	723	2	2	5	39	50	50	50
65+	3	32.7	1557	6	6	14	62	78	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	11.5	5	10	10	11	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	32	1	1	2	8	13	13	13
B. *Operated*	9	26.6	679	2	3	14	48	67	78	78
1. SINGLE DX	3	9.0	21	4	4	10	12	13	13	13
2. MULTIPLE DX	13	19.8	573	1	2	13	29	56	74	78
A. NOT OPERATED	5	4.4	24	1	1	2	6	13	13	13
B. OPERATED	11	23.8	581	2	4	14	41	61	77	78
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	30.5	545	14	14	30	47	47	47	47
35-49	3	9.7	134	2	2	4	18	23	23	23
50-64	6	14.0	338	1	1	9	13	46	50	50
65+	4	25.0	1273	2	2	10	46	78	78	78
GRAND TOTAL	**16**	**17.8**	**480**	**1**	**2**	**11**	**19**	**50**	**70**	**78**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	8.5	61	3	3	8	14	14	14	14
50-64	15	10.0	163	1	2	5	12	27	42	47
65+	14	12.4	71	2	3	11	19	25	26	26
B. *Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	10	7.4	69	<1	1	5	9	20	30	30
35-49	20	5.7	30	1	2	4	7	14	18	22
50-64	47	12.6	239	1	2	5	15	42	51	52
65+	71	8.9	131	1	2	6	9	18	31	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	11.9	86	3	3	9	15	23	34	37
50-64	33	13.8	163	1	2	9	26	33	35	47
65+	32	17.1	373	1	1	9	30	43	49	86
B. *Operated*										
0-19 YRS										
20-34	7	9.0	35	2	2	8	15	16	16	16
35-49	25	13.5	168	3	3	9	17	24	35	67
50-64	112	16.1	231	2	2	13	20	39	52	92
65+	93	14.9	217	2	2	11	18	39	52	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	10.5	107	1	2	6	15	25	27	47
B. *Operated*	151	9.4	148	1	2	5	10	22	38	52
2. MULTIPLE DX										
A. *Not Operated*	79	14.8	234	1	2	9	23	35	44	75
B. *Operated*	237	15.1	213	2	2	11	19	38	51	89
1. SINGLE DX	184	9.6	140	1	2	5	11	22	37	52
2. MULTIPLE DX	316	15.1	218	2	2	11	20	36	48	87
A. NOT OPERATED	112	13.6	199	1	2	8	20	33	41	63
B. OPERATED	388	12.9	195	2	2	9	16	31	48	77
TOTAL 0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	18	7.7	52	1	2	5	9	16	24	30
35-49	61	10.4	109	2	2	8	14	22	24	64
50-64	207	14.5	218	2	2	10	20	36	49	74
65+	210	13.0	209	1	2	8	16	33	43	81
GRAND TOTAL	**500**	**13.1**	**196**	**1**	**2**	**8**	**17**	**32**	**45**	**77**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	6.3	1	5	5	6	7	7	7	7
65+	15	9.5	98	1	1	6	13	30	32	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	8.0	37	3	3	5	12	18	19	19
65+	17	14.7	85	2	3	17	23	26	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.7	8	<1	<1	<1	5	6	6	6
50-64	7	11.4	61	4	5	10	12	25	28	28
65+	14	11.5	153	2	2	6	13	29	41	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	26.2	203	5	6	26	35	44	45	45
50-64	19	24.7	202	5	9	22	33	53	77	99+
65+	38	27.6	413	3	8	22	39	57	73	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	8.8	78	1	2	6	9	24	32	33
B. *Operated*	26	12.4	77	2	3	9	20	25	26	28
2. MULTIPLE DX										
A. *Not Operated*	24	10.4	112	<1	2	7	12	27	33	45
B. *Operated*	63	26.6	323	4	8	22	36	52	73	98
1. SINGLE DX	45	10.9	79	2	3	7	17	25	28	33
2. MULTIPLE DX	87	22.1	316	2	4	19	33	47	60	94
A. NOT OPERATED	43	9.7	95	1	2	6	11	27	31	45
B. OPERATED	89	22.4	292	3	4	19	32	47	59	93
TOTAL 0-19 YRS										
20-34										
35-49	9	18.3	267	<1	<1	19	33	41	45	45
50-64	39	16.6	180	3	4	12	24	40	53	99+
65+	84	19.1	304	2	3	14	27	40	54	80
GRAND TOTAL	**132**	**18.3**	**262**	**2**	**3**	**13**	**27**	**40**	**52**	**86**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	10	10.5	165	3	3	4	14	32	42	42
65+	20	7.5	54	<1	1	4	12	18	23	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	16.3	78	8	8	15	16	31	35	35
50-64	16	14.7	76	4	7	12	18	24	35	40
65+	53	18.0	84	3	4	18	23	28	35	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	6	6.5	22	1	1	5	11	13	13	13
50-64	28	10.9	30	2	3	11	15	17	20	25
65+	86	11.7	178	2	2	7	15	33	37	97
B. *Operated*										
0-19 YRS										
20-34	9	17.8	91	8	9	17	20	34	39	39
35-49	25	23.4	365	9	10	18	26	34	78	89
50-64	107	20.2	172	8	9	17	24	37	44	82
65+	177	21.7	170	7	9	19	27	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	8.0	83	<1	1	4	10	21	26	42
B. *Operated*	76	17.1	81	3	5	17	22	27	35	43
2. MULTIPLE DX										
A. *Not Operated*	122	11.2	134	2	2	8	14	27	35	93
B. *Operated*	318	21.2	183	8	9	18	26	39	51	99+
1. SINGLE DX	**109**	**14.4**	**99**	**2**	**3**	**14**	**20**	**26**	**35**	**43**
2. MULTIPLE DX	**440**	**18.4**	**189**	**3**	**5**	**16**	**24**	**37**	**47**	**99+**
A. NOT OPERATED	**155**	**10.5**	**124**	**2**	**2**	**8**	**14**	**25**	**35**	**88**
B. OPERATED	**394**	**20.4**	**166**	**7**	**9**	**18**	**25**	**37**	**48**	**99+**
TOTAL 0-19 YRS										
20-34	11	16.0	89	7	8	12	18	31	38	39
35-49	41	18.3	288	2	4	14	23	31	53	89
50-64	161	17.4	152	4	6	15	21	30	41	69
65+	336	17.7	175	2	3	16	25	36	48	99+
GRAND TOTAL	**549**	**17.6**	**174**	**2**	**4**	**15**	**23**	**35**	**44**	**99+**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	14.5	41	10	10	14	19	19	19	19
65+	3	25.7	65	17	17	27	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64	3	3.0	3	2	2	2	4	5	5	5
65+	2	13.5	5	12	12	13	15	15	15	15
B. *Operated*										
0-19 YRS										
20-34	2	23.0	50	18	18	23	28	28	28	28
35-49	9	12.8	104	2	2	9	23	27	27	27
50-64	15	17.4	73	8	11	15	18	30	37	39
65+	11	19.3	159	8	9	18	22	68	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	5	21.2	80	10	10	19	28	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	9	6.2	26	1	1	4	11	14	15	15
B. *Operated*	37	17.1	105	3	7	15	22	29	48	99+
1. SINGLE DX	6	18.7	103	6	6	18	27	32	33	33
2. MULTIPLE DX	46	15.0	108	2	3	14	21	28	41	99+
A. NOT OPERATED	10	6.2	23	1	1	5	11	13	15	15
B. OPERATED	42	17.6	102	3	8	16	23	31	44	99+
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	23.0	50	18	18	23	28	28	28	28
35-49	12	10.3	96	1	2	6	18	27	27	27
50-64	20	15.0	83	2	4	14	18	29	34	39
65+	17	18.9	131	7	9	16	23	48	82	99+
GRAND TOTAL	**52**	**15.4**	**107**	**2**	**3**	**14**	**21**	**29**	**38**	**99**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	13	7.2	36	2	2	4	10	15	21	23
65+	29	8.6	46	1	2	7	11	18	25	28
B. *Operated*										
0-19 YRS										
20-34	3	9.0	7	7	7	8	11	12	12	12
35-49	26	12.5	33	2	5	11	17	19	23	25
50-64	89	12.8	30	3	8	12	15	18	24	31
65+	121	15.7	34	9	10	14	18	25	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.5	34	3	3	5	11	16	16	16
35-49	16	10.2	73	2	2	6	16	24	27	28
50-64	59	6.8	50	1	1	4	10	16	23	32
65+	121	11.7	162	1	2	7	14	26	36	76
B. *Operated*										
0-19 YRS	3	10.0	39	3	3	12	14	15	15	15
20-34	12	16.7	301	4	4	11	19	37	64	68
35-49	60	17.9	165	4	9	15	22	30	42	79
50-64	275	19.4	154	8	10	16	24	33	40	80
65+	582	23.3	199	10	11	19	28	42	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	8.0	42	1	2	7	11	17	24	28
B. *Operated*	239	14.2	34	6	9	13	17	23	26	33
2. MULTIPLE DX										
A. *Not Operated*	200	10.1	123	1	1	6	13	23	32	60
B. *Operated*	932	21.7	189	9	11	18	26	38	51	87
1. SINGLE DX	282	13.2	40	3	5	13	16	22	26	33
2. MULTIPLE DX	1132	19.6	197	3	6	16	24	36	46	83
A. NOT OPERATED	243	9.7	109	1	2	6	13	22	29	47
B. OPERATED	1171	20.2	166	9	10	16	24	35	45	83
TOTAL 0-19 YRS	3	10.0	39	3	3	12	14	15	15	15
20-34	19	13.5	209	3	4	9	15	23	48	68
35-49	103	15.2	126	2	4	12	19	26	32	66
50-64	436	16.0	134	3	4	13	19	30	36	59
65+	853	20.1	189	4	7	17	25	37	48	84
GRAND TOTAL	**1414**	**18.4**	**172**	**3**	**5**	**15**	**23**	**34**	**43**	**79**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	16	4.8	8	<1	<1	4	7	9	10	10
65+	14	7.3	50	1	1	4	15	17	21	22
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	13.0	73	4	4	14	19	21	21	21
35-49	13	14.8	10	10	10	15	17	19	20	20
50-64	72	14.9	58	4	7	14	18	24	31	42
65+	103	17.1	112	3	4	15	22	30	38	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	12.5	30	5	5	13	16	18	18	18
35-49	18	13.9	308	<1	1	6	22	36	58	70
50-64	48	12.8	165	1	1	8	17	37	42	48
65+	131	12.5	185	2	2	8	15	31	38	71
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	11.0	64	3	3	11	17	19	19	19
35-49	58	18.0	75	4	9	17	22	27	38	44
50-64	172	22.5	175	7	10	20	29	38	47	99+
65+	367	22.9	235	5	8	20	30	44	53	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.0	28	<1	1	4	8	15	17	22
B. *Operated*	192	16.0	85	4	5	14	20	27	34	48
2. MULTIPLE DX										
A. *Not Operated*	202	12.6	185	1	2	8	15	31	41	68
B. *Operated*	601	22.2	203	5	8	19	28	40	51	98
1. SINGLE DX	222	14.6	89	2	3	13	19	26	33	47
2. MULTIPLE DX	803	19.8	216	3	4	17	26	38	46	94
A. NOT OPERATED	232	11.8	170	1	2	8	15	30	40	67
B. OPERATED	793	20.7	182	5	8	18	25	38	46	95
TOTAL 0-19 YRS	3	5.3	44	<1	<1	2	10	13	13	13
20-34	10	12.2	41	3	3	13	18	20	21	21
35-49	89	16.7	112	3	4	15	21	26	40	60
50-64	308	18.3	163	3	4	16	24	36	42	96
65+	615	19.4	220	2	4	16	25	38	47	91
GRAND TOTAL	**1025**	**18.7**	**193**	**3**	**4**	**16**	**24**	**37**	**45**	**91**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.0		2	2	2	2	2	2	2
35-49	3	16.7	446	3	3	6	32	41	41	41
50-64	7	7.1	14	3	3	6	9	13	14	14
65+	7	4.9	18	1	1	3	7	12	13	13
B. *Operated*										
0-19 YRS	2	16.0	98	9	9	16	23	23	23	23
20-34	2	12.0	50	7	7	12	17	17	17	17
35-49	8	14.5	100	5	5	13	19	31	34	34
50-64	7	14.1	169	1	1	9	23	35	37	37
65+	18	21.6	110	10	12	20	26	46	77	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	5	3.0	8	1	1	1	5	7	7	7
50-64	24	7.6	68	1	1	4	10	23	27	29
65+	40	10.6	138	2	2	7	14	25	29	65
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	15.3	41	8	8	18	19	20	20	20
35-49	16	25.4	258	9	10	20	34	52	59	62
50-64	44	19.3	168	3	7	16	24	36	53	57
65+	55	21.7	172	9	9	20	26	35	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.8	75	1	1	4	7	13	26	41
B. *Operated*	37	17.8	118	3	6	16	23	36	46	99+
2. MULTIPLE DX										
A. *Not Operated*	73	8.7	102	1	1	5	11	23	29	57
B. *Operated*	119	21.1	178	6	9	18	26	39	53	67
1. SINGLE DX	58	13.8	129	1	2	12	21	32	41	95
2. MULTIPLE DX	192	16.4	185	1	3	14	22	31	42	65
A. NOT OPERATED	94	8.3	96	1	1	5	10	18	29	54
B. OPERATED	156	20.3	165	5	8	18	25	38	52	72
TOTAL 0-19 YRS	5	11.8	65	3	3	9	18	23	23	23
20-34	11	7.9	50	1	1	6	15	19	20	20
35-49	32	18.3	245	1	2	14	26	41	52	62
50-64	82	14.4	153	1	2	12	19	30	38	57
65+	120	17.0	176	2	3	15	23	30	46	81
GRAND TOTAL	**250**	**15.8**	**173**	**1**	**2**	**13**	**22**	**31**	**42**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	10	8.4	24	1	2	9	10	15	16	16
65+	20	9.4	58	<1	1	8	13	20	26	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	20.3	9	17	17	21	22	23	23	23
50-64	12	24.0	224	3	5	22	38	44	46	46
65+	20	17.5	83	8	9	15	21	35	37	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	5.5	8	3	3	4	8	10	10	10
50-64	32	13.7	245	2	2	7	17	30	39	78
65+	69	10.5	107	2	2	8	12	20	37	93
B. *Operated*										
0-19 YRS										
20-34										
35-49	12	25.3	224	8	12	22	31	43	63	66
50-64	82	23.5	182	7	10	19	30	41	49	69
65+	117	23.9	190	7	10	21	29	40	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	8.5	44	1	1	8	11	16	22	29
B. *Operated*	35	20.0	129	6	9	17	24	38	43	46
2. MULTIPLE DX										
A. *Not Operated*	107	11.1	145	2	2	7	13	29	37	87
B. *Operated*	211	23.8	187	7	10	21	29	41	50	75
1. SINGLE DX	68	14.4	120	1	3	12	19	32	38	45
2. MULTIPLE DX	318	19.6	209	3	4	17	27	38	46	79
A. NOT OPERATED	140	10.5	122	1	2	7	13	23	31	80
B. OPERATED	246	23.3	180	7	10	20	29	40	48	70
TOTAL 0-19 YRS										
20-34										
35-49	24	17.0	205	3	4	16	23	31	43	66
50-64	136	20.1	214	3	5	16	29	40	45	71
65+	226	18.0	185	2	4	15	25	37	42	83
GRAND TOTAL	**386**	**18.7**	**196**	**3**	**4**	**15**	**26**	**37**	**43**	**75**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	23	5.0	17	1	1	4	6	10	14	19
50-64	67	8.6	148	1	2	4	12	20	24	79
65+	93	11.7	146	1	2	9	14	23	40	62
B. *Operated*										
0-19 YRS										
20-34	4	8.0	25	1	1	9	11	12	12	12
35-49	38	14.0	139	1	2	11	19	25	38	62
50-64	138	13.0	96	2	3	11	17	23	31	52
65+	158	14.9	105	2	4	14	20	28	33	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.4	27	4	4	6	7	16	20	20
35-49	84	8.1	49	2	2	5	12	19	23	27
50-64	341	8.6	72	1	2	6	11	20	25	44
65+	383	13.1	150	2	3	10	16	28	37	72
B. *Operated*										
0-19 YRS										
20-34	5	11.2	20	8	8	10	12	19	19	19
35-49	88	17.1	152	4	5	14	22	32	44	66
50-64	437	18.2	155	3	5	16	23	33	45	62
65+	492	18.9	192	3	5	16	25	38	47	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	9.7	134	1	2	6	12	20	28	62
B. *Operated*	338	13.9	105	2	3	12	18	26	33	52
2. MULTIPLE DX										
A. *Not Operated*	816	10.6	111	2	2	7	14	24	31	58
B. *Operated*	1022	18.4	172	3	5	16	24	35	46	74
1. SINGLE DX	522	12.4	119	1	2	10	16	24	32	59
2. MULTIPLE DX	1838	14.9	160	2	3	12	21	31	41	69
A. NOT OPERATED	1000	10.5	115	2	2	7	14	23	31	61
B. OPERATED	1360	17.3	159	3	4	15	23	32	44	69
TOTAL 0-19 YRS										
20-34	18	8.2	26	<1	2	7	10	17	20	20
35-49	233	12.2	119	2	2	10	17	24	32	53
50-64	983	13.5	137	2	2	11	19	27	36	59
65+	1126	15.8	170	2	3	13	21	31	42	73
GRAND TOTAL	**2360**	**14.4**	**152**	**2**	**2**	**12**	**19**	**29**	**39**	**67**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	10	6.3	58	1	1	4	6	17	27	27
65+	17	7.9	84	1	2	6	9	13	32	41
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	1	2.0		2	2	2	2	2	2	2
35-49	15	13.8	83	3	4	13	16	31	32	32
50-64	51	11.5	129	2	2	9	18	21	31	60
65+	48	8.0	73	1	1	3	11	20	28	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	7	9.1	39	3	3	9	13	19	20	20
50-64	21	11.3	212	1	2	4	12	35	45	54
65+	28	6.9	21	2	2	6	9	14	26	99+
B. *Operated*										
0-19 YRS										
20-34	4	24.0	77	16	16	23	31	33	33	33
35-49	8	22.5	375	5	5	16	30	55	63	63
50-64	72	16.3	313	2	2	12	23	36	66	99
65+	63	17.5	215	2	2	16	26	44	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.9	66	1	2	5	7	12	27	41
B. *Operated*	116	10.4	102	1	2	8	15	21	30	51
2. MULTIPLE DX										
A. *Not Operated*	57	8.8	94	2	2	6	9	23	36	96
B. *Operated*	147	17.4	266	2	2	14	26	41	55	99+
1. SINGLE DX	146	9.7	96	1	2	6	13	21	29	47
2. MULTIPLE DX	204	15.0	233	2	2	10	24	38	53	99+
A. NOT OPERATED	87	8.1	85	2	2	5	9	21	33	82
B. OPERATED	263	14.3	205	2	2	10	21	34	45	99
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	6	17.3	154	2	2	16	30	33	33	33
35-49	33	14.0	159	3	3	12	17	31	36	63
50-64	154	13.4	227	2	2	8	19	29	45	96
65+	156	11.6	144	2	2	8	18	33	44	99+
GRAND TOTAL	**350**	**12.8**	**182**	**2**	**2**	**8**	**19**	**31**	**43**	**99+**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.8	96	<1	1	3	5	12	33	39
20-34	19	4.4	23	1	1	4	4	10	17	21
35-49	6	2.5	1	1	1	3	3	3	3	3
50-64	8	2.9	10	1	1	1	4	8	10	10
65+	6	8.2	29	2	2	7	14	15	15	15
B. *Operated*										
0-19 YRS	10	13.3	95	2	2	10	19	29	31	31
20-34	21	10.8	112	1	1	6	18	27	32	36
35-49	15	8.1	45	1	2	7	9	17	24	27
50-64	14	8.7	41	<1	1	8	12	18	21	22
65+	12	12.2	96	3	4	10	17	50	90	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.4	17	<1	1	3	5	11	14	18
20-34	35	4.9	59	1	1	2	4	11	27	32
35-49	3	7.7	14	5	5	6	10	12	12	12
50-64	19	4.2	33	<1	1	1	6	10	18	24
65+	29	5.4	43	2	2	4	6	12	17	34
B. *Operated*										
0-19 YRS	13	20.2	253	2	3	14	35	40	46	48
20-34	7	13.7	141	3	4	9	19	34	37	37
35-49	9	31.8	807	2	3	31	46	75	92	92
50-64	14	27.6	335	2	3	25	46	50	54	55
65+	32	15.7	178	3	4	11	22	33	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.7	39	1	1	3	4	10	15	38
B. *Operated*	72	10.4	78	1	2	8	15	27	31	85
2. MULTIPLE DX										
A. *Not Operated*	110	4.9	39	1	1	2	5	11	18	33
B. *Operated*	75	20.5	313	2	3	14	33	46	50	84
1. SINGLE DX	125	8.0	69	1	1	5	10	22	27	54
2. MULTIPLE DX	185	11.2	207	1	1	5	14	33	43	58
A. NOT OPERATED	163	4.8	39	1	1	3	5	11	17	34
B. OPERATED	147	15.5	222	2	2	10	23	37	48	92
TOTAL 0-19 YRS	61	9.6	133	<1	1	4	12	30	37	47
20-34	82	7.1	79	1	1	3	8	24	28	37
35-49	33	13.5	356	1	2	6	13	35	49	92
50-64	55	11.1	202	1	1	5	15	35	47	55
65+	79	10.8	123	2	2	6	15	31	36	88
GRAND TOTAL	**310**	**9.9**	**154**	**1**	**1**	**5**	**12**	**28**	**37**	**57**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	7.4	6	4	4	8	9	10	10	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	8.1	38	1	2	6	11	18	20	21
35-49	35	8.1	50	1	2	6	11	17	23	35
50-64	27	10.4	66	1	2	9	13	21	32	33
65+	21	7.6	38	1	2	6	11	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	8	5.9	32	1	1	4	9	15	17	17
50-64	9	12.0	138	5	5	5	14	31	41	41
65+	6	10.7	156	<1	<1	7	11	33	35	35
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	12.4	74	<1	2	14	17	25	29	29
35-49	12	11.1	63	1	2	10	15	23	26	27
50-64	23	16.0	86	3	4	16	21	27	33	40
65+	26	14.7	95	3	3	14	22	29	32	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.9	11	2	2	6	9	10	10	10
B. *Operated*	103	8.5	49	1	2	6	11	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	25	9.0	99	<1	1	5	11	17	36	41
B. *Operated*	71	14.1	83	2	3	14	20	27	30	39
1. SINGLE DX	110	8.4	47	1	2	6	11	17	22	34
2. MULTIPLE DX	96	12.8	92	1	2	11	18	27	31	41
A. NOT OPERATED	32	8.3	80	1	1	6	10	16	33	41
B. OPERATED	174	10.8	70	2	2	9	15	23	29	36
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	30	9.0	52	<1	1	6	15	18	21	29
35-49	56	8.3	51	1	2	6	11	17	23	35
50-64	60	12.7	88	2	3	10	17	25	32	41
65+	58	11.1	81	2	2	9	15	25	30	36
GRAND TOTAL	**206**	**10.4**	**72**	**1**	**2**	**8**	**15**	**22**	**29**	**38**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	29.0		29	29	29	29	29	29	29
65+	8	20.6	199	8	8	13	35	40	42	42
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	5	3.2	3	2	2	3	4	6	6	6
35-49	27	4.5	17	<1	<1	2	7	10	14	16
50-64	57	4.8	31	<1	<1	3	5	10	21	27
65+	98	5.5	37	1	1	3	7	11	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	8.0	8	6	6	8	10	10	10	10
65+	23	8.0	43	<1	1	7	12	15	21	29
B. *Operated*										
0-19 YRS										
20-34	3	3.7	21	<1	<1	1	7	9	9	9
35-49	9	6.8	41	1	1	5	9	17	21	21
50-64	40	9.2	209	<1	1	4	10	19	45	67
65+	182	10.2	198	1	2	6	11	20	31	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	21.6	182	8	8	14	35	39	42	42
B. *Operated*	190	5.0	31	<1	1	3	7	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	25	8.0	40	1	1	7	11	15	19	29
B. *Operated*	234	9.9	192	1	2	6	11	20	29	91
1. SINGLE DX	199	5.8	49	<1	1	3	7	12	21	39
2. MULTIPLE DX	259	9.7	177	1	2	6	11	19	28	89
A. NOT OPERATED	34	11.6	110	1	2	9	14	30	35	42
B. OPERATED	424	7.7	125	<1	1	4	9	16	23	66
TOTAL 0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	8	3.4	8	<1	<1	2	5	8	9	9
35-49	36	5.1	23	<1	1	3	8	12	15	21
50-64	100	6.9	109	<1	<1	3	7	16	24	66
65+	311	8.8	143	1	2	5	10	18	27	71
GRAND TOTAL	**458**	**8.0**	**125**	**<1**	**1**	**4**	**9**	**17**	**26**	**65**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	20	4.9	20	1	1	4	7	9	15	20
50-64	10	11.8	117	<1	1	11	16	28	37	37
65+	8	12.8	300	2	2	5	15	43	53	53
B. *Operated*										
0-19 YRS										
20-34	28	6.4	17	2	2	6	8	12	15	18
35-49	211	7.2	11	1	2	7	9	11	13	15
50-64	259	7.8	14	2	3	8	10	12	14	20
65+	283	9.1	29	2	2	9	12	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.2	68	1	1	3	7	14	29	32
35-49	62	8.9	86	1	1	7	11	20	25	51
50-64	111	9.4	70	1	2	8	11	19	26	45
65+	149	11.9	157	1	3	8	16	33	51	99+
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	36	8.5	19	3	4	8	10	14	15	27
35-49	219	9.2	71	2	3	8	11	15	20	48
50-64	412	11.2	78	2	4	9	13	20	27	51
65+	456	12.7	80	3	5	11	16	22	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	8.4	109	1	1	5	10	20	30	53
B. *Operated*	781	8.1	20	2	2	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	335	10.3	114	1	2	7	13	22	36	73
B. *Operated*	1124	11.3	78	2	4	9	13	21	27	53
1. SINGLE DX	819	8.1	24	1	2	8	10	13	15	22
2. MULTIPLE DX	1459	11.1	86	2	3	9	13	21	28	60
A. NOT OPERATED	373	10.1	113	1	2	7	13	21	36	67
B. OPERATED	1905	10.0	56	2	3	9	12	17	22	41
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	77	7.3	27	2	2	7	9	12	15	31
35-49	512	8.2	47	1	2	7	10	14	17	33
50-64	792	9.8	59	2	3	8	12	17	23	38
65+	896	11.4	61	2	3	10	14	21	29	60
GRAND TOTAL	**2278**	**10.0**	**66**	**2**	**3**	**8**	**12**	**18**	**23**	**50**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	6	2.8	1	1	1	3	4	4	4	4
50-64	12	7.0	107	2	2	3	7	18	36	39
65+	7	3.9	10	2	2	3	4	10	11	11
B. *Operated*										
0-19 YRS										
20-34	74	4.5	12	1	1	4	6	8	11	19
35-49	53	8.5	73	2	3	7	10	16	25	50
50-64	22	11.1	153	1	2	6	13	34	40	43
65+	18	10.3	146	1	1	4	13	33	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.5	11	1	1	4	6	9	13	13
35-49	22	12.9	162	1	2	9	18	38	41	44
50-64	21	8.0	89	1	2	4	10	23	34	34
65+	22	13.2	92	1	2	12	18	23	32	42
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	44	12.0	96	1	2	9	18	25	29	43
35-49	57	15.3	227	2	2	9	21	35	52	62
50-64	50	14.9	283	2	2	10	19	36	48	76
65+	46	17.3	313	2	3	11	21	44	60	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.7	47	1	2	3	4	8	11	39
B. *Operated*	167	7.3	69	1	2	5	8	14	25	42
2. MULTIPLE DX										
A. *Not Operated*	76	10.4	107	1	2	6	15	24	37	43
B. *Operated*	198	14.9	230	2	2	10	19	36	46	70
1. SINGLE DX	197	6.9	67	1	2	4	8	13	25	41
2. MULTIPLE DX	274	13.7	200	2	2	9	18	34	44	68
A. NOT OPERATED	106	8.8	96	1	2	4	11	21	35	43
B. OPERATED	365	11.4	171	1	2	7	15	28	42	64
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	134	6.9	51	1	1	5	8	17	23	34
35-49	138	11.7	159	2	2	7	15	29	41	60
50-64	105	11.8	203	1	2	6	14	33	42	73
65+	93	13.9	218	2	2	9	18	38	44	67
GRAND TOTAL	**471**	**10.8**	**155**	**1**	**2**	**6**	**13**	**26**	**39**	**62**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	14	3.1	2	2	2	3	4	5	6	6
65+	17	7.2	70	1	1	3	7	23	26	27
B. *Operated*										
0-19 YRS										
20-34	3	6.7		6	6	7	7	7	7	7
35-49	14	7.0	19	1	2	7	9	13	16	17
50-64	100	6.2	21	1	2	6	8	11	14	24
65+	78	8.1	39	1	2	7	10	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	31	4.3	70	1	1	2	3	6	33	36
65+	36	9.6	114	1	1	5	14	29	36	37
B. *Operated*										
0-19 YRS										
20-34	6	13.0	172	2	2	9	11	36	39	39
35-49	29	8.6	20	2	2	8	10	16	17	20
50-64	151	10.3	54	2	3	8	13	19	25	37
65+	190	12.6	122	2	2	9	16	27	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.1	41	1	1	3	5	14	23	27
B. *Operated*	195	7.0	28	1	2	7	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	67	7.1	99	1	1	3	8	24	34	37
B. *Operated*	376	11.4	89	2	2	9	14	23	28	54
1. SINGLE DX	228	6.7	30	1	2	6	9	13	17	28
2. MULTIPLE DX	443	10.7	93	1	2	8	13	23	29	54
A. NOT OPERATED	100	6.5	80	1	1	3	6	20	31	37
B. OPERATED	571	9.9	72	2	2	8	12	19	27	45
TOTAL 0-19 YRS										
20-34	9	10.9	118	2	4	7	10	28	39	39
35-49	45	7.7	21	1	2	7	10	15	17	20
50-64	296	7.9	48	1	2	7	9	16	21	35
65+	321	10.9	102	1	2	8	14	25	32	57
GRAND TOTAL	**671**	**9.4**	**75**	**1**	**2**	**8**	**11**	**19**	**27**	**44**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	10	4.7	68	1	1	1	3	18	27	27
50-64	11	7.2	82	1	1	6	8	21	31	32
65+	8	12.5	188	<1	<1	8	19	35	40	40
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	7.8	13	4	4	7	8	14	16	16
35-49	10	8.2	12	5	5	7	8	14	17	17
50-64	21	10.8	14	5	7	10	14	16	17	18
65+	16	12.7	30	4	6	12	16	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	11	5.5	17	1	1	5	8	12	14	14
50-64	81	4.8	57	<1	1	2	6	11	13	50
65+	55	6.4	73	1	1	3	7	18	27	38
B. *Operated*										
0-19 YRS	4	9.0	1	8	8	9	10	10	10	10
20-34	14	14.0	52	7	7	12	16	25	31	33
35-49	43	10.2	25	3	6	9	11	16	20	29
50-64	93	15.9	187	4	6	12	17	35	48	93
65+	80	18.7	157	7	8	15	22	33	51	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.0	96	1	1	3	8	25	31	40
B. *Operated*	56	10.3	21	4	6	9	13	16	18	23
2. MULTIPLE DX										
A. *Not Operated*	149	5.4	59	1	1	2	6	12	18	38
B. *Operated*	234	15.6	144	4	7	12	17	31	42	67
1. SINGLE DX	90	9.1	51	1	1	8	12	17	23	37
2. MULTIPLE DX	383	11.6	135	1	1	9	14	24	35	62
A. NOT OPERATED	183	5.7	66	1	1	2	6	14	22	39
B. OPERATED	290	14.5	124	4	6	11	16	26	39	64
TOTAL 0-19 YRS	6	7.0	12	1	1	8	9	10	10	10
20-34	28	9.7	52	1	2	8	13	18	25	33
35-49	74	8.5	32	1	1	8	10	15	18	29
50-64	206	10.5	138	1	1	8	13	22	35	72
65+	159	13.5	146	1	1	11	18	29	39	56
GRAND TOTAL	**473**	**11.1**	**120**	**1**	**1**	**9**	**14**	**23**	**33**	**60**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	4	1.8		<1	<1	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	13	6.9	32	<1	1	5	11	16	18	18
65+	12	15.5	153	2	3	10	25	33	37	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34										
35-49										
50-64	5	6.0	21	2	2	3	11	11	11	11
65+	8	10.6	105	3	3	5	18	27	28	28
B. *Operated*										
0-19 YRS	2	33.5	313	21	21	33	46	46	46	46
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	23.3	280	8	8	19	34	47	47	47
50-64	12	12.2	67	3	3	10	15	24	31	32
65+	24	17.7	254	2	3	12	25	36	49	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*	32	9.4	95	<1	2	5	13	25	31	38
2. MULTIPLE DX										
A. *Not Operated*	15	7.9	69	<1	2	4	11	25	27	28
B. *Operated*	43	17.0	213	2	3	14	23	37	46	68
1. SINGLE DX	35	8.9	89	<1	2	5	13	24	30	38
2. MULTIPLE DX	58	14.7	190	2	3	10	21	34	44	66
A. NOT OPERATED	18	7.3	60	<1	1	4	11	21	27	28
B. OPERATED	75	13.8	175	2	2	9	20	34	40	63
TOTAL 0-19 YRS	7	13.3	259	<1	<1	7	19	41	46	46
20-34	5	1.8		<1	<1	2	2	2	2	2
35-49	6	16.7	272	3	3	12	21	44	47	47
50-64	31	8.6	49	<1	2	7	13	17	21	32
65+	44	15.8	199	2	3	10	25	34	39	68
GRAND TOTAL	**93**	**12.5**	**159**	**2**	**2**	**8**	**17**	**31**	**38**	**59**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	9	10.0	103	<1	1	6	16	27	31	31
65+	38	11.1	253	1	1	6	14	21	36	91
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	5.0	8	1	1	5	7	8	8	8
50-64	97	9.2	52	2	2	7	11	20	26	34
65+	348	9.7	54	2	2	9	12	17	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	66	9.9	82	1	2	7	12	24	30	41
65+	313	12.8	178	2	2	9	15	30	44	70
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	17.5	117	1	2	16	29	30	30	30
50-64	156	14.3	158	2	3	10	19	35	40	74
65+	890	14.2	120	3	5	11	18	26	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	10.8	217	1	1	6	14	21	34	91
B. *Operated*	450	9.5	53	2	2	8	12	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	381	12.2	162	2	2	8	15	30	41	65
B. *Operated*	1052	14.2	125	3	4	11	18	28	37	65
1. SINGLE DX	498	9.7	69	2	2	8	12	18	23	38
2. MULTIPLE DX	1433	13.7	135	2	3	10	17	28	38	65
A. NOT OPERATED	429	12.1	168	1	2	8	15	29	41	68
B. OPERATED	1502	12.8	108	2	4	10	16	24	35	63
TOTAL 0-19 YRS										
20-34										
35-49	14	10.4	90	1	1	7	16	29	30	30
50-64	328	11.8	114	2	2	8	15	26	36	54
65+	1589	12.8	123	2	3	10	16	24	35	64
GRAND TOTAL	**1931**	**12.6**	**121**	**2**	**3**	**10**	**16**	**25**	**35**	**64**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	4.2	25	1	1	2	5	13	13	13
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	6	6.8	9	1	2	7	8	10	10	10
20-34	41	8.8	32	2	3	8	12	16	22	25
35-49	25	6.6	31	1	2	4	10	12	20	23
50-64	9	6.6	11	2	2	7	8	11	13	13
65+	10	11.0	69	3	3	10	13	23	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	23	<1	<1	2	5	8	16	21
20-34	43	5.4	2	3	4	5	6	8	9	10
35-49	16	5.8	19	1	2	5	6	7	17	21
50-64	11	4.6	10	1	1	5	6	9	12	12
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	28	16.9	238	3	5	10	24	36	51	70
35-49	10	17.3	183	5	6	9	28	38	44	44
50-64	14	12.7	27	5	6	12	17	21	21	21
65+	15	15.9	143	1	3	10	27	35	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.6	17	1	1	3	5	12	13	13
B. *Operated*	91	8.1	33	2	2	7	11	14	20	29
2. MULTIPLE DX										
A. *Not Operated*	89	5.1	11	1	1	5	6	8	9	21
B. *Operated*	68	15.7	161	3	5	10	22	32	39	66
1. SINGLE DX	101	7.7	32	2	2	7	11	14	19	28
2. MULTIPLE DX	157	9.7	103	1	2	6	10	23	31	49
A. NOT OPERATED	99	5.0	11	1	1	5	6	8	11	21
B. OPERATED	159	11.3	101	2	3	8	13	24	32	49
TOTAL 0-19 YRS	27	4.6	19	<1	<1	4	7	9	12	21
20-34	117	9.3	89	2	3	6	10	19	26	56
35-49	54	8.1	70	1	2	5	9	21	27	44
50-64	34	8.5	30	1	2	7	12	17	20	21
65+	26	13.8	111	2	3	11	16	32	35	37
GRAND TOTAL	**258**	**8.9**	**76**	**1**	**2**	**6**	**10**	**20**	**27**	**44**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34										
35-49										
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	13	6.9	13	1	1	7	10	11	12	12
B. Operated										
0-19 YRS	4	6.3	38	2	2	4	10	15	15	15
20-34	6	12.2	49	4	4	13	19	19	19	19
35-49	30	3.9	22	<1	1	3	4	6	9	27
50-64	195	5.2	31	1	2	4	6	9	17	29
65+	409	6.1	50	1	2	4	7	12	18	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34										
35-49	2	11.0	8	9	9	11	13	13	13	13
50-64	34	7.6	126	1	2	5	8	16	25	62
65+	56	8.6	57	1	2	7	12	15	19	46
B. Operated										
0-19 YRS	7	10.1	75	3	3	5	19	22	22	22
20-34	4	14.5	420	2	2	5	26	45	45	45
35-49	25	8.6	72	2	3	5	10	21	28	36
50-64	228	9.4	134	1	2	5	12	25	36	57
65+	625	10.2	136	2	2	6	12	24	35	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	7.2	13	1	2	7	10	12	12	12
B. Operated	644	5.8	44	1	2	4	6	11	18	39
2. MULTIPLE DX										
A. Not Operated	94	8.3	79	1	2	6	10	15	21	55
B. Operated	889	10.0	134	2	2	6	12	24	36	66
1. SINGLE DX	661	5.8	43	1	2	4	6	11	17	38
2. MULTIPLE DX	983	9.8	128	2	2	6	12	23	35	65
A. NOT OPERATED	111	8.1	69	1	2	6	10	14	20	53
B. OPERATED	1533	8.2	100	1	2	5	9	19	29	55
TOTAL 0-19 YRS	15	8.3	44	2	2	6	11	22	22	22
20-34	10	13.1	169	2	2	8	19	32	45	45
35-49	57	6.2	49	1	2	4	6	16	24	35
50-64	459	7.5	93	1	2	4	8	18	27	50
65+	1103	8.5	102	1	2	5	10	19	30	57
GRAND TOTAL	**1644**	**8.2**	**98**	**1**	**2**	**5**	**9**	**18**	**29**	**55**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	7.5	25	4	4	7	11	11	11	11
65+	8	9.0	47	2	3	6	13	20	21	21
B. Operated										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	4	15.8	109	9	9	12	22	31	31	31
35-49	16	14.3	23	4	8	15	16	20	22	23
50-64	26	14.9	51	3	5	15	19	25	27	33
65+	43	14.7	67	2	4	15	18	27	28	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	6	7.0	7	2	2	8	9	9	9	9
50-64	20	11.3	153	1	2	7	15	23	41	54
65+	41	13.7	191	1	2	10	16	29	44	68
B. Operated										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	9	17.8	83	2	5	21	24	29	31	31
35-49	32	17.8	189	5	7	14	20	34	48	72
50-64	87	20.5	172	4	10	17	23	38	52	68
65+	106	21.6	158	7	10	18	27	37	43	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	7.2	37	2	2	6	9	19	21	21
B. Operated	91	14.7	53	2	5	14	17	24	28	38
2. MULTIPLE DX										
A. Not Operated	71	11.9	160	1	2	8	15	28	41	65
B. Operated	235	20.5	164	5	9	18	24	36	45	69
1. SINGLE DX	104	13.7	57	2	3	14	17	23	27	37
2. MULTIPLE DX	306	18.5	176	2	5	16	23	35	43	68
A. NOT OPERATED	84	11.1	143	1	2	7	14	27	34	63
B. OPERATED	326	18.9	140	3	8	16	23	32	41	67
TOTAL 0-19 YRS	6	9.2	71	1	1	7	16	21	22	22
20-34	14	16.3	88	3	5	14	24	31	31	31
35-49	57	14.9	132	2	3	13	17	24	34	70
50-64	135	17.9	156	2	4	16	22	32	42	66
65+	198	18.0	156	2	5	16	23	31	41	67
GRAND TOTAL	**410**	**17.3**	**150**	**2**	**4**	**15**	**22**	**31**	**41**	**67**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+	4	11.0	17	6	6	11	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	2	9.0	18	6	6	9	12	12	12	12
50-64	6	13.3	38	7	7	12	18	22	23	23
65+	7	8.9	30	3	3	7	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	3	9.0	31	4	4	8	13	15	15	15
65+	6	18.7	1161	1	1	5	9	80	88	88
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	7.3	102	<1	<1	2	15	19	19	19
50-64	4	8.8	80	3	3	5	14	22	22	22
65+	9	9.7	41	4	5	7	11	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	9.0	33	<1	<1	10	13	16	16	16
B. *Operated*	16	11.3	37	4	5	10	16	21	22	23
2. MULTIPLE DX										
A. *Not Operated*	12	12.9	579	<1	1	5	11	37	81	88
B. *Operated*	18	9.8	68	1	2	7	13	24	27	28
1. SINGLE DX	21	10.8	35	2	4	10	16	19	22	23
2. MULTIPLE DX	30	11.0	262	<1	1	6	13	23	28	88
A. NOT OPERATED	17	11.8	410	<1	<1	6	12	16	63	88
B. OPERATED	34	10.5	53	2	3	8	16	22	25	28
TOTAL 0-19 YRS	4	8.0	178	<1	<1	1	15	28	28	28
20-34	2	12.5	145	4	4	12	21	21	21	21
35-49	6	8.8	49	<1	<1	9	13	18	19	19
50-64	13	10.9	46	3	4	8	16	22	23	23
65+	26	11.7	270	2	3	7	12	17	38	88
GRAND TOTAL	**51**	**10.9**	**166**	**<1**	**2**	**7**	**13**	**21**	**25**	**87**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	11	1	1	2	4	9	9	9
20-34	10	7.6	58	1	1	4	12	20	22	22
35-49	15	7.5	63	<1	1	7	11	30	80	99+
50-64	22	8.4	83	1	2	5	11	19	34	36
65+	6	8.8	36	1	1	9	12	17	18	18
B. *Operated*										
0-19 YRS	9	16.9	103	4	6	14	24	32	36	36
20-34	19	19.5	102	6	7	22	26	36	37	37
35-49	23	23.1	203	8	9	20	35	47	50	53
50-64	18	21.4	251	6	9	17	23	44	59	69
65+	11	25.5	83	12	14	26	31	39	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.4	24	2	3	5	11	15	16	16
20-34	14	11.4	295	1	1	4	12	41	56	60
35-49	26	11.8	199	1	2	7	12	32	49	57
50-64	32	16.5	317	2	2	9	28	40	78	99+
65+	16	14.8	116	2	2	13	23	30	34	36
B. *Operated*										
0-19 YRS	12	24.7	290	1	2	27	38	68	94	99+
20-34	14	26.9	276	7	9	27	43	60	90	99+
35-49	24	24.7	385	8	9	20	25	52	68	95
50-64	25	34.1	466	10	11	25	58	65	66	67
65+	20	36.1	545	5	11	30	56	70	74	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	7.6	62	1	1	5	11	19	32	94
B. *Operated*	80	21.5	161	7	8	18	27	39	45	64
2. MULTIPLE DX										
A. *Not Operated*	97	13.4	222	2	2	8	17	36	46	92
B. *Operated*	95	29.9	420	7	10	23	46	64	71	99+
1. SINGLE DX	138	15.7	166	1	2	12	23	36	43	72
2. MULTIPLE DX	192	21.6	387	2	2	15	31	58	66	99+
A. NOT OPERATED	155	11.2	169	1	2	7	14	32	39	99
B. OPERATED	175	26.1	318	7	9	21	36	57	66	98
TOTAL 0-19 YRS	35	15.2	194	1	2	12	25	36	55	99+
20-34	57	17.2	225	1	2	14	26	41	55	97
35-49	88	17.6	270	1	2	12	23	45	53	98
50-64	97	20.1	368	2	3	13	28	56	66	92
65+	53	24.4	361	2	4	21	32	56	67	76
GRAND TOTAL	**330**	**19.1**	**302**	**2**	**2**	**14**	**27**	**47**	**60**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	9.3	35	1	1	11	13	14	14	14
35-49	2	14.5	25	11	11	14	18	18	18	18
50-64	1	38.0		38	38	38	38	38	38	38
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	2.0		2	2	51	99+	99+	99+	99+
65+	4	13.8	40	9	9	11	17	23	23	23
B. *Operated*										
0-19 YRS	2	50.5	85	44	44	50	57	57	57	57
20-34	3	7.3	72	1	1	4	14	17	17	17
35-49	2	17.0	72	11	11	17	23	23	23	23
50-64	3	29.0	79	19	19	32	35	36	36	36
65+	3	38.3	862	18	18	25	60	72	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	7	14.9	132	1	3	13	17	34	38	38
2. MULTIPLE DX										
A. *Not Operated*	6	12.0	48	2	3	12	21	85	99+	99+
B. *Operated*	13	27.6	420	1	3	23	38	60	70	72
1. SINGLE DX	8	13.3	134	1	1	12	16	32	38	38
2. MULTIPLE DX	19	22.7	349	1	3	18	34	64	86	99+
A. NOT OPERATED	7	10.6	54	2	2	11	19	77	99+	99+
B. OPERATED	20	23.2	346	1	3	18	34	50	64	72
TOTAL 0-19 YRS	3	34.3	826	2	2	44	54	57	57	57
20-34	8	9.3	42	1	1	11	14	16	17	17
35-49	4	15.8	34	11	11	15	20	23	23	23
50-64	5	25.4	226	2	4	34	38	94	99+	99+
65+	7	24.3	480	9	9	18	24	63	72	72
GRAND TOTAL	**27**	**19.9**	**297**	**1**	**2**	**16**	**28**	**53**	**75**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	6	5	5	8	9	10	10	10
20-34	22	7.5	18	1	2	7	10	12	15	19
35-49	19	6.2	8	1	2	7	7	10	12	12
50-64	6	7.3	8	3	3	7	10	11	11	11
65+	10	6.6	12	<1	1	7	10	10	10	10
B. *Operated*										
0-19 YRS	5	6.0	1	5	5	6	7	7	7	7
20-34	27	4.6	2	1	3	5	5	6	6	7
35-49	20	5.7	8	3	3	5	6	8	12	16
50-64	25	7.7	42	3	3	5	9	18	25	27
65+	4	17.3	137	5	5	17	27	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.7	57	4	4	7	8	21	28	28
20-34	29	8.2	24	2	3	7	10	13	20	23
35-49	21	7.8	13	2	3	7	10	13	14	14
50-64	26	8.0	8	2	7	7	9	12	13	14
65+	14	13.0	156	2	5	9	12	40	42	43
B. *Operated*										
0-19 YRS	5	22.8	218	4	4	31	33	37	37	37
20-34	35	10.7	214	2	4	5	5	23	56	60
35-49	19	7.9	30	4	4	6	9	14	22	27
50-64	28	11.9	83	4	5	8	16	22	25	46
65+	25	17.0	354	4	5	13	16	37	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	6.9	12	1	2	7	10	11	12	18
B. *Operated*	81	6.5	28	3	3	5	6	11	21	29
2. MULTIPLE DX										
A. *Not Operated*	99	8.8	40	2	3	7	10	13	18	42
B. *Operated* *	112	12.5	189	4	4	7	14	24	44	73
1. SINGLE DX	141	6.7	21	2	3	6	7	11	14	27
2. MULTIPLE DX	211	10.7	122	3	4	7	11	22	32	59
A. NOT OPERATED	159	8.1	30	2	3	7	10	12	14	39
B. OPERATED	193	10.0	130	3	4	6	10	22	31	59
TOTAL 0-19 YRS	22	11.1	107	4	4	7	10	31	34	37
20-34	113	7.9	80	2	3	6	9	12	20	59
35-49	79	6.9	15	3	3	7	8	11	14	24
50-64	85	9.1	45	3	4	7	11	18	22	39
65+	53	14.0	228	2	4	10	15	31	43	92
GRAND TOTAL	**352**	**9.1**	**85**	**2**	**3**	**7**	**10**	**16**	**24**	**49**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	14.5	365	1	1	14	28	28	28	28
35-49	12	4.8	23	<1	1	3	5	14	16	16
50-64	22	12.1	340	2	2	5	15	23	53	88
65+	58	11.0	93	1	3	7	15	24	33	43
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	25	8.5	32	1	2	8	12	17	19	19
50-64	45	9.2	62	1	1	9	13	19	25	34
65+	62	9.1	97	1	1	6	12	23	27	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	9	<1	1	3	6	9	9	9
20-34	39	7.2	137	1	2	4	6	14	25	70
35-49	165	10.0	101	2	2	8	13	20	25	53
50-64	379	12.1	153	2	2	8	16	24	36	68
65+	526	12.7	126	2	3	10	16	28	40	99+
B. *Operated*										
0-19 YRS	11	10.4	80	1	1	8	15	23	30	31
20-34	57	13.5	162	2	3	10	16	31	43	59
35-49	170	14.5	126	3	4	11	18	30	39	50
50-64	449	16.2	177	2	3	13	23	33	44	66
65+	502	17.5	219	3	4	14	22	36	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	10.6	146	1	2	7	15	24	30	69
B. *Operated*	137	8.8	72	1	1	6	12	19	24	38
2. MULTIPLE DX										
A. *Not Operated*	1117	11.8	133	2	2	9	15	25	36	76
B. *Operated*	1189	16.3	187	2	3	13	22	34	45	76
1. SINGLE DX	231	9.5	102	1	1	6	13	22	28	46
2. MULTIPLE DX	2306	14.2	166	2	3	10	18	30	41	76
A. NOT OPERATED	1211	11.7	134	2	2	9	15	25	36	77
B. OPERATED	1326	15.6	181	2	3	12	21	33	43	74
TOTAL 0-19 YRS	20	7.5	57	<1	1	4	10	17	24	31
20-34	102	10.6	157	1	2	6	13	27	38	64
35-49	372	11.8	112	2	3	9	16	24	34	50
50-64	895	14.0	170	2	2	10	19	30	39	68
65+	1148	14.5	171	2	3	11	19	32	43	83
GRAND TOTAL	**2537**	**13.7**	**162**	**2**	**3**	**10**	**18**	**29**	**40**	**75**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	1	1	1	2	3	4	5	5
20-34	47	3.4	9	1	2	2	3	8	10	15
35-49	25	2.6	5	1	2	2	2	3	6	13
50-64	4	2.0	4	<1	<1	<1	3	5	5	5
65+	9	14.7	211	4	4	8	19	40	47	47
B. *Operated*										
0-19 YRS	13	11.5	129	1	1	9	17	31	34	35
20-34	44	14.5	94	3	3	13	21	30	35	36
35-49	13	12.6	244	1	2	7	17	34	52	56
50-64	6	13.7	51	8	8	11	12	26	26	28
65+	10	12.3	85	2	2	10	23	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	23	7.0	65	1	1	4	10	16	20	27
35-49	7	8.6	78	2	2	6	11	24	27	27
50-64	9	7.1	78	1	1	4	7	21	30	30
65+	8	7.1	25	<1	1	7	9	15	17	17
B. *Operated*										
0-19 YRS	11	11.4	75	3	3	8	13	26	31	31
20-34	28	15.6	96	4	4	13	22	31	34	36
35-49	16	20.3	256	3	4	14	31	46	51	53
50-64	5	21.0	332	3	3	16	33	49	49	49
65+	11	20.0	157	3	6	20	30	63	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.1	36	1	2	2	4	8	13	39
B. *Operated*	86	13.4	113	2	2	11	21	29	34	49
2. MULTIPLE DX										
A. *Not Operated*	50	7.1	47	1	2	5	9	16	27	30
B. *Operated*	71	17.0	155	3	4	14	24	36	47	90
1. SINGLE DX	180	8.6	94	1	2	4	12	23	29	44
2. MULTIPLE DX	121	12.9	134	2	2	9	18	30	39	66
A. NOT OPERATED	144	5.1	42	1	2	2	6	12	16	31
B. OPERATED	157	15.1	135	2	3	12	22	33	38	56
TOTAL 0-19 YRS	36	8.6	84	1	1	5	11	24	31	35
20-34	142	9.8	85	2	2	7	14	24	31	36
35-49	61	10.0	175	2	2	3	13	28	43	56
50-64	24	10.8	140	<1	<1	7	12	28	36	49
65+	38	14.0	135	2	3	11	22	33	47	99+
GRAND TOTAL	**301**	**10.3**	**114**	**1**	**2**	**7**	**14**	**27**	**34**	**51**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	9.9	90	<1	1	6	21	22	24	24
20-34	3	7.3	102	1	1	2	15	19	19	19
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	16	4.3	18	<1	1	2	7	12	13	14
65+	25	10.8	214	1	1	6	11	25	48	67
B. *Operated*										
0-19 YRS	12	11.0	141	1	1	7	16	27	40	42
20-34	4	24.8	375	1	1	26	40	45	45	45
35-49	3	25.7	492	2	2	29	42	46	46	46
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	29.0	606	9	10	17	47	69	72	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.0	30	<1	1	3	5	12	18	25
20-34	4	15.3	272	1	1	12	28	36	36	36
35-49	5	4.0	14	1	1	2	8	8	8	8
50-64	24	9.8	64	1	2	8	14	20	29	30
65+	76	15.2	242	2	3	10	20	35	70	99+
B. *Operated*										
0-19 YRS	16	18.6	142	3	4	16	25	31	45	51
20-34	3	24.7	562	3	3	21	43	50	50	50
35-49	7	23.4	244	6	7	20	35	48	50	50
50-64	17	22.5	544	4	5	11	39	55	74	84
65+	25	23.3	326	4	7	18	26	52	64	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	8.5	123	1	1	5	11	22	24	64
B. *Operated*	27	19.0	360	1	1	14	27	46	58	72
2. MULTIPLE DX										
A. *Not Operated*	153	11.0	165	1	2	7	15	29	36	99
B. *Operated*	68	22.1	321	3	5	16	27	50	57	82
1. SINGLE DX	88	11.7	216	1	1	7	14	28	45	70
2. MULTIPLE DX	221	14.4	238	1	2	9	20	35	51	88
A. NOT OPERATED	214	10.3	153	1	1	6	13	27	35	87
B. OPERATED	95	21.2	331	2	3	16	27	50	56	79
TOTAL 0-19 YRS	87	9.1	99	1	1	4	14	23	26	48
20-34	14	18.3	304	1	1	18	35	45	49	50
35-49	17	15.9	261	1	1	8	24	45	49	50
50-64	58	11.8	237	1	1	7	13	29	48	82
65+	133	16.6	287	1	3	11	22	42	66	99+
GRAND TOTAL	**309**	**13.6**	**232**	**1**	**1**	**8**	**19**	**35**	**50**	**82**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	16	1	1	3	7	11	12	12
20-34	4	3.8	8	1	1	3	6	7	7	7
35-49	9	6.7	55	<1	<1	3	10	19	20	20
50-64	14	8.6	43	1	2	7	13	18	21	22
65+	28	4.9	35	1	1	2	5	15	21	23
B. *Operated*										
0-19 YRS	2	9.0	32	5	5	9	13	13	13	13
20-34	7	8.1	36	1	1	9	12	16	17	17
35-49	10	20.8	481	3	3	13	28	55	74	74
50-64	12	12.8	272	1	1	6	13	41	54	56
65+	11	13.7	210	2	3	7	16	38	49	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	7	6.3	17	<1	1	6	9	12	13	13
35-49	15	10.2	109	1	2	4	16	28	30	31
50-64	19	8.7	90	1	2	7	11	11	30	45
65+	36	9.8	155	1	1	5	11	19	34	66
B. *Operated*										
0-19 YRS	11	35.3	307	4	14	31	50	57	64	65
20-34	17	29.1	373	1	2	25	41	57	64	66
35-49	22	36.1	527	4	6	35	44	74	85	93
50-64	23	25.0	433	3	4	15	47	56	59	62
65+	30	18.3	159	5	6	15	27	45	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	5.9	37	1	1	3	8	17	20	23
B. *Operated*	42	14.0	255	1	2	8	16	35	52	74
2. MULTIPLE DX										
A. *Not Operated*	81	8.9	112	1	1	5	11	19	29	59
B. *Operated*	103	27.2	384	3	5	24	41	53	65	96
1. SINGLE DX	104	9.2	139	1	1	5	11	21	31	64
2. MULTIPLE DX	184	19.2	346	1	2	11	31	47	58	88
A. NOT OPERATED	143	7.6	81	1	1	4	9	18	24	46
B. OPERATED	145	23.4	381	2	4	18	37	52	63	93
TOTAL 0-19 YRS	24	18.6	387	1	1	9	30	52	56	65
20-34	35	17.4	318	1	1	9	25	43	56	66
35-49	56	21.7	472	1	2	17	35	47	73	92
50-64	68	14.9	275	1	2	8	16	48	56	61
65+	105	11.3	153	1	1	7	16	30	44	81
GRAND TOTAL	**288**	**15.5**	**294**	**1**	**2**	**8**	**22**	**43**	**52**	**78**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	33	<1	<1	2	3	4	17	26
20-34	30	3.4	17	1	1	2	3	7	14	20
35-49	60	3.7	39	1	1	2	2	8	13	42
50-64	135	4.8	45	1	1	2	4	11	14	40
65+	101	8.4	132	1	1	4	11	19	26	65
B. *Operated*										
0-19 YRS	10	7.0	34	2	2	5	12	16	18	18
20-34	14	17.3	439	1	2	9	19	43	71	79
35-49	56	10.4	90	1	2	7	16	21	32	44
50-64	67	11.9	58	2	2	11	17	23	25	28
65+	81	14.6	110	2	4	12	20	30	35	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	31	<1	<1	1	9	15	16	16
20-34	18	12.2	177	1	1	7	15	32	45	52
35-49	45	6.4	83	1	1	3	7	15	29	45
50-64	144	10.5	189	1	1	7	12	23	32	88
65+	159	11.8	153	1	2	9	15	26	33	63
B. *Operated*										
0-19 YRS	11	19.0	578	1	1	10	23	57	79	81
20-34	14	20.4	238	5	6	12	36	42	47	49
35-49	43	16.7	145	4	5	12	21	35	44	53
50-64	113	19.2	238	3	4	15	25	43	60	99+
65+	184	23.5	351	4	6	18	33	48	64	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	5.5	70	1	1	2	5	13	20	45
B. *Operated*	228	12.6	109	2	2	10	18	26	32	45
2. MULTIPLE DX										
A. *Not Operated*	380	10.4	157	1	1	7	13	24	31	62
B. *Operated*	365	21.1	298	3	5	15	29	44	60	96
1. SINGLE DX	572	8.3	97	1	1	4	11	21	26	45
2. MULTIPLE DX	745	15.7	254	1	2	10	21	37	49	88
A. NOT OPERATED	724	8.1	122	1	1	4	10	19	27	52
B. OPERATED	593	17.8	242	2	3	13	24	39	49	88
TOTAL 0-19 YRS	53	7.7	172	<1	<1	2	10	19	26	80
20-34	76	11.2	211	1	1	6	13	35	40	72
35-49	204	8.9	106	1	2	5	12	22	33	47
50-64	459	11.1	167	1	1	7	15	25	37	78
65+	525	15.7	247	1	2	11	21	36	46	87
GRAND TOTAL	**1317**	**12.5**	**199**	**1**	**2**	**8**	**17**	**30**	**41**	**79**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	16	4.6	16	<1	<1	4	6	9	15	17
20-34	45	4.0	3	1	2	4	5	7	8	8
35-49	53	3.7	3	1	2	3	5	6	6	8
50-64	44	4.7	5	2	2	4	6	7	9	13
65+	31	4.4	14	1	2	3	5	7	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	13	5.2	5	<1	2	5	7	8	8	8
35-49	18	5.4	10	1	2	5	7	11	12	12
50-64	25	6.6	22	2	3	6	7	13	17	23
65+	33	7.5	35	2	3	6	8	14	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*	189	4.2	6	1	2	4	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	3	11.0	64	3	3	11	17	19	19	19
B. *Operated*	91	6.4	22	1	2	5	7	11	15	26
1. SINGLE DX	191	4.2	6	1	2	4	5	7	8	16
2. MULTIPLE DX	94	6.6	23	1	2	5	8	12	18	26
A. NOT OPERATED	5	9.2	38	3	3	7	13	19	19	19
B. OPERATED	280	4.9	13	1	2	4	6	8	10	22
TOTAL 0-19 YRS	18	4.6	15	<1	<1	4	6	8	14	17
20-34	59	4.2	4	1	2	4	5	7	8	8
35-49	72	4.1	5	1	2	4	5	7	8	12
50-64	71	5.6	14	2	2	5	7	9	13	22
65+	65	6.0	27	1	2	5	7	11	19	26
GRAND TOTAL	**285**	**5.0**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**22**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.7	133	<1	<1	1	16	21	21	21
35-49	12	2.2	5	<1	<1	1	2	5	8	9
50-64	14	1.6	1	<1	<1	1	2	3	3	3
65+	6	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*										
0-19 YRS	11	8.5	44	1	1	8	16	18	18	18
20-34	11	6.7	28	1	1	6	10	15	18	18
35-49	30	6.4	29	1	1	5	10	12	18	23
50-64	59	8.1	46	1	1	7	12	17	22	30
65+	66	7.4	33	1	2	6	11	15	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	6	3.5	4	<1	<1	3	5	6	6	6
50-64	9	4.0	12	<1	<1	2	7	10	10	10
65+	19	5.6	21	2	2	4	8	12	16	20
B. *Operated*										
0-19 YRS	8	9.3	42	2	3	8	11	20	23	23
20-34	2	11.5	85	5	5	11	18	18	18	18
35-49	28	8.3	34	2	2	7	12	18	19	21
50-64	84	9.9	92	1	1	8	13	19	30	51
65+	134	11.9	84	2	2	11	16	26	32	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.5	13	<1	<1	1	2	4	8	21
B. *Operated*	177	7.5	37	1	1	6	11	16	19	25
2. MULTIPLE DX										
A. *Not Operated*	38	4.7	15	1	2	3	6	10	12	20
B. *Operated*	256	10.8	80	1	2	9	14	23	29	41
1. SINGLE DX	212	6.7	36	<1	1	4	10	15	18	25
2. MULTIPLE DX	294	10.0	76	1	2	8	14	22	27	40
A. NOT OPERATED	73	3.6	15	<1	<1	2	4	8	11	21
B. OPERATED	433	9.4	65	1	2	8	13	19	25	37
TOTAL 0-19 YRS	21	8.2	40	1	1	7	12	18	20	23
20-34	18	7.1	41	<1	1	5	11	18	20	21
35-49	76	6.2	30	<1	1	4	9	14	18	22
50-64	166	8.3	69	1	1	6	12	17	24	41
65+	225	9.8	68	1	2	8	14	22	27	36
GRAND TOTAL	**506**	**8.6**	**62**	**1**	**1**	**7**	**12**	**18**	**24**	**36**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	20	3.0	6	1	2	2	3	6	9	11
20-34	10	2.2		2	2	2	2	3	3	3
35-49	17	4.9	52	<1	1	3	4	11	24	31
50-64	19	8.6	53	1	2	7	13	20	23	25
65+	8	4.6	13	2	2	3	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	6	10.0	144	2	2	3	25	26	26	26
20-34	7	8.3	46	<1	<1	9	15	17	17	17
35-49	9	5.7	29	<1	<1	2	11	13	15	15
50-64	20	13.1	227	1	2	6	15	40	48	51
65+	10	13.4	214	1	1	7	21	38	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	74	4.9	33	1	2	2	5	12	19	30
2. MULTIPLE DX										
A. *Not Operated*	4	3.5	14	1	1	2	6	9	9	9
B. *Operated*	52	10.8	155	<1	1	6	15	30	43	51
1. SINGLE DX	77	4.8	32	1	2	2	5	12	18	29
2. MULTIPLE DX	56	10.3	148	<1	1	5	14	29	41	51
A. NOT OPERATED	7	2.9	8	<1	<1	2	3	8	9	9
B. OPERATED	126	7.4	91	1	2	3	10	19	29	47
TOTAL 0-19 YRS	28	4.4	40	1	2	2	3	10	25	26
20-34	17	4.7	27	1	2	2	5	15	17	17
35-49	27	5.1	41	<1	1	3	5	12	17	31
50-64	41	10.6	139	<1	2	7	14	27	39	51
65+	20	8.8	129	1	2	4	9	27	38	44
GRAND TOTAL	**133**	**7.1**	**88**	**1**	**2**	**3**	**9**	**18**	**29**	**47**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	13	<1	<1	3	7	8	8	8
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49										
50-64	3	3.7	1	3	3	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	174	3.5	3	<1	1	3	4	5	8	17
20-34	190	3.2	8	<1	<1	2	4	6	8	16
35-49	182	2.9	7	<1	<1	2	3	6	7	17
50-64	142	3.3	8	<1	1	2	4	6	8	13
65+	64	4.8	25	<1	1	3	5	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	18	<1	<1	2	6	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	5.4	43	<1	<1	3	7	17	17	17
50-64	6	4.5	6	1	1	5	7	7	7	7
65+	4	4.8	12	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	36	3.6	6	<1	1	3	5	7	8	10
20-34	67	3.9	18	<1	1	2	4	8	12	23
35-49	66	4.9	54	<1	1	3	4	12	15	48
50-64	93	6.3	108	1	2	3	6	13	16	70
65+	58	6.7	37	2	2	4	9	17	25	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.1	6	<1	1	3	6	8	8	8
B. *Operated*	752	3.3	10	<1	<1	2	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	20	4.5	16	<1	<1	3	6	9	13	17
B. *Operated*	320	5.3	54	<1	1	3	6	12	16	49
1. SINGLE DX	760	3.4	9	<1	<1	3	4	6	8	19
2. MULTIPLE DX	340	5.2	52	<1	1	3	6	11	16	48
A. NOT OPERATED	28	4.4	13	<1	<1	3	6	9	11	17
B. OPERATED	1072	3.9	24	<1	1	3	4	8	12	23
TOTAL 0-19 YRS	217	3.5	8	<1	1	3	4	7	8	16
20-34	260	3.4	11	<1	<1	2	4	6	9	21
35-49	253	3.5	21	<1	<1	2	3	7	12	19
50-64	244	4.5	48	<1	1	3	5	8	12	26
65+	126	5.6	30	1	2	4	7	13	21	43
GRAND TOTAL	**1100**	**3.9**	**23**	**<1**	**1**	**3**	**4**	**8**	**12**	**23**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.0	9	1	2	6	7	11	12	12
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64										
65+	3	17.7	526	2	2	7	35	44	44	44
B. *Operated*										
0-19 YRS	141	3.1	9	<1	<1	2	4	7	10	14
20-34	71	2.7	8	<1	<1	2	3	5	7	17
35-49	47	4.6	57	<1	<1	2	5	13	16	46
50-64	44	3.3	13	<1	<1	2	4	8	9	20
65+	29	3.8	12	<1	<1	3	5	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	38	<1	<1	3	7	16	18	18
20-34	3	6.0	61	<1	<1	2	12	15	15	15
35-49	3	6.3	20	2	2	6	10	11	11	11
50-64	2	31.0	1682	2	2	31	60	60	60	60
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	42	4.7	27	<1	<1	2	7	11	17	24
20-34	21	9.3	163	<1	<1	3	14	21	37	55
35-49	41	5.4	46	<1	<1	2	7	14	19	33
50-64	32	4.5	25	<1	<1	3	4	13	17	21
65+	24	6.9	44	1	2	4	9	16	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.6	86	1	2	6	7	11	30	44
B. *Operated*	332	3.3	17	<1	<1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	16	8.9	213	<1	<1	3	10	18	47	60
B. *Operated*	160	5.8	53	<1	<1	3	8	15	20	33
1. SINGLE DX	351	3.5	21	<1	<1	2	4	8	12	19
2. MULTIPLE DX	176	6.1	67	<1	<1	3	8	16	20	49
A. NOT OPERATED	35	8.2	140	<1	1	5	8	15	37	60
B. OPERATED	492	4.1	30	<1	<1	2	5	10	14	24
TOTAL 0-19 YRS	202	3.7	15	<1	<1	2	5	9	11	18
20-34	97	4.2	48	<1	<1	2	4	11	17	40
35-49	93	5.1	49	<1	<1	2	6	13	16	40
50-64	78	4.5	58	<1	<1	2	4	9	16	49
65+	57	5.9	53	<1	<1	3	7	13	16	43
GRAND TOTAL	**527**	**4.4**	**38**	**<1**	**<1**	**2**	**5**	**10**	**15**	**30**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.7	1	<1	<1	1	2	3	4	5
20-34	82	1.6	1	<1	<1	1	2	3	3	4
35-49	71	1.8	2	<1	<1	2	2	2	3	10
50-64	19	2.3	1	<1	1	2	3	4	5	5
65+	8	3.4	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	2	4	4	4	4
20-34	29	2.1	2	<1	<1	2	3	3	5	7
35-49	45	2.7	4	<1	<1	2	3	5	8	9
50-64	19	3.0	3	<1	1	2	4	6	7	7
65+	10	9.2	178	1	1	2	16	31	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	204	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	108	3.2	21	<1	<1	2	3	5	8	30
1. SINGLE DX	205	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	108	3.2	21	<1	<1	2	3	5	8	30
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	312	2.3	9	<1	<1	2	2	4	5	13
TOTAL 0-19 YRS	30	1.9	1	<1	<1	2	2	4	4	5
20-34	111	1.8	1	<1	<1	2	2	3	3	6
35-49	116	2.2	3	<1	<1	2	2	3	5	10
50-64	38	2.7	2	<1	1	2	3	5	6	7
65+	18	6.6	104	1	1	3	5	20	33	41
GRAND TOTAL	**313**	**2.3**	**9**	**<1**	**<1**	**2**	**2**	**3**	**5**	**13**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	2.3	3	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	85	6.0	5	2	2	6	7	8	9	12
35-49	361	6.8	6	1	2	7	8	9	10	13
50-64	51	7.2	10	1	2	7	9	11	12	16
65+	5	5.8	13	2	2	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.0	4	1	1	2	5	6	6	6
35-49	18	2.9	8	<1	<1	2	4	7	9	11
50-64	5	2.6	2	<1	<1	2	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	263	7.1	9	1	3	7	8	10	13	18
35-49	1696	7.7	10	4	5	7	8	10	13	18
50-64	334	8.2	12	2	6	8	9	13	15	20
65+	30	11.7	29	7	7	10	15	21	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	3	<1	<1	1	3	5	5	5
B. *Operated*	503	6.7	7	1	2	7	8	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	30	2.9	6	<1	<1	2	4	6	7	11
B. *Operated*	2324	7.7	10	2	5	7	8	11	13	20
1. SINGLE DX	511	6.6	7	1	2	7	8	9	10	13
2. MULTIPLE DX	2354	7.7	11	2	5	7	8	11	13	20
A. NOT OPERATED	38	2.7	5	<1	<1	2	4	6	7	11
B. OPERATED	2827	7.5	10	2	5	7	8	10	13	19
TOTAL 0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	357	6.7	9	1	2	7	8	9	12	18
35-49	2081	7.5	9	2	5	7	8	10	12	18
50-64	390	8.0	12	2	5	7	9	12	15	20
65+	35	10.8	31	3	7	9	14	21	27	99+
GRAND TOTAL	**2865**	**7.5**	**10**	**2**	**5**	**7**	**8**	**10**	**13**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	4.7	8	<1	<1	6	7	8	8	8
50-64	3	4.0	12	2	2	2	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	6	7.2	15	2	2	7	7	13	14	14
35-49	33	7.2	15	<1	1	7	8	9	13	22
50-64	8	8.6	2	6	7	9	9	11	11	11
65+	2	8.5	5	7	7	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	12	4.5	8	<1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	49	7.5	12	1	2	8	9	10	14	22
1. SINGLE DX	13	4.2	9	<1	1	5	7	8	8	8
2. MULTIPLE DX	49	7.5	12	1	2	8	9	10	14	22
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	61	6.9	13	<1	1	7	8	10	12	21
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	7.2	15	2	2	7	7	13	14	14
35-49	42	6.6	14	<1	1	7	8	9	12	22
50-64	11	7.4	8	2	2	8	9	10	11	11
65+	2	8.5	5	7	7	8	10	10	10	10
GRAND TOTAL	**62**	**6.8**	**13**	**<1**	**1**	**7**	**8**	**10**	**12**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	36	6.2	5	4	4	6	7	9	12	14
20-34	142	6.0	3	3	4	6	7	8	9	12
35-49	60	7.5	26	4	4	7	8	10	12	40
50-64	20	7.8	9	6	6	7	8	8	14	20
65+	5	10.4	14	5	5	12	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	19	6.4	6	3	4	6	7	10	12	13
20-34	120	6.4	5	3	4	6	7	9	10	16
35-49	80	7.9	9	5	5	7	9	12	13	20
50-64	47	9.6	14	6	6	8	10	14	16	26
65+	36	14.5	94	6	7	12	16	23	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	263	6.6	10	4	4	6	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*	302	8.3	24	4	5	7	9	13	16	26
1. SINGLE DX	265	6.5	10	3	4	6	7	9	11	14
2. MULTIPLE DX	304	8.3	24	4	5	7	9	13	16	26
A. NOT OPERATED	4	4.3	16	1	1	3	7	10	10	10
B. OPERATED	565	7.5	18	4	5	7	8	12	14	23
TOTAL 0-19 YRS	55	6.3	5	4	4	6	7	9	12	14
20-34	265	6.1	4	3	4	6	7	8	9	13
35-49	140	7.8	16	4	5	7	9	11	12	24
50-64	67	9.1	13	6	6	8	9	14	16	25
65+	42	13.9	83	6	7	12	15	20	29	60
GRAND TOTAL	**569**	**7.5**	**18**	**4**	**4**	**7**	**8**	**11**	**14**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	2.6	2	<1	<1	2	3	5	5	5
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	3.3	6	1	1	3	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	4.8	4	2	2	5	6	7	7	7
35-49	7	5.1	12	<1	<1	5	7	10	11	11
50-64	4	5.0	17	1	1	5	8	9	9	9
65+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	3.1	4	<1	1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	18	5.8	27	<1	1	5	8	10	18	23
1. SINGLE DX	14	3.1	4	<1	1	3	4	6	8	8
2. MULTIPLE DX	18	5.8	27	<1	1	5	8	10	18	23
A. NOT OPERATED										
B. OPERATED	32	4.7	18	<1	1	3	6	9	11	23
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	12	3.5	4	<1	1	3	5	6	7	7
35-49	10	4.4	10	<1	1	4	5	9	11	11
50-64	7	4.3	11	1	1	3	7	9	9	9
65+	1	23.0		23	23	23	23	23	23	23
GRAND TOTAL	**32**	**4.7**	**18**	**<1**	**1**	**3**	**6**	**9**	**11**	**23**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	6	2.7	2	1	1	2	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+	5	9.4	72	2	2	7	12	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	3.2	6	1	1	2	4	5	9	11
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	11	5.6	42	2	2	3	7	14	23	24
1. SINGLE DX	15	3.2	6	1	1	2	4	5	9	11
2. MULTIPLE DX	11	5.6	42	2	2	3	7	14	23	24
A. NOT OPERATED										
B. OPERATED	26	4.2	22	1	2	3	4	8	14	24
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	2.6	1	2	2	2	3	4	4	4
35-49	9	2.7	2	1	1	2	3	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	8	6.8	55	1	1	5	7	19	24	24
GRAND TOTAL	**26**	**4.2**	**22**	**1**	**2**	**3**	**4**	**8**	**14**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	10.6	51	<1	<1	14	16	17	17	17
50-64	3	4.0	7	1	1	5	6	6	6	6
65+	9	4.0	9	1	1	4	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	4	10.3	28	4	4	10	14	17	17	17
35-49	2	16.0	8	14	14	16	18	18	18	18
50-64	6	7.8	53	2	2	4	15	19	19	19
65+	15	13.2	117	3	3	11	15	29	39	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	17	5.9	28	<1	1	5	7	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*	27	11.8	83	3	3	10	15	21	31	43
1. SINGLE DX	18	5.8	26	<1	1	5	6	15	17	17
2. MULTIPLE DX	29	11.6	80	3	3	10	15	20	30	43
A. NOT OPERATED	3	7.7	40	4	4	4	12	15	15	15
B. OPERATED	44	9.5	69	1	2	7	14	18	23	43
TOTAL 0-19 YRS										
20-34	5	11.2	26	4	4	10	15	17	17	17
35-49	7	12.1	42	<1	1	14	17	18	18	18
50-64	10	6.3	35	1	1	4	6	17	19	19
65+	25	9.5	92	1	2	7	11	21	32	43
GRAND TOTAL	**47**	**9.4**	**66**	**1**	**2**	**7**	**15**	**18**	**22**	**43**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.7		<1	<1	2	2	2	2	2
20-34	7	2.3	3	<1	<1	2	3	5	6	6
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	17	2.1	2	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	6	1.8	1	<1	<1	2	2	3	3	3
1. SINGLE DX	17	2.1	2	<1	<1	2	2	3	5	6
2. MULTIPLE DX	7	2.0	1	<1	<1	2	3	3	3	3
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	23	2.0	1	<1	<1	2	2	3	4	6
TOTAL 0-19 YRS	7	1.7		<1	<1	2	2	2	2	2
20-34	9	2.1	3	<1	<1	2	2	5	6	6
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	3	2.3	1	<1	<1	3	3	3	3	3
GRAND TOTAL	**24**	**2.0**	**1**	**<1**	**<1**	**2**	**3**	**3**	**4**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	3.3	16	<1	<1	1	6	8	8	8
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	2	15.5	25	12	12	15	19	19	19	19
20-34	11	15.0	40	8	8	15	18	25	27	27
35-49	17	14.3	90	1	2	15	18	31	32	32
50-64	26	14.1	44	4	6	14	19	22	25	29
65+	9	17.1	105	6	7	14	22	34	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	3.0	12	<1	<1	<1	5	7	7	7
50-64	9	7.4	40	1	2	5	12	18	18	18
65+	7	7.7	93	1	1	5	7	25	29	29
B. *Operated*										
0-19 YRS	4	17.3	129	9	9	13	24	34	34	34
20-34	20	22.3	175	3	4	19	26	44	46	48
35-49	16	25.0	312	13	13	17	25	58	69	73
50-64	38	25.8	332	7	10	24	32	46	90	99+
65+	38	29.1	320	7	12	24	37	64	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.1	12	<1	<1	3	7	9	10	10
B. *Operated*	65	14.8	60	3	6	14	19	27	30	36
2. MULTIPLE DX										
A. *Not Operated*	21	6.4	50	<1	<1	4	7	17	23	29
B. *Operated*	116	25.9	291	5	11	22	32	56	76	99+
1. SINGLE DX	75	13.3	67	1	2	14	18	24	29	36
2. MULTIPLE DX	137	22.9	303	2	4	19	30	49	69	99+
A. NOT OPERATED	31	5.6	38	<1	<1	4	7	13	18	29
B. OPERATED	181	21.9	236	4	8	18	27	43	61	99+
TOTAL 0-19 YRS	7	14.7	96	3	4	12	18	31	34	34
20-34	34	18.2	149	1	4	17	24	43	44	48
35-49	39	17.0	223	<1	1	15	20	32	51	73
50-64	77	18.5	240	2	3	17	24	33	46	99+
65+	55	24.1	309	3	5	21	33	60	73	99+
GRAND TOTAL	**212**	**19.5**	**240**	**2**	**4**	**17**	**25**	**38**	**59**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	14	4.1	2	2	2	4	5	6	7	7
20-34	73	5.0	4	3	4	5	5	6	7	17
35-49	75	4.6	3	2	3	4	5	7	8	11
50-64	59	5.2	2	3	4	5	6	7	8	9
65+	25	5.6	6	2	3	5	7	10	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	40.0	2450	5	5	40	75	75	75	75
B. *Operated*										
0-19 YRS	3	8.0	28	4	4	6	12	14	14	14
20-34	22	5.6	8	3	3	5	6	10	13	15
35-49	52	6.0	9	4	4	5	7	9	12	20
50-64	54	6.4	13	3	4	5	7	11	15	21
65+	14	6.5	5	3	4	6	9	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	246	4.9	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3	27.0	1732	1	1	5	57	75	75	75
B. *Operated*	145	6.2	10	3	4	5	7	9	14	20
1. SINGLE DX	247	4.9	3	3	3	5	6	7	8	11
2. MULTIPLE DX	148	6.6	42	3	4	5	7	10	14	22
A. NOT OPERATED	4	22.5	1236	1	1	7	42	75	75	75
B. OPERATED	391	5.4	6	3	3	5	6	8	10	16
TOTAL 0-19 YRS	17	4.8	7	2	2	4	5	7	12	14
20-34	95	5.1	5	3	4	5	6	7	9	17
35-49	128	5.1	6	3	3	5	5	8	9	14
50-64	113	5.7	8	3	4	5	6	8	11	18
65+	42	7.6	119	3	3	6	8	10	11	75
GRAND TOTAL	**395**	**5.6**	**19**	**3**	**3**	**5**	**6**	**8**	**10**	**18**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	6.5	41	2	2	6	11	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34	5	17.2	92	5	5	21	23	29	29	29
35-49	10	10.9	26	6	6	9	12	20	21	21
50-64	7	9.4	10	5	5	9	12	14	14	14
65+	2	13.5	1	13	13	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	14	2	2	8	9	9	9	9
20-34	5	4.8	14	1	1	4	6	11	11	11
35-49	8	9.0	69	1	2	6	12	23	27	27
50-64	8	8.5	36	2	2	6	13	18	19	19
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	15.3	38	11	11	13	19	24	24	24
20-34	18	18.9	274	6	7	15	22	27	59	79
35-49	26	17.2	331	4	5	10	17	51	59	72
50-64	29	15.3	94	5	7	12	18	28	38	46
65+	28	17.1	211	5	6	12	21	34	51	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.8	13	1	1	3	4	10	11	11
B. *Operated*	24	12.0	37	5	6	10	14	21	24	29
2. MULTIPLE DX										
A. *Not Operated*	25	7.4	38	1	2	5	11	15	21	27
B. *Operated*	105	16.9	207	5	6	12	21	34	50	75
1. SINGLE DX	30	10.4	43	2	3	9	13	21	21	29
2. MULTIPLE DX	130	15.0	188	3	4	11	18	28	46	73
A. NOT OPERATED	31	6.7	35	1	1	5	10	13	19	27
B. OPERATED	129	16.0	179	5	6	12	20	29	46	73
TOTAL 0-19 YRS	8	10.4	49	2	2	10	13	21	24	24
20-34	29	15.7	214	3	4	11	21	26	31	79
35-49	46	13.7	219	2	3	9	13	28	53	72
50-64	46	12.9	77	3	5	11	17	24	32	46
65+	31	16.4	198	5	5	12	20	34	48	68
GRAND TOTAL	**160**	**14.2**	**164**	**2**	**4**	**11**	**18**	**26**	**40**	**72**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	3.0	1	2	2	3	3	5	5	5
20-34	436	3.7	5	1	1	3	5	7	8	11
35-49	167	4.4	6	1	2	4	7	7	9	9
50-64	28	4.2	6	1	2	3	6	8	8	10
65+	11	5.9	15	2	2	4	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.8	16	<1	<1	<1	3	10	10	10
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	2	17.0	288	5	5	17	29	29	29	29
65+										
B. *Operated*										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	249	5.5	9	1	2	6	8	9	10	15
35-49	181	6.4	14	1	2	7	8	10	12	21
50-64	35	8.3	40	2	2	7	10	18	22	29
65+	8	5.3	9	2	2	4	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	648	4.0	6	1	2	3	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	10	5.8	78	<1	<1	1	8	19	29	29
B. *Operated*	476	6.0	13	1	2	6	8	9	12	21
1. SINGLE DX	650	3.9	6	1	2	3	6	7	9	11
2. MULTIPLE DX	486	6.0	15	1	2	6	8	9	12	21
A. NOT OPERATED	12	5.1	66	<1	<1	1	6	16	27	29
B. OPERATED	1124	4.8	10	1	2	4	7	8	10	15
TOTAL 0-19 YRS	9	3.7	4	2	2	3	5	7	7	7
20-34	691	4.3	7	1	2	3	6	8	9	12
35-49	351	5.4	11	1	2	6	7	9	10	19
50-64	66	6.7	36	1	2	6	8	13	21	29
65+	19	5.6	12	2	2	4	9	11	12	12
GRAND TOTAL	**1136**	**4.8**	**11**	**1**	**2**	**4**	**7**	**8**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	7.0	28	<1	<1	7	11	14	14	14
65+	4	6.0	12	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	10	4.6	10	1	1	4	7	9	11	11
35-49	15	6.9	22	2	3	5	8	17	18	18
50-64	22	4.7	15	<1	1	4	6	9	13	18
65+	35	6.7	70	1	2	3	7	14	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	7.0	18	4	4	6	10	13	13	13
65+	11	11.7	61	5	5	8	14	25	30	30
B. *Operated*										
0-19 YRS										
20-34	4	6.0	28	<1	<1	5	10	13	13	13
35-49	23	5.9	14	1	2	6	8	13	14	14
50-64	43	8.7	91	2	2	6	11	15	26	48
65+	65	11.9	169	2	3	8	13	30	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.4	16	<1	2	7	9	12	14	14
B. *Operated*	82	6.0	39	1	2	4	7	14	18	35
2. MULTIPLE DX										
A. *Not Operated*	19	8.8	52	<1	2	7	12	19	26	30
B. *Operated*	135	9.7	118	2	2	7	11	16	32	60
1. SINGLE DX	93	6.0	36	1	2	4	7	14	18	34
2. MULTIPLE DX	154	9.6	109	2	2	7	11	16	31	60
A. NOT OPERATED	30	7.9	40	<1	2	7	10	14	22	30
B. OPERATED	217	8.3	91	1	2	6	10	15	29	57
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	4.9	14	<1	<1	4	7	11	12	13
35-49	41	6.0	17	1	2	5	8	13	15	18
50-64	74	7.3	62	1	2	5	10	14	16	48
65+	115	10.1	127	2	2	7	11	23	33	61
GRAND TOTAL	**247**	**8.2**	**85**	**1**	**2**	**6**	**10**	**15**	**27**	**55**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	11.3	289	1	1	5	12	36	58	58
20-34	19	4.6	19	<1	<1	2	7	12	13	14
35-49	13	3.8	17	1	1	3	4	8	15	17
50-64	22	5.7	26	1	1	4	8	15	17	19
65+	32	5.7	41	1	1	4	7	15	19	30
B. *Operated*										
0-19 YRS	19	7.6	81	<1	1	4	8	21	30	35
20-34	61	8.2	51	1	2	6	9	18	24	36
35-49	38	8.6	122	<1	1	5	8	23	34	53
50-64	50	9.0	55	<1	1	8	13	21	24	31
65+	69	7.3	75	<1	1	4	9	19	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	3	<1	<1	3	4	5	6	6
20-34	14	4.8	41	<1	<1	3	5	10	22	26
35-49	20	5.6	20	<1	<1	4	9	12	14	15
50-64	38	9.3	64	1	2	8	12	17	19	46
65+	95	10.8	181	1	2	7	13	22	34	83
B. *Operated*										
0-19 YRS	11	9.5	36	<1	2	10	13	17	21	21
20-34	46	10.8	96	1	1	9	14	20	31	53
35-49	36	13.4	152	3	3	8	15	34	42	51
50-64	76	13.5	173	2	2	10	17	28	43	69
65+	123	14.1	185	2	3	11	18	28	42	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	5.8	56	1	1	3	7	14	18	45
B. *Operated*	237	8.1	72	1	1	5	10	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	175	9.0	123	1	1	6	11	19	25	66
B. *Operated*	292	13.2	158	2	3	10	15	28	40	69
1. SINGLE DX	333	7.5	68	1	1	4	9	18	24	39
2. MULTIPLE DX	467	11.6	149	1	2	8	14	24	35	71
A. NOT OPERATED	271	7.9	102	1	1	5	10	17	22	55
B. OPERATED	529	10.9	126	1	2	8	14	24	33	58
TOTAL 0-19 YRS	48	8.1	101	<1	1	4	11	16	26	58
20-34	140	8.2	65	<1	1	6	11	18	25	39
35-49	107	9.1	110	1	1	6	11	23	35	52
50-64	186	10.5	108	1	2	8	13	20	29	56
65+	319	10.8	154	1	1	7	14	24	32	78
GRAND TOTAL	**800**	**9.9**	**119**	**1**	**1**	**7**	**13**	**22**	**30**	**57**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	5	4.2	1	3	3	4	5	5	5	5
20-34	36	4.7	3	2	3	4	6	7	8	9
35-49	64	5.1	4	3	4	4	6	8	9	12
50-64	66	5.4	3	3	4	5	7	8	8	11
65+	29	5.7	4	2	4	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	5.0	2	4	4	4	6	7	7	7
50-64	8	4.8	18	<1	<1	3	9	11	11	11
65+	10	7.1	18	2	3	6	7	14	16	16
B. *Operated*										
0-19 YRS										
20-34	13	5.3	4	3	3	5	6	7	10	11
35-49	24	6.4	15	3	4	5	6	14	15	16
50-64	55	6.4	9	4	4	5	7	11	14	16
65+	36	9.8	43	4	4	8	12	21	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.2	13	3	3	5	8	12	12	12
B. *Operated*	200	5.2	3	3	3	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	25	5.8	15	<1	1	5	8	11	14	16
B. *Operated*	128	7.3	21	4	4	6	8	14	16	27
1. SINGLE DX	205	5.2	4	3	3	5	6	8	9	11
2. MULTIPLE DX	153	7.0	21	3	4	6	8	13	16	27
A. NOT OPERATED	30	5.8	14	1	1	5	7	11	13	16
B. OPERATED	328	6.0	11	3	4	5	7	9	13	22
TOTAL 0-19 YRS	6	3.7	2	1	1	4	5	5	5	5
20-34	51	4.9	4	2	3	4	6	7	9	11
35-49	94	5.5	7	3	4	5	6	9	12	16
50-64	130	5.8	7	3	4	5	7	9	11	15
65+	77	7.8	27	3	4	6	8	14	20	28
GRAND TOTAL	**358**	**6.0**	**12**	**3**	**4**	**5**	**7**	**9**	**13**	**22**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.5	11	1	1	5	9	9	10	10
20-34	33	4.5	8	1	2	3	7	8	9	12
35-49	25	5.2	7	2	2	4	7	9	10	10
50-64	23	7.6	29	1	2	7	9	18	19	21
65+	22	11.5	53	3	4	9	16	20	28	31
B. *Operated*										
0-19 YRS	8	6.8	9	4	4	6	8	12	13	13
20-34	49	5.6	11	2	3	5	6	8	9	22
35-49	61	5.3	4	2	3	5	7	8	9	11
50-64	40	5.2	4	3	3	5	6	7	8	13
65+	10	5.0	8	<1	1	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	9.7	40	1	2	9	15	18	20	22
20-34	33	9.4	126	1	2	6	11	16	37	56
35-49	45	8.0	31	2	2	7	10	14	19	29
50-64	71	10.5	63	2	3	8	14	19	31	39
65+	91	14.1	115	3	5	11	18	33	36	99+
B. *Operated*										
0-19 YRS	4	6.8	4	4	4	7	8	8	8	8
20-34	21	7.1	22	1	2	5	11	16	16	16
35-49	24	7.4	21	3	3	6	9	15	18	20
50-64	34	8.4	34	2	4	6	12	15	22	28
65+	21	10.3	54	3	4	8	17	22	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	6.7	26	1	2	6	9	13	17	28
B. *Operated*	168	5.4	6	2	3	5	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	261	11.1	86	2	3	9	14	21	33	68
B. *Operated*	104	8.2	32	3	3	6	11	17	20	27
1. SINGLE DX	286	5.9	15	2	2	5	7	9	13	22
2. MULTIPLE DX	365	10.3	72	2	3	8	13	20	28	54
A. NOT OPERATED	379	9.7	71	2	2	8	13	19	28	53
B. OPERATED	272	6.5	18	2	3	5	7	11	16	24
TOTAL 0-19 YRS	48	7.6	26	1	2	7	10	15	18	22
20-34	136	6.5	42	1	2	5	8	12	15	42
35-49	155	6.4	16	2	3	5	8	10	14	20
50-64	168	8.4	42	2	3	6	11	17	21	34
65+	144	12.5	94	3	4	10	17	26	34	99+
GRAND TOTAL	**651**	**8.4**	**52**	**2**	**3**	**6**	**10**	**17**	**22**	**40**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	7.6	22	2	3	7	10	14	16	25
20-34	75	7.9	31	2	2	7	10	14	17	33
35-49	84	6.7	13	2	3	6	9	12	14	16
50-64	137	7.9	25	2	2	7	10	14	19	25
65+	253	9.4	52	2	3	8	12	19	23	37
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	15.7	54	10	10	13	21	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	7.9	56	1	2	6	9	15	23	39
20-34	69	6.8	27	1	1	6	9	13	17	25
35-49	140	8.1	36	2	3	6	10	16	21	28
50-64	366	9.4	55	2	3	8	11	17	23	35
65+	817	12.5	131	3	3	9	[illegible]	25	36	88
B. *Operated*										
0-19 YRS	2	15.5	421	<1	<1	15	30	30	30	30
20-34	4	19.5	396	1	1	15	33	47	47	47
35-49	13	13.6	50	3	6	14	17	26	26	26
50-64	26	16.2	95	3	4	16	22	29	36	38
65+	35	19.9	393	5	7	12	26	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	673	8.2	35	2	3	7	10	15	19	29
B. *Operated*	6	10.8	60	1	1	10	13	23	24	24
2. MULTIPLE DX										
A. *Not Operated*	1465	10.8	98	2	3	8	14	21	28	59
B. *Operated*	80	17.5	233	3	5	14	23	37	59	99+
1. SINGLE DX	679	8.3	35	2	3	7	10	15	19	29
2. MULTIPLE DX	1545	11.2	107	2	3	8	14	23	29	69
A. NOT OPERATED	2138	10.0	80	2	3	8	12	20	26	48
B. OPERATED	86	17.1	223	2	5	13	23	34	50	99+
TOTAL 0-19 YRS	199	7.8	37	1	2	6	9	15	18	34
20-34	148	7.7	40	1	2	7	9	14	20	37
35-49	239	7.9	30	2	3	6	10	15	18	27
50-64	530	9.3	52	2	3	8	11	18	22	35
65+	1108	12.0	124	2	3	9	15	24	33	88
GRAND TOTAL	**2224**	**10.3**	**87**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	5.7	24	1	1	4	8	13	16	23
20-34	114	4.8	14	1	1	4	7	10	11	16
35-49	29	7.0	31	1	1	6	9	14	[illegible]	24
50-64	21	7.0	20	1	2	6	10	14	16	17
65+	24	7.3	34	1	1	6	11	14	19	23
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.2	26	1	2	5	8	13	17	25
20-34	93	6.5	30	1	2	5	8	12	17	31
35-49	55	8.4	40	1	3	7	10	18	19	32
50-64	43	10.6	54	2	3	9	15	21	28	31
65+	81	13.9	62	4	4	12	18	26	28	35
B. *Operated*										
0-19 YRS	3	14.3	30	8	8	17	18	18	18	18
20-34	8	15.0	55	8	8	13	19	27	28	28
35-49	8	22.9	56	12	14	24	30	75	99+	99+
50-64	9	31.9	364	9	11	31	47	58	58	58
65+	16	48.9	701	14	24	41	80	94	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	5.7	22	1	1	4	8	12	16	23
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	346	9.0	50	1	2	7	12	18	24	32
B. *Operated*	44	31.2	530	9	9	27	44	82	95	99+
1. SINGLE DX	336	5.7	22	1	1	4	8	12	16	23
2. MULTIPLE DX	390	11.6	157	2	2	8	15	26	33	89
A. NOT OPERATED	680	7.4	39	1	2	6	10	16	20	30
B. OPERATED	46	31.0	540	8	9	26	43	81	95	99+
TOTAL 0-19 YRS	225	6.0	25	1	2	4	8	14	16	24
20-34	215	5.9	26	1	1	5	8	12	15	27
35-49	92	9.2	56	1	2	7	13	19	26	73
50-64	73	12.2	135	2	3	9	15	25	40	58
65+	121	17.2	297	2	4	12	23	33	59	96
GRAND TOTAL	**726**	**8.9**	**103**	**1**	**2**	**6**	**11**	**18**	**26**	**69**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	8.3	31	2	2	7	11	14	20	26
20-34	156	6.8	17	2	2	6	9	12	15	19
35-49	184	7.4	20	2	3	7	9	12	16	26
50-64	325	8.5	27	3	3	7	11	16	20	26
65+	396	9.7	42	2	3	8	12	17	22	34
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	3.3	2	2	2	3	4	6	6	6
35-49	9	9.1	35	3	4	8	11	19	20	20
50-64	20	5.0	4	2	2	5	7	8	8	8
65+	33	10.3	182	2	3	6	12	21	22	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	7.6	39	1	2	6	10	16	21	32
20-34	235	9.2	104	1	2	7	11	16	25	64
35-49	369	9.0	40	2	3	8	11	15	20	33
50-64	892	10.5	65	3	3	9	13	19	24	44
65+	1515	12.5	115	3	4	10	15	24	35	99+
B. *Operated*										
0-19 YRS	6	13.7	79	6	6	9	24	26	26	26
20-34	82	13.4	158	3	4	9	15	37	44	89
35-49	96	19.4	263	3	5	15	25	39	56	99
50-64	178	21.6	343	3	5	17	31	54	85	99+
65+	266	24.9	465	4	5	20	39	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1253	8.5	31	2	3	7	11	15	19	28
B. *Operated*	70	7.9	97	2	2	5	8	17	21	66
2. MULTIPLE DX										
A. *Not Operated*	3127	11.1	90	2	3	9	14	21	28	66
B. *Operated*	628	21.5	369	3	5	17	30	58	90	99+
1. SINGLE DX	1323	8.4	35	2	3	7	11	16	20	28
2. MULTIPLE DX	3755	12.8	152	3	4	9	15	26	41	99+
A. NOT OPERATED	4380	10.3	75	2	3	8	13	19	25	56
B. OPERATED	698	20.2	358	3	4	15	28	54	86	99+
TOTAL 0-19 YRS	315	8.1	35	1	2	7	11	15	21	28
20-34	480	9.0	89	2	2	7	11	16	25	64
35-49	658	10.0	82	2	3	8	12	19	26	55
50-64	1415	11.3	106	3	3	8	14	22	30	72
65+	2210	13.5	163	3	4	10	16	28	43	99+
GRAND TOTAL	**5078**	**11.7**	**125**	**2**	**3**	**9**	**14**	**23**	**34**	**88**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	4.3	9	1	1	4	6	8	8	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.1	8	1	1	4	6	8	10	10
20-34	52	3.8	5	1	1	4	5	7	8	9
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	14	3.0	2	<1	1	3	4	4	5	5
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	39	5.9	6	<1	2	6	7	8	10	12
35-49	12	7.3	13	<1	3	7	8	13	14	14
50-64										
65+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	6	1	1	3	5	7	8	8
B. *Operated*	64	3.9	5	1	1	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	22	3.1	2	1	1	3	4	5	6	7
B. *Operated*	56	6.2	9	<1	1	6	8	9	13	14
1. SINGLE DX	72	3.9	5	1	1	4	5	7	8	10
2. MULTIPLE DX	78	5.3	9	<1	1	5	7	8	11	14
A. NOT OPERATED	30	3.3	3	1	1	3	4	6	7	8
B. OPERATED	120	5.0	8	1	1	5	7	8	10	14
TOTAL 0-19 YRS	20	3.6	6	1	1	2	5	7	9	10
20-34	109	4.5	6	1	1	5	6	8	8	11
35-49	20	6.2	11	1	2	6	8	11	13	14
50-64										
65+	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	**150**	**4.6**	**7**	**1**	**1**	**5**	**6**	**8**	**9**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.1	9	<1	1	4	6	9	10	11
20-34	35	5.0	16	1	1	4	7	8	13	18
35-49	25	4.4	18	1	1	2	6	9	13	19
50-64	30	4.1	9	1	1	3	5	8	12	13
65+	68	7.0	43	1	2	5	9	19	23	26
B. *Operated*										
0-19 YRS	7	5.6	25	1	1	5	6	14	16	16
20-34	9	8.9	64	2	2	8	11	21	28	28
35-49	3	13.0	147	2	2	11	22	26	26	26
50-64	4	6.0	1	5	5	6	7	7	7	7
65+	3	6.3	4	4	4	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.1	20	1	1	4	7	12	15	22
20-34	75	5.7	29	1	1	4	7	15	19	23
35-49	81	5.6	23	1	1	4	8	12	16	21
50-64	106	6.3	24	1	1	5	9	13	16	26
65+	228	8.8	103	1	2	6	10	17	26	69
B. *Operated*										
0-19 YRS	8	11.4	42	3	4	11	19	69	99+	99+
20-34	16	11.2	66	2	3	9	14	25	29	30
35-49	13	11.8	62	1	1	10	16	21	28	30
50-64	22	13.5	94	4	4	11	19	29	34	40
65+	26	21.7	356	3	6	18	24	57	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	5.2	23	1	1	4	7	10	15	25
B. *Operated*	26	7.7	44	1	2	6	8	16	26	28
2. MULTIPLE DX										
A. *Not Operated*	559	7.0	58	1	1	5	9	15	19	43
B. *Operated*	85	15.1	174	3	4	13	20	30	43	99+
1. SINGLE DX	235	5.5	26	1	1	4	7	11	17	26
2. MULTIPLE DX	644	8.0	81	1	1	6	10	17	23	62
A. NOT OPERATED	768	6.5	49	1	1	5	8	14	19	32
B. OPERATED	111	13.4	152	2	3	10	19	28	35	99+
TOTAL 0-19 YRS	135	5.1	19	1	1	4	7	11	15	34
20-34	135	6.4	35	1	1	4	8	14	19	28
35-49	122	6.2	33	1	1	4	9	14	19	27
50-64	162	6.8	37	1	2	5	9	14	19	30
65+	325	9.4	122	1	2	6	11	20	27	94
GRAND TOTAL	**879**	**7.4**	**67**	**1**	**1**	**5**	**9**	**16**	**21**	**45**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	14.7	189	5	5	9	17	39	44	44
20-34										
35-49										
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	15	15.7	469	3	4	7	14	30	73	88
B. *Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.2	48	2	2	4	10	18	25	27
20-34	7	7.7	24	1	1	10	11	13	14	14
35-49	5	10.4	32	4	4	12	15	17	17	17
50-64	22	13.3	39	4	5	13	17	21	24	28
65+	52	18.2	116	4	5	17	28	36	43	99+
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	26.8	196	15	15	22	35	47	47	47
35-49	5	22.2	561	1	1	12	33	62	62	62
50-64	2	16.0	392	2	2	16	30	30	30	30
65+	13	25.3	282	7	11	20	32	54	64	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	14.9	326	4	4	8	14	32	53	88
B. *Operated*	5	10.0	44	4	4	8	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	104	14.2	97	2	4	12	20	31	36	99+
B. *Operated*	25	23.6	289	2	6	20	30	51	63	66
1. SINGLE DX	31	14.1	281	4	4	8	14	31	43	88
2. MULTIPLE DX	129	16.0	146	2	4	14	22	32	43	99+
A. NOT OPERATED	130	14.3	141	3	4	11	20	31	37	99+
B. OPERATED	30	21.4	272	2	4	17	24	49	62	66
TOTAL 0-19 YRS	28	9.8	99	2	2	6	11	25	33	44
20-34	13	13.3	149	1	2	10	16	29	44	47
35-49	11	16.5	272	1	3	12	18	39	60	62
50-64	27	12.9	52	3	4	12	17	21	28	30
65+	81	18.9	207	4	5	16	27	36	56	99+
GRAND TOTAL	**160**	**15.7**	**171**	**3**	**4**	**12**	**21**	**32**	**43**	**98**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	12.0	58	1	4	13	14	21	24	44
20-34	16	17.4	71	9	9	16	19	29	38	42
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	4	7.8	2	6	6	8	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	13.9	84	2	5	14	17	23	28	57
20-34	26	11.1	52	4	4	9	14	17	27	37
35-49	3	9.0	63	3	3	6	15	18	18	18
50-64										
65+										
B. *Operated*										
0-19 YRS	5	20.8	161	11	11	17	24	43	43	43
20-34	8	14.1	26	8	8	13	19	21	21	21
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	13.1	64	2	5	13	16	21	25	45
B. *Operated*	5	10.2	31	6	6	8	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	106	13.0	77	3	4	13	16	21	27	49
B. *Operated*	13	16.7	80	8	9	15	19	26	40	43
1. SINGLE DX	80	12.9	62	2	5	13	16	21	24	45
2. MULTIPLE DX	119	13.4	78	3	4	13	17	21	28	50
A. NOT OPERATED	181	13.1	71	3	4	13	16	21	26	45
B. OPERATED	18	14.9	73	7	8	13	18	21	34	43
TOTAL 0-19 YRS	141	13.4	77	2	5	14	16	22	26	48
20-34	54	13.2	58	4	6	12	16	21	29	42
35-49	4	8.8	42	3	3	7	13	18	18	18
50-64										
65+										
GRAND TOTAL	**199**	**13.2**	**71**	**3**	**5**	**13**	**16**	**21**	**26**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	8.2	33	1	2	9	10	14	20	26
20-34	6	14.0	34	6	6	14	18	22	22	22
35-49	6	18.3	266	2	3	12	32	43	44	44
50-64	3	6.3	5	5	5	5	8	9	9	9
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	7	10.6	14	7	7	9	13	16	17	17
20-34	95	8.6	3	6	7	8	9	11	13	14
35-49	45	8.5	2	7	7	8	9	10	11	12
50-64	7	8.9	3	6	6	10	10	11	11	11
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	7.9	33	2	2	6	11	17	20	22
20-34	28	7.4	41	<1	<1	5	13	18	19	22
35-49	40	11.9	166	2	2	7	14	33	43	56
50-64	24	10.4	56	2	2	7	16	22	24	25
65+	27	15.9	155	2	3	14	25	37	41	45
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	67	9.7	15	6	7	9	10	13	14	32
35-49	69	11.3	40	6	7	9	12	21	24	39
50-64	21	15.4	187	4	6	9	15	38	51	55
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	10.4	77	2	2	9	12	21	30	44
B. *Operated*	155	8.7	4	6	7	8	9	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	144	10.8	105	1	2	7	15	23	33	50
B. *Operated*	159	11.2	51	6	7	9	11	16	25	47
1. SINGLE DX	193	9.0	18	4	6	8	10	12	14	29
2. MULTIPLE DX	303	11.0	76	2	3	9	13	22	28	49
A. NOT OPERATED	182	10.8	99	1	2	8	15	23	32	48
B. OPERATED	314	10.0	29	6	7	9	10	13	17	37
TOTAL 0-19 YRS	54	8.5	31	2	2	8	11	17	19	26
20-34	196	9.0	15	3	6	9	10	13	15	22
35-49	160	10.9	71	3	4	9	11	19	32	49
50-64	55	11.9	102	2	4	9	14	23	30	55
65+	31	14.8	145	2	3	12	22	33	40	45
GRAND TOTAL	**496**	**10.3**	**55**	**2**	**4**	**9**	**11**	**17**	**24**	**45**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	6.7	135	1	1	4	6	14	18	78
20-34	15	6.7	116	<1	<1	2	9	14	35	42
35-49	7	6.7	6	4	4	7	8	10	11	11
50-64	16	9.5	88	1	2	6	12	24	33	36
65+	12	5.2	29	1	1	3	8	15	16	16
B. *Operated*										
0-19 YRS	14	4.8	18	1	1	3	7	11	15	16
20-34	58	5.9	15	1	2	5	7	10	17	19
35-49	63	4.3	7	1	1	4	5	8	10	12
50-64	29	5.6	25	<1	1	5	6	14	17	21
65+	6	12.0	84	1	1	11	19	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	6.2	33	1	1	4	8	14	18	28
20-34	34	6.8	11	1	2	7	10	12	13	13
35-49	42	7.4	54	1	2	5	8	14	29	33
50-64	38	11.1	87	1	2	9	13	24	35	41
65+	62	14.2	104	4	5	11	18	28	43	93
B. *Operated*										
0-19 YRS	20	10.1	29	3	4	9	14	19	20	20
20-34	96	8.6	141	3	3	5	7	14	27	75
35-49	101	7.8	104	1	3	6	8	13	16	62
50-64	60	9.6	48	3	3	7	14	19	23	31
65+	27	10.2	42	2	3	10	14	20	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	6.9	101	1	1	4	7	14	22	60
B. *Operated*	170	5.4	18	1	1	4	7	10	16	21
2. MULTIPLE DX										
A. *Not Operated*	252	9.2	69	1	2	7	11	19	28	44
B. *Operated*	304	8.8	94	3	3	6	10	17	21	70
1. SINGLE DX	270	6.0	49	1	1	4	7	12	17	35
2. MULTIPLE DX	556	9.0	83	2	3	7	11	18	27	48
A. NOT OPERATED	352	8.6	79	1	2	6	10	18	28	44
B. OPERATED	474	7.6	69	1	2	5	8	15	19	40
TOTAL 0-19 YRS	160	6.7	64	1	1	4	8	15	19	30
20-34	203	7.4	82	1	2	5	7	13	18	45
35-49	213	6.7	64	1	2	5	8	11	15	32
50-64	143	9.2	60	1	2	7	13	19	25	36
65+	107	12.1	86	2	3	10	17	27	34	99+
GRAND TOTAL	**826**	**8.0**	**74**	**1**	**2**	**6**	**9**	**17**	**21**	**43**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	69	2	2	3	8	21	21	21
35-49	23	3.9	4	1	2	3	5	8	8	8
50-64	20	6.0	23	<1	1	4	9	14	16	17
65+	65	6.4	41	2	2	5	7	11	17	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	14.3	122	2	2	13	22	28	28	28
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	7.1	15	3	3	6	11	13	13	13
35-49	19	6.2	41	1	2	3	9	13	22	28
50-64	45	6.9	24	2	2	6	8	13	18	24
65+	134	10.3	101	2	3	7	11	22	27	61
B. *Operated*										
0-19 YRS										
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49										
50-64	6	7.2	12	2	2	7	10	12	12	12
65+	18	18.4	295	1	2	17	23	37	57	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.8	32	1	2	4	7	11	16	31
B. *Operated*	7	8.9	106	<1	<1	2	15	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	205	9.1	78	2	3	7	10	20	24	52
B. *Operated*	26	15.2	230	2	2	10	22	34	44	70
1. SINGLE DX	120	6.0	36	1	2	4	7	12	17	33
2. MULTIPLE DX	231	9.8	98	2	3	7	11	22	27	61
A. NOT OPERATED	318	7.9	64	2	2	6	9	16	23	45
B. OPERATED	33	13.8	206	1	2	10	20	30	38	70
TOTAL 0-19 YRS										
20-34	14	7.1	31	2	2	5	12	14	19	21
35-49	44	4.8	21	1	2	3	6	9	12	28
50-64	75	7.0	29	2	2	6	9	14	17	27
65+	218	9.8	107	2	3	6	11	22	27	62
GRAND TOTAL	**351**	**8.5**	**80**	**2**	**2**	**6**	**10**	**18**	**24**	**46**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	17	1	1	2	4	10	15	15
20-34	4	4.3	16	1	1	3	7	10	10	10
35-49	7	3.3	7	1	1	3	3	8	9	9
50-64	12	5.4	16	1	1	4	9	11	13	13
65+	52	8.0	34	2	2	6	10	15	22	26
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.4	33	1	1	4	6	11	17	33
20-34	33	5.6	34	1	2	4	6	11	12	34
35-49	46	4.4	13	1	1	4	5	8	10	21
50-64	115	8.3	40	2	2	7	10	17	21	62
65+	458	11.8	120	3	3	8	15	25	39	96
B. *Operated*										
0-19 YRS	3	24.7	101	14	14	26	32	34	34	34
20-34	7	14.6	319	3	4	8	14	46	54	54
35-49	3	14.3	17	11	11	13	17	19	19	19
50-64	20	14.6	293	1	1	8	21	37	56	65
65+	42	22.2	314	2	5	20	32	58	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	6.5	29	1	1	5	9	13	17	26
B. *Operated*	2	14.5	41	10	10	14	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	727	9.9	95	2	2	7	12	20	30	72
B. *Operated*	75	19.2	293	2	2	15	28	55	77	99+
1. SINGLE DX	88	6.7	30	1	1	5	9	14	19	26
2. MULTIPLE DX	802	10.7	121	2	2	7	14	23	36	99+
A. NOT OPERATED	813	9.5	89	2	2	7	12	20	28	69
B. OPERATED	77	19.1	287	2	2	15	27	54	75	99+
TOTAL 0-19 YRS	89	5.8	45	1	1	4	6	14	20	36
20-34	45	7.0	81	1	2	5	8	11	20	54
35-49	56	4.8	18	1	1	4	6	9	15	21
50-64	147	9.0	76	2	2	7	10	20	24	66
65+	553	12.3	135	2	3	9	15	27	42	99+
GRAND TOTAL	**890**	**10.3**	**113**	**2**	**2**	**7**	**13**	**22**	**33**	**92**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	5.8	8	1	2	6	8	10	11	12
20-34	6	6.5	28	2	2	4	9	15	16	16
35-49	15	5.2	14	<1	1	4	7	12	13	13
50-64	22	7.1	21	1	2	6	9	15	16	16
65+	66	7.6	38	1	2	6	10	15	22	28
B. *Operated*										
0-19 YRS	6	4.3	16	1	1	3	5	11	12	12
20-34	3	10.0	21	6	6	9	13	15	15	15
35-49	4	7.8	11	4	4	8	10	11	11	11
50-64	12	13.8	40	4	4	14	17	21	26	27
65+	12	12.0	31	2	5	12	16	19	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	8.3	36	2	3	6	11	15	19	31
20-34	23	6.6	70	1	1	3	8	15	29	36
35-49	54	5.8	20	1	1	4	9	12	13	24
50-64	73	7.7	38	1	2	6	10	15	21	33
65+	287	10.7	73	2	3	8	13	21	27	45
B. *Operated*										
0-19 YRS	4	17.8	224	3	3	17	30	33	33	33
20-34	10	10.9	63	1	2	11	14	21	28	28
35-49	31	12.0	53	2	3	11	17	21	24	32
50-64	38	16.2	98	5	7	14	23	35	39	99+
65+	117	16.9	115	5	7	15	20	31	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	6.6	23	1	2	6	9	13	15	26
B. *Operated*	37	10.7	37	2	3	11	15	18	21	27
2. MULTIPLE DX										
A. *Not Operated*	518	9.2	59	1	2	7	12	19	24	37
B. *Operated*	200	15.7	104	3	6	14	20	30	38	57
1. SINGLE DX	207	7.3	28	1	2	6	10	15	17	27
2. MULTIPLE DX	718	11.0	80	2	3	9	14	22	30	45
A. NOT OPERATED	688	8.5	52	1	2	7	11	17	22	35
B. OPERATED	237	15.0	97	3	5	13	19	29	37	56
TOTAL 0-19 YRS	152	7.4	32	2	2	6	9	14	18	33
20-34	42	7.8	60	1	2	5	11	15	26	36
35-49	104	7.6	36	1	2	6	11	15	20	28
50-64	145	10.3	66	1	2	8	14	23	30	41
65+	482	11.8	87	2	3	9	15	23	30	50
GRAND TOTAL	**925**	**10.2**	**71**	**2**	**2**	**8**	**13**	**21**	**28**	**40**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	9	1	1	3	5	9	9	9
20-34	5	4.8	10	1	1	6	7	8	8	8
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.2	38	1	1	6	9	13	21	28
20-34	4	10.0	118	2	2	7	18	25	25	25
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	10.5	1	10	10	10	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.2	7	1	1	4	6	8	9	9
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	27	7.9	43	1	1	6	10	14	25	28
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	14	4.3	6	1	1	4	6	8	9	9
2. MULTIPLE DX	28	7.8	42	1	1	6	10	14	25	28
A. NOT OPERATED	40	6.7	34	1	1	5	9	12	19	28
B. OPERATED	2	4.5	1	4	4	4	5	5	5	5
TOTAL 0-19 YRS	26	6.5	32	1	1	5	9	13	17	28
20-34	10	6.9	51	1	1	5	8	18	25	25
35-49	4	5.0	9	2	2	4	7	9	9	9
50-64	2	10.5	1	10	10	10	11	11	11	11
65+										
GRAND TOTAL	**42**	**6.6**	**32**	**1**	**1**	**5**	**9**	**12**	**18**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	10	<1	<1	2	4	7	8	18
20-34	15	6.5	16	<1	2	7	8	10	15	17
35-49	16	5.3	20	<1	<1	4	8	12	14	15
50-64	38	5.0	22	<1	1	3	8	14	15	17
65+	131	7.2	79	<1	1	4	9	17	24	47
B. *Operated*										
0-19 YRS	10	8.7	24	1	3	8	11	16	20	20
20-34	10	8.8	14	2	3	9	10	14	16	16
35-49	11	8.8	12	2	4	9	11	14	14	14
50-64	12	12.4	69	5	5	10	16	23	33	35
65+	30	12.8	65	2	3	12	16	27	34	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.6	18	1	1	3	7	10	12	22
20-34	23	7.5	67	1	1	5	10	17	26	34
35-49	48	5.5	16	<1	1	4	8	12	13	15
50-64	118	8.3	92	<1	1	6	12	17	21	56
65+	435	10.2	101	1	2	7	13	21	29	53
B. *Operated*										
0-19 YRS	9	10.8	65	1	1	10	15	23	26	26
20-34	20	14.2	128	3	5	11	18	30	43	46
35-49	26	13.8	86	4	5	14	17	28	35	38
50-64	46	13.5	88	3	4	10	19	30	36	99+
65+	159	18.8	237	5	6	15	24	41	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	5.7	49	<1	<1	3	8	14	17	35
B. *Operated*	73	11.0	47	2	5	10	14	20	27	84
2. MULTIPLE DX										
A. *Not Operated*	688	8.9	88	1	1	6	12	19	27	48
B. *Operated*	260	16.8	187	4	5	14	22	37	48	99+
1. SINGLE DX	336	6.9	54	<1	1	5	9	15	20	36
2. MULTIPLE DX	948	11.1	127	1	2	8	14	25	34	75
A. NOT OPERATED	951	8.0	79	1	1	5	11	17	24	45
B. OPERATED	333	15.5	162	4	5	12	20	34	47	99+
TOTAL 0-19 YRS	146	4.5	22	<1	1	3	7	10	13	23
20-34	68	9.4	74	1	1	7	12	18	23	45
35-49	101	8.0	47	<1	1	6	11	15	21	36
50-64	214	9.1	85	<1	1	7	13	19	28	57
65+	755	11.6	139	1	2	8	15	26	37	93
GRAND TOTAL	**1284**	**10.0**	**111**	**1**	**1**	**7**	**13**	**22**	**31**	**64**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	12	1	1	3	5	11	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.4	140	1	1	4	9	15	37	54
20-34	10	3.1	3	<1	<1	3	4	5	6	6
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	8.0	28	4	4	6	12	14	14	14
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	1	26.0		26	26	26	26	26	26	26
50-64	2	15.5	1	15	15	15	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.0	9	1	1	3	5	8	11	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	37	6.8	78	1	1	4	7	13	15	54
B. *Operated*	4	20.8	37	15	15	21	26	26	26	26
1. SINGLE DX	20	4.0	9	1	1	3	5	8	11	12
2. MULTIPLE DX	41	8.1	90	1	2	5	10	16	26	54
A. NOT OPERATED	57	5.8	55	1	1	4	6	12	14	51
B. OPERATED	4	20.8	37	15	15	21	26	26	26	26
TOTAL 0-19 YRS	34	6.4	86	1	1	4	6	12	15	54
20-34	12	5.0	46	<1	1	3	4	12	24	26
35-49	7	8.9	63	3	3	6	10	23	26	26
50-64	4	11.5	22	7	7	11	15	16	16	16
65+	4	7.0	23	4	4	5	10	14	14	14
GRAND TOTAL	**61**	**6.8**	**67**	**1**	**1**	**4**	**7**	**14**	**21**	**51**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	5.9	24	1	2	5	7	12	14	29
20-34	9	3.6	7	<1	<1	3	5	8	8	8
35-49	20	4.0	12	<1	1	3	6	10	11	11
50-64	22	5.9	24	1	2	4	7	13	17	22
65+	28	5.5	19	1	1	5	8	10	13	20
B. *Operated*										
0-19 YRS	30	9.9	176	3	3	7	10	12	22	77
20-34	29	8.1	50	1	2	7	9	12	15	40
35-49	12	8.9	12	4	5	8	12	14	14	14
50-64	19	9.9	24	3	5	9	14	17	18	18
65+	22	12.1	58	2	3	12	15	24	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.8	19	2	2	4	8	11	13	26
20-34	27	7.0	32	2	2	6	8	14	19	28
35-49	32	7.2	35	1	2	6	9	15	20	27
50-64	58	7.4	26	1	2	6	10	14	17	25
65+	115	13.9	222	2	2	9	17	28	49	75
B. *Operated*										
0-19 YRS	32	11.0	83	2	3	9	15	23	27	44
20-34	33	13.2	165	3	4	10	13	26	50	57
35-49	16	10.4	34	3	4	8	15	19	20	20
50-64	48	14.9	171	4	5	11	18	28	31	85
65+	77	15.7	148	3	5	12	19	33	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	5.5	21	1	1	4	7	11	14	25
B. *Operated*	112	9.8	76	2	3	8	12	16	22	54
2. MULTIPLE DX										
A. *Not Operated*	320	9.2	108	2	2	6	11	19	27	63
B. *Operated*	206	14.0	139	3	4	10	18	28	38	80
1. SINGLE DX	309	7.1	45	1	2	6	9	13	16	31
2. MULTIPLE DX	526	11.1	125	2	2	8	14	24	29	67
A. NOT OPERATED	517	7.8	78	1	2	5	9	15	23	52
B. OPERATED	318	12.5	121	2	4	9	15	24	33	77
TOTAL 0-19 YRS	268	6.9	49	1	2	5	9	13	17	31
20-34	98	9.1	88	2	2	7	10	16	26	55
35-49	80	7.3	30	1	1	7	10	15	19	25
50-64	147	9.9	85	2	2	8	13	19	24	35
65+	242	13.4	168	2	2	9	17	28	39	77
GRAND TOTAL	**835**	**9.6**	**99**	**1**	**2**	**7**	**12**	**19**	**28**	**98**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	2.0	1	1	1	2	3	3	4	6
20-34	47	2.0	1	<1	1	2	3	4	4	5
35-49	8	2.6	3	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	134	4.3	3	2	3	4	5	6	8	10
20-34	28	4.5	2	3	3	4	5	7	7	8
35-49	3	5.3	4	3	3	6	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.4	2	1	1	2	3	4	5	7
20-34	11	3.5	10	1	1	3	5	9	10	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	4.0	17	1	1	3	4	11	13	13
B. *Operated*										
0-19 YRS	54	5.1	7	2	3	4	6	7	12	15
20-34	12	7.4	68	3	3	5	7	16	30	33
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	2.0	1	1	1	2	3	4	4	6
B. *Operated*	166	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	122	2.6	4	1	1	2	3	4	6	11
B. *Operated*	67	5.5	18	2	3	4	6	8	13	30
1. SINGLE DX	625	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	189	3.6	11	1	1	3	4	7	8	15
A. NOT OPERATED	581	2.1	2	1	1	2	3	4	5	8
B. OPERATED	233	4.7	7	2	3	4	5	7	8	15
TOTAL 0-19 YRS	692	2.7	3	1	1	2	4	5	6	9
20-34	98	3.6	13	1	1	3	5	6	8	22
35-49	12	3.3	4	1	1	3	5	6	7	7
50-64	4	3.8	10	1	1	3	6	8	8	8
65+	8	4.1	14	1	1	3	4	11	13	13
GRAND TOTAL	**814**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.9	14	1	1	4	6	11	14	16
20-34	10	4.0	2	2	2	4	5	6	6	6
35-49										
50-64	3	2.7	4	1	1	2	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	20	5.0	38	1	1	3	5	14	21	25
20-34	14	3.1	4	<1	<1	3	4	6	7	8
35-49	5	3.0	4	<1	<1	2	4	6	6	6
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.1	10	1	1	4	7	10	11	13
20-34	5	5.4	9	2	2	4	8	9	9	9
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	4	7.8	148	<1	<1	2	14	26	26	26
B. *Operated*										
0-19 YRS	15	5.1	15	<1	2	4	8	11	13	14
20-34	11	4.7	22	<1	1	3	6	12	17	17
35-49	5	3.0	2	<1	<1	3	4	5	5	5
50-64	4	7.8	32	2	2	7	12	14	14	14
65+	3	6.3	6	4	4	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.6	11	1	2	4	5	9	12	16
B. *Operated*	43	3.8	20	<1	1	2	4	7	13	25
2. MULTIPLE DX										
A. *Not Operated*	50	5.3	18	1	1	4	7	10	11	26
B. *Operated*	38	5.1	16	<1	1	4	7	11	14	17
1. SINGLE DX	88	4.2	15	<1	1	3	5	8	12	22
2. MULTIPLE DX	88	5.2	17	1	1	4	7	11	13	23
A. NOT OPERATED	95	5.0	14	1	2	4	6	10	12	21
B. OPERATED	81	4.4	19	<1	1	3	5	10	14	23
TOTAL 0-19 YRS	104	5.0	17	1	1	4	7	10	13	21
20-34	40	4.1	9	<1	1	3	5	8	9	17
35-49	12	3.6	4	<1	<1	3	5	7	8	8
50-64	13	4.2	15	<1	1	3	4	12	14	14
65+	7	7.1	77	<1	<1	4	8	23	26	26
GRAND TOTAL	**176**	**4.7**	**16**	**<1**	**1**	**4**	**6**	**10**	**13**	**23**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	11.7	191	1	1	5	20	34	36	36
20-34	21	11.7	111	1	2	10	16	28	36	38
35-49	4	4.3	6	<1	<1	4	6	7	7	7
50-64	2	36.0	2450	1	1	36	71	71	71	71
65+	10	10.0	114	3	3	5	12	28	36	36
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.0	86	1	1	2	7	23	26	26
20-34	11	12.5	113	3	3	11	21	56	94	99+
35-49	15	12.3	231	1	2	10	14	20	52	63
50-64	13	12.3	119	3	3	8	18	33	35	35
65+	52	15.3	336	2	3	10	16	32	60	89
B. *Operated*										
0-19 YRS										
20-34	1	72.0		72	72	72	72	72	72	72
35-49	1	29.0		29	29	29	29	29	29	29
50-64	1	92.0		92	92	92	92	92	92	92
65+	3	27.0	258	9	9	36	70	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	11.7	193	1	1	5	15	34	37	71
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	98	13.5	248	1	2	9	15	32	58	95
B. *Operated*	6	45.7	940	9	13	41	87	98	99+	99+
1. SINGLE DX	43	11.7	193	1	1	5	15	34	37	71
2. MULTIPLE DX	104	15.3	336	2	2	10	18	37	74	99+
A. NOT OPERATED	141	13.0	231	1	2	8	15	33	45	90
B. OPERATED	6	45.7	940	9	13	41	87	98	99+	99+
TOTAL 0-19 YRS	13	8.6	131	1	1	2	12	28	34	36
20-34	33	13.8	214	2	3	11	18	37	65	99+
35-49	20	11.5	198	<1	1	6	14	24	46	63
50-64	16	20.3	690	2	3	8	25	67	86	92
65+	65	15.1	303	2	3	10	16	36	64	98
GRAND TOTAL	**147**	**14.3**	**295**	**1**	**2**	**9**	**18**	**36**	**63**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	31	1	1	2	3	6	15	23
20-34	27	9.7	105	<1	1	5	10	27	29	37
35-49	11	11.8	297	1	2	6	13	33	60	62
50-64	21	10.9	236	<1	1	5	15	23	44	69
65+	212	17.4	359	2	3	12	26	71	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	50.0		50	50	50	50	50	50	50
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	12.5	187	3	3	8	22	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.1	95	1	1	7	16	26	28	28
20-34	34	13.2	261	2	3	8	14	36	73	99+
35-49	31	26.5	742	2	2	19	49	89	98	99+
50-64	85	21.1	289	4	6	17	26	41	71	94
65+	534	22.5	449	3	4	16	37	78	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	22.0	98	15	15	29	82	99+	99+	99+
50-64	5	31.6	1015	9	10	34	96	99+	99+	99+
65+	33	33.1	521	5	8	36	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	15.2	319	1	2	10	22	47	97	99+
B. *Operated*	6	17.0	391	2	2	8	32	48	50	50
2. MULTIPLE DX										
A. *Not Operated*	698	21.8	432	3	4	15	34	75	99+	99+
B. *Operated*	41	31.9	534	6	9	34	80	99+	99+	99+
1. SINGLE DX	292	15.3	320	1	2	10	23	49	97	99+
2. MULTIPLE DX	739	22.4	442	3	4	16	36	78	99+	99+
A. NOT OPERATED	984	19.9	408	2	3	14	29	71	99+	99+
B. OPERATED	47	30.0	532	3	6	32	67	99+	99+	99+
TOTAL 0-19 YRS	29	6.7	71	1	1	3	8	24	26	28
20-34	63	12.3	209	1	2	7	15	31	52	97
35-49	44	22.7	630	2	2	14	44	88	99+	99+
50-64	112	19.5	323	2	3	15	25	43	80	99+
65+	783	21.5	436	3	4	15	36	79	99+	99+
GRAND TOTAL	**1031**	**20.4**	**417**	**2**	**3**	**14**	**31**	**75**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	45.3	1161	17	17	35	68	94	94	94
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	35.0		35	35	35	35	35	35	35
65+	32	18.2	306	3	4	15	36	98	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	38.0		38	38	38	38	38	38	38
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	45.3	1161	17	17	35	68	94	94	94
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	18.4	300	3	4	15	35	94	99+	99+
B. *Operated*	1	38.0		38	33	99+	99+	99+	99+	99+
1. SINGLE DX	4	45.3	1161	17	17	35	68	94	94	94
2. MULTIPLE DX	35	18.9	302	3	4	16	39	99+	99+	99+
A. NOT OPERATED	38	21.2	431	3	4	16	38	96	99+	99+
B. OPERATED	1	38.0		38	38	99+	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	36.5	5	35	35	36	38	38	38	38
65+	36	21.2	445	3	4	17	42	99+	99+	99+
GRAND TOTAL	**39**	**21.6**	**427**	**3**	**4**	**17**	**42**	**99+**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	12	1	1	1	4	9	9	9
20-34	60	4.5	18	1	1	3	6	8	12	25
35-49	94	5.1	18	1	1	4	7	10	15	21
50-64	65	7.4	72	1	2	5	7	17	29	92
65+	17	9.5	188	1	2	7	12	84	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	3	1	1	2	4	5	6	6
20-34	136	5.4	34	1	1	4	6	11	16	31
35-49	227	7.1	82	1	2	5	8	14	20	48
50-64	218	9.5	84	2	2	8	12	20	32	99+
65+	94	14.7	279	2	3	9	17	38	63	95
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	16.0	129	2	2	14	28	31	33	33
50-64	16	23.1	260	6	10	19	27	48	59	63
65+	5	29.2	212	12	13	41	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	5.8	46	1	1	4	7	12	18	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	685	8.5	107	1	2	5	10	18	28	76
B. *Operated*	32	21.3	221	3	4	19	35	63	99+	99+
1. SINGLE DX	241	5.8	46	1	1	4	7	12	18	99+
2. MULTIPLE DX	717	9.1	118	1	2	6	11	21	33	91
A. NOT OPERATED	926	7.8	92	1	2	5	9	17	27	80
B. OPERATED	32	21.3	221	3	4	19	35	63	99+	99+
TOTAL 0-19 YRS	15	2.9	5	1	1	2	4	6	8	9
20-34	197	5.1	29	1	1	3	6	10	15	29
35-49	331	6.8	68	1	2	4	8	14	20	35
50-64	299	9.8	100	2	2	7	12	23	34	99+
65+	116	14.6	272	2	3	9	20	49	93	99+
GRAND TOTAL	**958**	**8.3**	**102**	**1**	**2**	**5**	**9**	**19**	**30**	**97**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	12.2	284	1	1	8	12	40	55	59
20-34	28	10.9	185	<1	<1	6	13	36	46	47
35-49	7	9.0	70	1	1	4	16	21	22	22
50-64	6	6.0	4	2	2	6	7	8	8	8
65+	7	19.1	255	4	5	13	30	45	47	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	19.1	442	1	2	14	24	48	74	76
20-34	44	10.3	226	<1	1	6	12	22	33	89
35-49	17	7.7	109	1	1	4	10	23	35	40
50-64	20	14.7	141	1	2	13	16	35	39	42
65+	31	11.5	95	1	2	8	16	25	32	44
B. *Operated*										
0-19 YRS										
20-34	3	14.7	100	5	5	19	62	99+	99+	99+
35-49	3	33.7	585	15	15	25	52	61	61	61
50-64	1	23.0		23	23	23	23	23	23	23
65+	3	37.7	220	25	25	34	49	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	11.4	184	<1	1	7	13	35	46	58
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	123	11.8	185	1	1	7	14	27	38	79
B. *Operated*	10	28.1	305	5	10	25	49	77	98	99+
1. SINGLE DX	62	11.5	181	<1	1	7	14	35	46	58
2. MULTIPLE DX	133	13.0	210	1	1	8	16	32	43	91
A. NOT OPERATED	184	11.7	184	1	1	7	14	30	41	70
B. OPERATED	11	26.9	290	6	11	25	44	73	96	99+
TOTAL 0-19 YRS	24	15.4	352	1	1	9	19	37	64	76
20-34	75	10.7	202	<1	1	6	13	28	45	97
35-49	27	10.9	196	1	1	4	15	25	43	61
50-64	28	13.1	117	2	2	10	15	32	37	42
65+	41	14.8	171	1	2	11	19	35	45	54
GRAND TOTAL	**195**	**12.5**	**201**	**1**	**1**	**8**	**15**	**32**	**44**	**83**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	35.5	505	4	10	34	46	63	80	87
20-34	225	21.1	386	2	3	15	28	53	69	99+
35-49	124	19.3	331	3	4	13	25	49	79	99+
50-64	79	17.4	190	1	2	15	24	45	63	99+
65+	19	20.6	277	1	3	17	32	57	80	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	22.8	253	1	2	29	35	59	92	99+
20-34	99	25.3	488	2	4	20	39	63	88	99+
35-49	98	21.0	237	3	5	18	29	40	51	75
50-64	41	20.7	332	3	5	17	21	48	71	80
65+	14	17.7	202	2	2	13	26	37	49	53
B. *Operated*										
0-19 YRS										
20-34	4	21.0	767	2	2	10	37	62	62	62
35-49	4	27.8	151	13	13	32	56	99+	99+	99+
50-64	2	37.5	1513	10	10	37	65	65	65	65
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	20.5	344	2	3	15	28	52	71	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	264	22.5	346	2	4	18	31	52	71	99+
B. *Operated*	10	27.0	515	2	5	24	57	79	98	99+
1. SINGLE DX	463	20.5	344	2	3	15	28	52	71	99+
2. MULTIPLE DX	274	22.6	351	2	4	18	31	53	71	99+
A. NOT OPERATED	727	21.2	345	2	4	16	29	52	71	99+
B. OPERATED	10	27.0	515	2	5	24	57	79	98	99+
TOTAL 0-19 YRS	28	30.0	425	1	4	31	44	62	88	99+
20-34	328	22.4	421	2	3	16	31	58	77	99+
35-49	226	20.2	287	3	4	15	28	44	62	99+
50-64	122	18.8	253	1	3	16	24	49	68	99+
65+	33	19.4	240	2	2	14	30	53	59	99+
GRAND TOTAL	**737**	**21.3**	**348**	**2**	**4**	**16**	**29**	**52**	**71**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	41.0	50	36	36	41	46	46	46	46
20-34	29	26.6	433	1	3	24	37	62	87	99+
35-49	7	19.0	159	4	5	15	28	37	39	39
50-64	7	25.9	382	11	12	20	24	60	69	69
65+	2	21.0	72	15	15	21	27	27	27	27
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	35.0	242	24	24	35	46	46	46	46
20-34	15	27.3	678	2	3	20	48	90	98	99+
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	4	7.0	25	2	2	6	10	14	14	14
65+	1	22.0		22	22	22	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	25.7	356	2	5	23	35	59	71	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	21.6	522	1	1	15	36	63	94	99+
B. *Operated*	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	47	25.7	356	2	5	23	35	59	71	99+
2. MULTIPLE DX	26	21.2	507	1	1	14	33	62	94	99+
A. NOT OPERATED	72	24.3	411	1	3	20	36	60	83	99+
B. OPERATED	1	9.0		9	9	9	9	9	9	9
TOTAL 0-19 YRS	4	38.0	109	24	24	41	46	46	46	46
20-34	45	26.5	499	1	3	20	37	65	94	99+
35-49	10	14.4	166	1	1	11	24	34	39	39
50-64	11	19.0	327	2	4	15	22	42	67	69
65+	3	21.3	36	15	15	22	26	27	27	27
GRAND TOTAL	**73**	**24.1**	**408**	**1**	**3**	**20**	**36**	**59**	**82**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	24.7	409	1	2	22	45	85	99+	99+
20-34	555	20.6	377	2	3	15	31	55	76	99+
35-49	260	18.4	295	2	3	13	24	46	66	99+
50-64	135	19.2	333	2	3	13	25	47	56	88
65+	41	19.0	380	2	3	12	29	59	89	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	32.0	767	2	5	23	57	79	93	99+
20-34	354	22.1	380	2	3	18	30	53	75	99+
35-49	167	21.6	327	3	4	16	30	51	60	99
50-64	122	21.3	235	4	5	18	31	43	55	99+
65+	50	19.1	237	2	3	15	27	50	56	99+
B. *Operated*										
0-19 YRS	3	38.7	694	17	17	31	59	68	68	68
20-34	14	40.4	1021	5	8	33	98	99+	99+	99+
35-49	5	43.0	841	7	7	54	65	74	74	74
50-64	6	35.3	455	11	13	40	63	93	99+	99+
65+	1	10.0		10	10	55	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1044	20.0	353	2	3	14	29	52	75	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	735	22.2	361	2	4	17	31	52	70	99+
B. *Operated*	29	38.6	762	6	10	36	68	99+	99+	99+
1. SINGLE DX	1044	20.0	353	2	3	14	29	52	75	99+
2. MULTIPLE DX	764	22.9	385	2	4	18	32	56	75	99+
A. NOT OPERATED	1779	20.9	357	2	3	15	30	52	73	99+
B. OPERATED	29	38.6	762	6	10	36	68	99+	99+	99+
TOTAL 0-19 YRS	98	28.2	574	1	3	23	47	79	99+	99+
20-34	923	21.5	393	2	3	16	31	56	79	99+
35-49	432	19.9	319	2	4	15	28	50	66	99+
50-64	263	20.6	294	3	4	16	29	47	57	99
65+	92	19.0	296	2	3	13	28	54	81	99+
GRAND TOTAL	**1808**	**21.2**	**368**	**2**	**3**	**16**	**31**	**54**	**75**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	21.5	490	5	5	15	21	61	65	65
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	22.2	155	2	5	24	32	37	40	40
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	21.5	490	5	5	15	21	61	65	65
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	22.2	155	2	5	24	32	37	40	40
B. *Operated*										
1. SINGLE DX	6	21.5	490	5	5	15	21	61	65	65
2. MULTIPLE DX	10	22.2	155	2	5	24	32	37	40	40
A. NOT OPERATED	16	21.9	257	3	5	19	31	39	57	65
B. OPERATED										
TOTAL 0-19 YRS	16	21.9	257	3	5	19	31	39	57	65
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**16**	**21.9**	**257**	**3**	**5**	**19**	**31**	**39**	**57**	**65**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	10.1	93	1	2	7	13	18	35	43
20-34	243	14.3	211	1	2	10	20	34	43	91
35-49	324	15.5	185	2	3	12	21	33	46	82
50-64	317	20.3	268	3	4	16	28	44	58	99+
65+	241	20.2	223	3	5	16	27	43	52	71
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	36.0		36	36	36	36	36	36	36
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	12.0	181	1	2	6	16	35	38	51
20-34	260	21.5	365	3	4	15	31	48	59	86
35-49	305	19.6	261	3	4	15	26	45	58	91
50-64	360	23.2	293	4	6	20	32	49	70	99+
65+	359	20.5	267	3	5	17	29	45	68	99+
B. *Operated*										
0-19 YRS	1	60.0		60	60	60	60	60	60	60
20-34	14	48.5	698	7	17	56	73	91	98	99+
35-49	21	36.0	597	10	14	27	57	76	86	86
50-64	28	29.8	292	10	13	24	40	60	65	68
65+	43	38.4	329	16	17	38	54	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1152	17.4	227	2	3	14	25	38	50	85
B. *Operated*	2	23.0	338	10	10	23	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	1311	21.0	293	3	4	17	30	47	63	99+
B. *Operated*	107	37.2	440	12	15	33	56	75	86	99+
1. SINGLE DX	1154	17.4	227	2	3	14	25	38	50	85
2. MULTIPLE DX	1418	22.2	322	3	5	18	31	50	66	99+
A. NOT OPERATED	2463	19.3	265	2	4	15	27	43	55	99+
B. OPERATED	109	36.9	438	12	15	33	56	75	86	99+
TOTAL 0-19 YRS	55	11.9	176	1	2	7	15	34	41	60
20-34	517	18.8	337	2	3	12	27	44	60	93
35-49	650	18.1	248	2	3	14	25	43	55	86
50-64	706	22.2	285	4	5	18	30	47	65	99+
65+	644	21.5	274	3	5	17	30	47	65	99+
GRAND TOTAL	**2572**	**20.1**	**285**	**2**	**4**	**16**	**28**	**45**	**60**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	18.3	302	2	4	12	24	56	68	99+
20-34	277	20.0	301	1	3	16	27	44	59	84
35-49	261	17.2	201	2	3	14	23	36	44	72
50-64	180	19.4	191	3	5	16	25	38	46	83
65+	95	21.6	170	5	7	19	32	38	47	82
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	26.7	473	7	8	21	56	99+	99+	99+
20-34	229	22.9	323	3	4	19	32	51	63	93
35-49	194	21.4	286	2	5	17	28	45	62	95
50-64	205	25.7	326	4	5	22	35	51	68	89
65+	132	27.4	392	5	8	22	36	52	80	97
B. *Operated*										
0-19 YRS	1	80.0		80	80	80	80	80	80	80
20-34	12	41.5	598	7	10	41	57	72	87	90
35-49	13	23.7	151	7	11	23	30	43	46	47
50-64	15	37.8	440	11	13	34	52	72	77	79
65+	11	27.6	442	7	9	21	32	66	72	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	841	19.1	233	2	4	16	25	39	51	82
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	783	24.1	334	3	5	20	33	51	67	99+
B. *Operated*	52	33.8	467	8	12	27	48	67	78	90
1. SINGLE DX	841	19.1	233	2	4	16	25	39	51	82
2. MULTIPLE DX	835	24.7	347	3	5	21	34	53	68	99+
A. NOT OPERATED	1624	21.5	288	3	4	18	29	45	60	94
B. OPERATED	52	33.8	467	8	12	27	48	67	78	90
TOTAL 0-19 YRS	52	23.2	446	4	4	18	37	91	99+	99+
20-34	518	21.8	327	2	4	17	30	49	63	87
35-49	468	19.1	239	2	4	16	25	40	50	85
50-64	400	23.3	286	4	5	20	31	46	59	87
65+	238	25.1	311	5	7	20	34	47	61	96
GRAND TOTAL	**1676**	**21.9**	**297**	**3**	**5**	**18**	**30**	**46**	**61**	**93**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	18.3	539	<1	1	8	24	54	71	90
20-34	122	14.8	211	1	1	10	19	34	43	77
35-49	88	15.6	244	3	4	10	20	36	44	85
50-64	94	15.7	251	1	1	13	20	31	49	83
65+	80	13.1	227	1	2	9	17	46	59	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	17.1	531	<1	1	9	23	44	80	90
20-34	127	16.5	234	1	2	12	25	36	58	99+
35-49	83	13.8	120	1	2	11	21	30	37	82
50-64	82	18.5	329	1	2	14	23	44	67	96
65+	255	17.1	274	2	3	12	26	49	72	99+
B. *Operated*										
0-19 YRS										
20-34	2	51.5	3121	12	12	51	91	91	91	91
35-49	1	46.0		46	46	46	46	46	46	46
50-64	4	38.5	130	22	22	42	46	47	47	47
65+	11	25.5	338	6	7	23	35	57	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	15.1	250	1	2	10	20	35	51	90
B. *Operated*	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	568	16.7	260	1	3	12	24	40	63	99+
B. *Operated*	18	32.4	499	7	9	27	46	57	78	91
1. SINGLE DX	411	15.1	250	1	2	10	20	35	51	90
2. MULTIPLE DX	586	17.2	273	1	3	12	25	42	63	99+
A. NOT OPERATED	978	16.0	256	1	2	11	22	39	56	99+
B. OPERATED	19	32.3	472	7	9	28	46	57	78	91
TOTAL 0-19 YRS	47	17.8	524	1	1	9	24	53	74	90
20-34	251	16.0	243	1	2	11	23	36	50	91
35-49	172	14.9	188	2	3	10	21	32	42	87
50-64	180	17.4	293	1	2	14	22	41	58	95
65+	347	16.5	269	2	3	11	23	50	65	99+
GRAND TOTAL	**997**	**16.3**	**264**	**1**	**2**	**12**	**23**	**39**	**56**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.9	71	<1	1	3	5	15	32	36
20-34	226	5.4	41	<1	1	3	7	12	17	42
35-49	221	5.3	26	<1	1	4	7	11	16	25
50-64	156	6.4	65	1	1	4	7	13	16	58
65+	127	7.0	56	1	2	5	8	16	18	44
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	13.3	49	5	5	13	18	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	7.2	95	<1	1	4	9	18	27	56
20-34	301	8.3	108	1	1	5	9	19	27	57
35-49	319	8.0	85	1	1	5	9	17	27	52
50-64	300	7.5	54	1	2	6	9	15	21	40
65+	370	8.3	78	1	2	6	10	17	25	52
B. *Operated*										
0-19 YRS										
20-34	25	9.7	91	3	3	5	15	29	50	99+
35-49	26	12.6	165	2	3	8	20	36	57	99+
50-64	10	13.0	92	1	2	13	18	27	32	32
65+	10	21.0	36	10	12	22	24	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	799	5.8	47	1	1	4	7	13	17	36
B. *Operated*	5	10.8	67	1	1	12	16	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	1355	8.0	82	1	1	5	10	18	25	50
B. *Operated*	71	12.8	120	3	3	10	21	31	37	99+
1. SINGLE DX	804	5.9	47	1	1	4	7	13	17	36
2. MULTIPLE DX	1426	8.2	84	1	1	5	10	19	27	53
A. NOT OPERATED	2154	7.2	70	1	1	5	9	16	23	47
B. OPERATED	76	12.7	116	2	3	10	21	31	37	99+
TOTAL 0-19 YRS	134	6.5	83	<1	1	3	7	15	31	41
20-34	553	7.1	82	1	1	4	9	17	24	56
35-49	570	7.2	69	1	1	4	9	16	24	48
50-64	466	7.3	59	1	1	5	8	15	20	41
65+	507	8.2	75	1	2	6	10	18	23	50
GRAND TOTAL	**2230**	**7.4**	**72**	**1**	**1**	**5**	**9**	**16**	**24**	**49**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	7.8	61	1	1	4	12	18	23	38
20-34	378	8.9	71	1	2	6	12	20	25	39
35-49	305	11.0	136	1	2	7	15	24	30	57
50-64	183	12.1	98	2	3	9	17	25	29	51
65+	115	11.3	101	2	2	8	15	27	31	78
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	48.0		48	48	48	48	48	48	48
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64										
65+	2	15.5	365	2	2	15	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	14.4	249	1	2	9	18	36	52	76
20-34	475	12.9	186	1	2	8	17	29	44	72
35-49	421	13.8	180	1	2	10	18	31	43	69
50-64	286	13.3	127	2	3	10	18	28	38	58
65+	281	13.6	132	2	3	10	18	28	34	63
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	26	19.7	248	3	4	16	22	43	58	64
35-49	17	20.4	305	4	5	17	24	42	64	75
50-64	18	21.3	182	7	7	19	29	44	47	47
65+	16	30.3	358	6	10	24	40	65	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1042	10.3	99	1	2	7	14	23	28	50
B. *Operated*	6	17.7	319	2	2	12	29	46	48	48
2. MULTIPLE DX										
A. *Not Operated*	1544	13.4	166	2	2	9	18	29	41	68
B. *Operated*	78	22.7	277	4	6	19	28	46	61	73
1. SINGLE DX	1048	10.3	100	1	2	7	14	23	28	50
2. MULTIPLE DX	1622	13.9	176	2	2	10	19	30	43	68
A. NOT OPERATED	2586	12.1	142	1	2	8	16	27	36	64
B. OPERATED	84	22.4	278	4	5	19	28	46	59	73
TOTAL 0-19 YRS	144	11.7	184	1	2	7	15	30	39	58
20-34	880	11.4	145	1	2	7	16	26	36	65
35-49	745	12.8	167	1	2	9	17	28	40	69
50-64	487	13.1	120	2	3	10	18	27	36	56
65+	414	13.6	144	2	3	10	18	29	36	68
GRAND TOTAL	**2670**	**12.5**	**149**	**1**	**2**	**8**	**17**	**27**	**37**	**65**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	9.6	207	<1	1	4	11	28	38	91
20-34	209	10.8	173	1	1	6	14	27	47	83
35-49	122	10.0	103	<1	1	7	13	22	27	60
50-64	65	11.0	187	1	1	6	12	29	35	75
65+	36	12.6	268	1	1	5	13	49	53	55
B. *Operated*										
0-19 YRS										
20-34	12	8.1	31	2	3	7	8	19	20	20
35-49	6	4.0	3	2	2	4	6	6	6	6
50-64	6	8.2	61	1	1	7	8	22	23	23
65+	4	8.3	48	2	2	6	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	12.3	259	1	1	6	14	30	44	91
20-34	446	14.3	235	1	1	10	21	39	54	99+
35-49	254	12.8	176	1	2	8	16	32	41	81
50-64	142	14.9	239	1	2	9	20	33	51	69
65+	97	14.1	261	1	2	9	21	33	60	99+
B. *Operated*										
0-19 YRS	5	23.8	809	2	2	18	32	73	73	73
20-34	34	24.2	493	1	2	19	36	56	75	85
35-49	16	23.4	519	1	2	17	45	64	88	99+
50-64	22	20.5	719	3	4	9	26	86	93	99+
65+	9	21.8	316	6	7	14	29	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	10.5	171	1	1	6	13	26	42	79
B. *Operated*	28	7.3	33	2	2	6	8	20	27	99+
2. MULTIPLE DX										
A. *Not Operated*	1076	13.7	227	1	2	9	19	35	49	99+
B. *Operated*	86	22.8	531	2	2	14	36	68	85	99+
1. SINGLE DX	574	10.3	165	1	1	6	13	26	41	83
2. MULTIPLE DX	1162	14.4	255	1	2	9	20	37	54	99+
A. NOT OPERATED	1622	12.7	211	1	1	8	16	32	48	97
B. OPERATED	114	19.0	453	2	2	10	26	62	82	99+
TOTAL 0-19 YRS	256	11.3	248	<1	1	6	13	31	46	96
20-34	701	13.6	234	1	1	8	19	39	52	99+
35-49	398	12.2	171	1	2	8	16	30	40	77
50-64	235	14.2	268	1	2	8	19	32	52	91
65+	146	14.0	261	1	2	9	20	35	54	99+
GRAND TOTAL	**1736**	**13.1**	**229**	**1**	**1**	**8**	**17**	**34**	**49**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	5.1	53	<1	<1	2	5	20	25	25
20-34	227	7.8	76	<1	1	4	9	25	26	32
35-49	431	7.4	61	1	1	4	8	22	25	31
50-64	251	6.6	44	1	1	5	8	14	23	30
65+	80	8.2	96	<1	1	5	10	21	25	52
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	8.2	115	<1	<1	3	12	25	27	53
20-34	354	7.1	62	1	1	4	9	20	25	35
35-49	644	7.7	58	1	2	5	10	17	25	34
50-64	589	10.0	121	1	2	6	12	23	35	55
65+	264	11.9	163	1	2	8	15	28	44	99+
B. *Operated*										
0-19 YRS										
20-34	9	10.7	141	1	1	8	15	31	32	32
35-49	28	18.5	376	1	2	13	27	41	97	99+
50-64	33	22.7	438	1	2	16	27	64	74	77
65+	13	33.4	537	5	5	35	58	77	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1017	7.3	63	1	1	4	8	22	25	31
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1899	8.9	97	1	2	5	11	22	28	52
B. *Operated*	83	21.7	426	1	2	16	30	62	75	99+
1. SINGLE DX	1019	7.3	63	1	1	4	8	22	25	31
2. MULTIPLE DX	1982	9.4	117	1	2	6	12	23	31	62
A. NOT OPERATED	2916	8.3	86	1	1	5	10	22	26	45
B. OPERATED	85	21.2	425	1	2	16	30	61	75	99+
TOTAL 0-19 YRS	76	7.1	94	<1	<1	3	9	24	26	46
20-34	591	7.4	69	1	1	4	9	24	25	32
35-49	1103	7.8	70	1	1	5	10	20	25	34
50-64	874	9.5	119	1	2	6	11	23	30	57
65+	357	11.8	180	1	2	8	15	29	46	99+
GRAND TOTAL	**3001**	**8.7**	**100**	**1**	**1**	**5**	**11**	**23**	**28**	**52**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	11.3	254	1	1	4	20	35	35	35
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	5	13.4	77	6	6	9	18	28	28	28
35-49	7	11.4	57	3	3	10	18	22	23	23
50-64	5	6.0	8	3	3	6	8	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	9.0	164	1	1	4	5	32	35	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	19	10.0	50	2	3	9	12	22	26	28
B. *Operated*	1	21.0		21	21	21	21	21	21	21
1. SINGLE DX	6	9.0	164	1	1	4	5	32	35	35
2. MULTIPLE DX	20	10.6	53	2	3	9	13	22	25	28
A. NOT OPERATED	25	9.8	72	2	3	7	11	23	30	35
B. OPERATED	1	21.0		21	21	21	21	21	21	21
TOTAL 0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	9	12.4	135	1	2	9	18	32	35	35
35-49	9	11.7	61	3	3	10	20	22	23	23
50-64	6	5.8	6	3	3	5	7	10	10	10
65+										
GRAND TOTAL	**26**	**10.2**	**74**	**2**	**3**	**7**	**12**	**23**	**29**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	95	1	1	4	14	22	22	22
20-34	10	8.0	63	<1	<1	6	9	21	25	25
35-49	10	4.5	13	1	1	4	7	10	12	12
50-64	2	15.0	200	5	5	15	25	25	25	25
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	103	<1	<1	6	12	26	31	31
20-34	43	8.6	93	1	2	5	10	26	32	38
35-49	31	12.5	152	1	1	10	19	26	33	57
50-64	11	16.4	113	1	6	13	21	31	40	41
65+	2	10.5	113	3	3	10	18	18	18	18
B. *Operated*										
0-19 YRS										
20-34	3	49.0	1027	16	16	51	73	80	80	80
35-49	2	29.5	145	21	21	29	38	38	38	38
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	7.3	53	1	1	5	9	21	25	25
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	95	10.9	118	1	1	6	17	25	32	50
B. *Operated*	8	30.0	624	6	8	18	44	71	80	80
1. SINGLE DX	28	7.1	52	1	1	5	9	21	25	25
2. MULTIPLE DX	103	12.3	178	1	1	7	18	29	38	68
A. NOT OPERATED	122	10.1	105	1	1	6	16	25	31	45
B. OPERATED	9	26.9	633	2	4	16	41	68	80	80
TOTAL 0-19 YRS	12	8.6	92	<1	1	5	12	25	30	31
20-34	57	10.5	201	1	1	5	13	27	36	78
35-49	43	11.4	143	1	1	7	18	25	35	57
50-64	14	15.4	110	2	5	13	22	27	38	41
65+	5	11.8	32	3	3	14	15	18	18	18
GRAND TOTAL	**131**	**11.2**	**155**	**1**	**1**	**6**	**16**	**25**	**33**	**61**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	1.1		<1	<1	1	1	2	2	3
20-34	37	1.3		<1	<1	1	1	2	3	3
35-49	16	1.5	1	<1	<1	1	2	3	4	5
50-64	15	2.9	8	<1	1	1	4	8	9	9
65+	15	3.1	11	<1	1	2	4	7	11	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.5	96	<1	<1	1	1	4	20	63
20-34	82	5.8	65	<1	<1	2	6	21	28	29
35-49	58	8.0	101	<1	<1	3	9	27	29	43
50-64	44	6.4	61	<1	1	3	7	21	26	31
65+	21	9.2	88	<1	1	8	14	21	31	35
B. *Operated*										
0-19 YRS	5	8.2	210	1	1	1	11	34	34	34
20-34	4	11.3	344	1	1	3	21	39	39	39
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	3	15.3	156	<1	<1	21	23	24	24	24
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	1.5	2	<1	<1	1	1	2	4	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	262	6.2	82	<1	<1	2	6	21	28	35
B. *Operated*	16	8.9	168	<1	1	2	13	33	37	39
1. SINGLE DX	164	1.5	2	<1	<1	1	1	2	4	9
2. MULTIPLE DX	278	6.3	87	<1	<1	2	6	22	28	38
A. NOT OPERATED	426	4.4	57	<1	<1	1	3	12	24	31
B. OPERATED	16	8.9	168	<1	1	2	13	33	37	39
TOTAL 0-19 YRS	143	2.3	46	<1	<1	1	1	2	4	36
20-34	123	4.6	57	<1	<1	1	4	14	27	32
35-49	77	6.4	84	<1	<1	2	6	23	28	41
50-64	62	6.0	56	<1	1	3	7	21	24	31
65+	37	6.5	63	<1	1	2	11	17	24	35
GRAND TOTAL	**442**	**4.5**	**61**	**<1**	**<1**	**1**	**4**	**13**	**25**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	22	<1	<1	1	4	8	16	18
20-34	16	3.8	24	<1	<1	2	5	8	16	20
35-49	3	11.7	82	5	5	8	18	22	22	22
50-64										
65+	3	10.0	127	3	3	4	18	23	23	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	119	<1	<1	2	9	27	28	28
20-34	40	11.6	282	1	1	5	9	37	59	62
35-49	26	9.2	72	<1	1	7	14	23	28	29
50-64	8	12.3	105	1	1	10	20	28	28	28
65+	9	11.8	96	1	3	7	18	28	29	29
B. *Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	3	14.3	208	6	6	6	25	31	31	31
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	16.0		16	16	16	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.8	38	<1	<1	2	6	17	21	23
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	96	10.5	168	1	1	6	13	28	34	62
B. *Operated*	6	18.3	159	6	6	15	31	35	36	36
1. SINGLE DX	36	4.8	38	<1	<1	2	6	17	21	23
2. MULTIPLE DX	102	10.9	169	1	1	6	14	28	35	61
A. NOT OPERATED	132	8.9	139	<1	1	4	10	26	29	61
B. OPERATED	6	18.3	159	6	6	15	31	35	36	36
TOTAL 0-19 YRS	28	6.5	101	<1	<1	2	5	26	29	36
20-34	59	9.6	216	<1	1	5	8	32	50	62
35-49	30	9.7	69	1	1	8	15	23	28	29
50-64	9	12.7	94	1	1	10	19	28	28	28
65+	12	11.3	93	1	2	7	19	27	29	29
GRAND TOTAL	**138**	**9.3**	**142**	**<1**	**1**	**5**	**10**	**27**	**32**	**61**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	7	<1	<1	3	6	7	8	9
20-34	32	4.1	19	<1	<1	3	5	9	16	17
35-49	31	5.9	26	1	1	4	9	14	15	18
50-64	28	6.2	45	1	1	5	8	10	14	37
65+	15	6.6	21	1	1	7	9	14	14	14
B. *Operated*										
0-19 YRS	2	12.5	1	12	12	12	13	13	13	13
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	8.7	178	1	1	6	10	14	28	69
20-34	39	7.6	124	<1	1	5	9	14	20	68
35-49	36	5.4	26	1	1	4	7	11	19	21
50-64	40	6.0	27	1	1	4	8	11	17	26
65+	49	8.4	32	1	2	7	12	17	23	99+
B. *Operated*										
0-19 YRS	3	21.0	436	7	7	11	36	45	45	45
20-34	9	8.6	68	<1	<1	6	12	22	27	27
35-49	5	4.6	16	<1	<1	3	7	11	11	11
50-64	5	13.0	74	2	2	16	20	22	22	22
65+	2	6.5	1	6	6	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	5.2	24	1	1	4	7	11	14	21
B. *Operated*	8	4.9	23	1	1	3	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	189	7.2	68	1	1	5	9	14	21	69
B. *Operated*	24	10.0	103	<1	<1	7	13	22	32	45
1. SINGLE DX	141	5.2	24	1	1	4	7	12	14	20
2. MULTIPLE DX	213	7.5	72	1	1	6	10	15	21	68
A. NOT OPERATED	322	6.4	51	1	1	4	8	13	17	45
B. OPERATED	32	8.8	87	<1	1	6	12	20	26	45
TOTAL 0-19 YRS	57	7.1	113	<1	1	5	8	13	15	67
20-34	81	6.3	76	<1	1	4	7	14	17	55
35-49	74	5.5	24	1	1	4	8	13	15	21
50-64	76	6.4	38	1	1	4	8	12	20	34
65+	66	7.9	29	1	2	7	11	15	21	87
GRAND TOTAL	**354**	**6.6**	**54**	**1**	**1**	**5**	**8**	**14**	**18**	**45**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	13.4	247	1	1	8	18	32	56	99+
20-34	162	7.3	74	1	1	4	9	17	24	44
35-49	95	6.4	56	<1	1	4	8	14	23	41
50-64	45	8.8	61	1	1	6	11	19	23	37
65+	26	10.7	122	1	2	6	15	27	37	39
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	16.9	357	1	2	11	28	57	99+	99+
20-34	257	10.0	108	1	1	6	13	24	33	45
35-49	141	8.6	73	1	1	6	12	18	22	42
50-64	76	13.5	175	1	2	9	18	37	43	58
65+	68	12.5	153	1	2	8	16	31	44	51
B. *Operated*										
0-19 YRS	6	31.0	768	4	4	25	46	75	78	78
20-34	11	17.1	307	1	2	13	28	45	54	55
35-49	4	16.5	254	2	2	13	29	37	37	37
50-64	2	27.5	41	23	23	27	32	32	32	32
65+	2	22.0	882	1	1	22	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	9.0	122	1	1	5	12	22	31	62
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	684	11.8	172	1	1	7	16	30	42	99+
B. *Operated*	25	21.6	397	1	2	15	33	46	61	78
1. SINGLE DX	441	9.0	122	1	1	5	12	22	31	62
2. MULTIPLE DX	709	12.1	183	1	1	7	16	32	43	99+
A. NOT OPERATED	1125	10.7	154	1	1	6	14	27	39	96
B. OPERATED	25	21.6	397	1	2	15	33	46	61	78
TOTAL 0-19 YRS	261	15.7	323	1	1	10	23	45	82	99+
20-34	430	9.2	103	1	1	5	12	22	31	46
35-49	240	7.9	70	1	1	6	10	17	24	40
50-64	123	12.0	139	1	2	8	17	27	39	57
65+	96	12.2	152	1	2	8	16	32	43	50
GRAND TOTAL	**1150**	**10.9**	**162**	**1**	**1**	**6**	**14**	**28**	**39**	**94**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	291	13.6	193	1	2	9	19	32	43	65
20-34	399	10.5	160	1	1	6	14	26	40	99+
35-49	322	10.3	98	1	2	7	14	23	28	45
50-64	234	14.5	182	2	3	11	19	32	42	62
65+	151	15.4	196	2	4	10	23	35	52	99
B. *Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	9	17.7	415	1	1	5	38	49	49	49
35-49	6	15.8	119	2	4	13	29	86	99+	99+
50-64										
65+	2	28.0	578	11	11	28	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	18.1	307	1	2	12	28	42	58	99+
20-34	518	12.7	216	1	2	7	17	32	50	88
35-49	447	13.2	189	1	2	8	18	33	42	67
50-64	395	13.8	180	2	3	9	17	29	38	65
65+	439	15.7	223	3	3	10	20	36	48	78
B. *Operated*										
0-19 YRS	13	22.6	460	3	4	16	44	79	95	99+
20-34	27	25.3	460	4	6	24	44	86	99+	99+
35-49	27	26.7	606	3	5	14	48	52	86	91
50-64	19	17.8	124	4	5	13	27	35	36	36
65+	26	23.9	210	7	8	21	36	50	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	12.3	164	1	2	8	16	30	39	70
B. *Operated*	20	16.2	276	1	2	11	31	48	72	99+
2. MULTIPLE DX										
A. *Not Operated*	2158	14.5	224	1	2	9	19	35	48	83
B. *Operated*	112	23.7	376	4	6	16	36	59	89	99+
1. SINGLE DX	1417	12.4	165	1	2	8	17	30	39	70
2. MULTIPLE DX	2270	14.9	235	1	2	10	20	36	50	87
A. NOT OPERATED	3555	13.6	201	1	2	9	18	32	45	81
B. OPERATED	132	22.6	366	3	4	16	36	55	89	99+
TOTAL 0-19 YRS	666	16.1	264	1	2	11	24	38	52	99
20-34	953	12.2	207	1	2	7	16	31	49	99+
35-49	802	12.5	174	1	2	8	16	29	40	68
50-64	648	14.2	179	2	3	10	18	31	40	63
65+	618	16.0	218	3	4	10	22	37	49	84
GRAND TOTAL	**3687**	**14.0**	**210**	**1**	**2**	**9**	**19**	**34**	**46**	**85**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	9.0	93	<1	1	6	10	23	35	35
20-34	4	6.3	4	4	4	6	8	8	8	8
35-49	6	28.3	767	10	10	14	40	76	80	80
50-64	1	14.0		14	14	14	14	14	14	14
65+	3	23.7	50	16	16	25	29	30	30	30
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	9.3	49	1	2	8	11	22	24	28
20-34	24	18.3	377	1	2	13	29	70	78	99+
35-49	7	28.0	1006	7	7	24	62	99	99+	99+
50-64	4	12.8	156	1	1	13	47	99+	99+	99+
65+										
B. *Operated*										
0-19 YRS	2	15.5	221	5	5	15	26	26	26	26
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	15.4	293	2	4	10	16	35	52	80
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	61	15.2	312	1	2	9	23	40	98	99+
B. *Operated*	2	15.5	221	5	5	26	81	99+	99+	99+
1. SINGLE DX	25	15.1	283	2	4	10	16	35	50	80
2. MULTIPLE DX	63	15.2	305	1	2	9	25	63	99+	99+
A. NOT OPERATED	85	15.2	303	1	3	10	22	36	82	99+
B. OPERATED	3	13.0	129	5	5	17	63	99+	99+	99+
TOTAL 0-19 YRS	39	9.5	62	1	2	8	11	23	27	35
20-34	28	16.5	340	1	2	12	29	70	99+	99+
35-49	13	28.2	823	7	7	20	40	97	99	99+
50-64	5	13.0	118	1	2	13	30	93	99+	99+
65+	3	23.7	50	16	16	25	29	30	30	30
GRAND TOTAL	**88**	**15.2**	**296**	**1**	**3**	**10**	**23**	**38**	**95**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	10.9	23	1	4	11	13	16	19	25
20-34	19	7.5	54	<1	1	5	9	18	25	29
35-49	9	12.3	76	2	2	13	17	25	28	28
50-64	5	4.4	15	2	2	2	6	11	11	11
65+	3	16.3	33	13	13	13	21	23	23	23
B. *Operated*										
0-19 YRS	6	11.8	5	8	8	12	14	14	14	14
20-34	11	10.2	103	1	2	8	12	24	37	38
35-49	7	5.9	19	1	1	5	8	13	14	14
50-64	8	5.1	12	1	1	5	7	10	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	15.3	83	6	7	14	18	23	27	61
20-34	15	8.1	22	2	4	7	10	15	19	20
35-49	11	9.9	93	1	1	8	17	24	29	30
50-64	15	9.7	29	1	2	10	14	18	18	18
65+	3	28.7	2	27	27	30	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	13	20.2	123	4	6	19	27	37	37	37
20-34	10	16.3	105	3	3	14	22	32	33	33
35-49	16	13.3	193	3	3	6	20	38	45	47
50-64	12	22.3	327	1	3	17	45	63	93	99+
65+	4	22.3	325	3	3	23	37	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	10.3	34	1	2	11	13	16	21	28
B. *Operated*	32	8.3	48	1	2	7	11	14	14	38
2. MULTIPLE DX										
A. *Not Operated*	128	13.6	81	2	4	12	18	24	30	99+
B. *Operated*	55	18.1	197	3	3	15	29	40	50	97
1. SINGLE DX	157	9.9	37	1	2	10	13	16	21	29
2. MULTIPLE DX	183	15.0	119	2	4	13	19	30	39	99+
A. NOT OPERATED	253	12.0	60	2	3	11	16	21	27	70
B. OPERATED	87	14.5	164	2	3	11	20	37	43	82
TOTAL 0-19 YRS	192	13.5	62	3	6	12	16	22	26	38
20-34	55	9.8	71	1	2	7	13	20	30	38
35-49	43	11.0	115	1	2	6	16	28	33	47
50-64	40	11.9	158	1	2	9	15	35	52	99+
65+	10	22.4	142	4	9	28	37	99+	99+	99+
GRAND TOTAL	**340**	**12.6**	**88**	**2**	**3**	**11**	**16**	**24**	**33**	**74**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	7	14.7	80	2	3	15	21	27	28	28
50-64	19	13.9	196	2	4	8	15	35	47	55
65+	78	15.9	191	3	4	12	20	32	48	70
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	16.5	83	6	6	15	25	29	29	29
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	3	16.7	46	9	9	19	21	22	22	22
35-49	5	13.2	72	3	3	14	17	26	26	26
50-64	45	15.9	288	2	4	12	17	47	65	99+
65+	247	17.5	287	3	4	13	23	57	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	46.0		46	46	46	46	46	46	46
50-64	5	27.8	602	3	4	33	58	96	99+	99+
65+	24	26.0	470	8	8	18	37	70	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	15.4	182	3	4	11	20	31	44	69
B. *Operated*	7	15.1	82	6	6	15	23	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	302	17.1	279	3	4	13	22	53	96	99+
B. *Operated*	30	27.0	469	7	8	18	48	74	98	99+
1. SINGLE DX	112	15.4	175	3	4	11	20	30	41	68
2. MULTIPLE DX	332	18.0	303	3	4	14	22	58	97	99+
A. NOT OPERATED	407	16.7	254	3	4	12	21	49	75	99+
B. OPERATED	37	24.8	414	6	7	18	42	68	92	99+
TOTAL 0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	4	14.3	54	7	7	14	20	22	22	22
35-49	13	16.5	143	2	3	14	24	32	43	46
50-64	75	16.2	268	2	4	12	19	50	59	99+
65+	350	17.7	281	3	4	13	22	53	85	99+
GRAND TOTAL	**444**	**17.4**	**272**	**3**	**4**	**13**	**21**	**52**	**80**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.5	5	<1	3	7	8	9	10	10
20-34	163	11.3	196	<1	<1	8	13	24	36	86
35-49	111	12.3	141	2	3	9	15	28	45	99+
50-64	53	13.7	161	2	2	9	18	36	41	57
65+	1	8.0		8	8	54	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	25	7.6	23	1	1	9	10	12	16	22
35-49	23	7.9	43	1	1	7	10	12	21	33
50-64	16	8.3	33	1	1	8	12	15	19	21
65+	3	28.0	63	19	19	31	33	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	34	14.3	194	2	3	10	20	39	51	99+
35-49	109	15.2	230	2	4	9	19	37	60	99+
50-64	78	18.8	289	3	4	14	25	51	78	99+
65+	16	19.1	663	2	4	9	23	90	99	99+
B. *Operated*										
0-19 YRS										
20-34	21	14.7	364	2	3	7	17	58	90	99+
35-49	31	15.2	108	2	3	15	27	47	99+	99+
50-64	37	12.7	81	2	3	12	19	23	40	99+
65+	5	21.6	54	11	11	21	26	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	11.8	166	<1	2	9	14	28	39	95
B. *Operated*	69	8.9	49	1	1	8	11	15	22	34
2. MULTIPLE DX										
A. *Not Operated*	288	16.2	260	2	4	11	22	40	67	99+
B. *Operated*	94	14.4	151	2	3	13	20	37	93	99+
1. SINGLE DX	409	11.3	147	<1	1	9	14	24	36	91
2. MULTIPLE DX	382	15.8	234	2	4	11	21	40	68	99+
A. NOT OPERATED	628	13.8	214	1	2	9	17	35	55	99+
B. OPERATED	163	12.1	115	2	3	9	16	30	41	99+
TOTAL 0-19 YRS	15	9.3	80	1	5	7	8	14	33	40
20-34	293	12.1	195	<1	1	9	14	30	42	98
35-49	274	13.4	168	2	3	9	17	33	57	99+
50-64	184	15.2	197	2	3	11	19	37	57	99+
65+	25	20.2	444	3	4	19	31	90	99+	99+
GRAND TOTAL	**791**	**13.5**	**194**	**1**	**2**	**9**	**17**	**33**	**50**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	3.9	18	1	1	3	5	8	11	21
20-34	349	3.8	22	1	1	2	5	8	12	23
35-49	130	4.0	18	1	1	3	4	8	12	26
50-64	86	4.3	18	1	1	3	6	8	13	24
65+	63	5.0	15	1	1	4	8	11	13	15
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	4	6.5	71	1	1	3	11	19	19	19
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	4	13.0	102	7	7	9	19	28	28	28
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	6.7	82	1	1	4	7	15	26	62
20-34	281	7.5	87	1	1	4	9	16	26	46
35-49	207	7.0	87	1	1	4	8	15	18	51
50-64	205	7.7	125	1	1	4	8	17	25	81
65+	209	9.9	127	1	2	7	13	22	29	99+
B. *Operated*										
0-19 YRS	11	14.2	79	1	2	17	23	47	92	99+
20-34	23	14.5	151	1	2	9	22	34	36	37
35-49	22	14.5	199	2	2	10	21	29	44	63
50-64	17	7.9	35	1	1	7	10	18	20	21
65+	16	28.0	594	6	12	17	37	88	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1036	4.0	19	1	1	3	5	8	12	23
B. *Operated*	12	10.4	74	1	2	8	17	23	27	28
2. MULTIPLE DX										
A. *Not Operated*	1250	7.6	99	1	1	5	9	16	26	69
B. *Operated*	89	15.6	242	2	2	12	21	33	62	99+
1. SINGLE DX	1048	4.0	20	1	1	3	5	8	12	23
2. MULTIPLE DX	1339	8.2	113	1	1	5	10	18	28	88
A. NOT OPERATED	2286	6.0	66	1	1	4	7	13	18	49
B. OPERATED	101	15.0	224	1	2	11	21	32	54	99+
TOTAL 0-19 YRS	768	5.3	51	1	1	3	6	12	18	40
20-34	657	5.8	60	1	1	3	7	13	20	44
35-49	361	6.4	74	1	1	4	7	14	19	39
50-64	312	6.8	93	1	1	4	8	13	21	65
65+	289	9.8	150	1	2	7	13	21	32	99+
GRAND TOTAL	**2387**	**6.3**	**76**	**1**	**1**	**4**	**7**	**14**	**21**	**60**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	8.3	140	1	1	5	8	17	32	72
20-34	87	6.0	26	1	2	5	8	12	16	27
35-49	63	6.7	23	2	2	5	9	15	19	89
50-64	63	11.7	127	2	3	8	13	30	42	94
65+	95	12.5	185	1	2	9	14	36	53	99+
B. *Operated*										
0-19 YRS	56	8.1	159	1	2	5	9	13	21	76
20-34	65	8.2	41	1	2	7	10	17	18	37
35-49	38	9.6	75	<1	2	7	12	19	28	44
50-64	61	8.8	120	1	1	5	10	17	28	67
65+	30	9.6	61	<1	1	7	16	21	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	7.3	50	1	1	6	10	14	19	39
20-34	106	9.7	74	1	2	7	13	24	33	99+
35-49	85	13.6	388	2	2	7	14	44	74	99
50-64	162	10.7	94	2	3	8	15	25	51	99+
65+	392	18.5	308	2	4	13	27	53	76	99+
B. *Operated*										
0-19 YRS	93	9.9	156	<1	1	6	14	25	38	99+
20-34	126	13.2	285	<1	1	8	15	38	59	99+
35-49	131	12.4	204	<1	2	9	16	28	43	99
50-64	141	13.3	163	1	2	10	17	30	52	99+
65+	117	22.7	352	1	3	18	39	60	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	9.1	109	1	2	6	11	20	36	99+
B. *Operated*	250	8.7	93	1	1	6	10	18	23	59
2. MULTIPLE DX										
A. *Not Operated*	853	14.0	232	2	2	9	18	38	64	99+
B. *Operated*	608	14.4	249	<1	2	10	20	41	59	99+
1. SINGLE DX	623	9.0	103	1	2	6	11	19	30	78
2. MULTIPLE DX	1461	14.2	239	1	2	9	18	39	61	99+
A. NOT OPERATED	1226	12.5	199	2	2	8	16	34	54	99+
B. OPERATED	858	12.7	210	<1	2	8	16	32	52	99+
TOTAL 0-19 YRS	322	8.4	118	1	1	5	10	19	29	80
20-34	384	9.8	133	1	2	7	12	22	38	97
35-49	317	11.3	207	1	2	7	13	24	45	99
50-64	427	11.4	127	1	2	8	15	28	45	99+
65+	634	17.9	297	2	3	13	26	52	73	99+
GRAND TOTAL	**2084**	**12.6**	**204**	**1**	**2**	**8**	**16**	**33**	**53**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.6	5	<1	1	2	4	6	8	11
20-34	269	3.2	8	<1	1	2	4	7	8	13
35-49	215	3.1	7	1	1	2	4	7	9	12
50-64	86	3.7	22	1	1	2	4	8	11	29
65+	19	3.8	7	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	7	3.0	2	2	2	3	3	5	6	6
35-49	14	10.1	175	2	3	6	8	24	47	53
50-64	4	6.8	12	3	3	6	9	11	11	11
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.7	6	1	1	3	5	7	8	12
20-34	186	4.8	25	1	1	3	6	10	13	30
35-49	168	4.7	16	1	1	3	6	11	15	20
50-64	69	4.9	25	1	1	3	6	11	19	21
65+	36	6.3	15	1	2	5	9	12	14	14
B. *Operated*										
0-19 YRS										
20-34	10	5.6	6	2	2	5	8	9	9	9
35-49	13	9.5	41	<1	1	10	13	19	20	20
50-64	12	7.7	22	4	4	7	9	13	20	21
65+	4	4.3	11	2	2	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	3.2	9	1	1	2	4	7	9	13
B. *Operated*	30	7.1	91	2	2	5	7	11	21	53
2. MULTIPLE DX										
A. *Not Operated*	502	4.8	20	1	1	3	6	10	14	21
B. *Operated*	39	7.4	25	1	2	7	9	14	20	21
1. SINGLE DX	713	3.3	13	1	1	2	4	7	9	13
2. MULTIPLE DX	541	5.0	21	1	1	4	6	11	14	21
A. NOT OPERATED	1185	3.9	14	1	1	3	5	8	11	19
B. OPERATED	69	7.3	53	2	2	6	9	12	20	47
TOTAL 0-19 YRS	141	3.0	5	1	1	2	4	6	8	12
20-34	472	3.8	15	1	1	3	5	8	11	19
35-49	410	4.2	20	1	1	3	5	9	12	20
50-64	171	4.6	24	1	1	3	6	10	12	21
65+	60	5.4	13	1	1	5	8	10	13	14
GRAND TOTAL	**1254**	**4.0**	**17**	**1**	**1**	**3**	**5**	**9**	**11**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	2.3	1	<1	<1	2	3	4	4	4
20-34	124	2.0	1	<1	<1	2	3	3	4	5
35-49	163	2.2	2	<1	<1	2	3	3	4	8
50-64	181	2.3	2	<1	<1	2	3	4	5	8
65+	99	2.4	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	5.7	34	<1	<1	4	9	16	17	17
50-64	4	4.3	27	1	1	2	7	12	12	12
65+	6	5.8	36	1	1	3	13	14	14	14
B. *Operated*										
0-19 YRS										
20-34	35	3.5	20	<1	<1	2	3	6	15	23
35-49	50	3.4	9	<1	1	3	3	9	10	13
50-64	72	3.7	12	<1	1	3	4	7	14	18
65+	110	4.2	14	1	2	3	4	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.1	3	1	1	3	4	6	6	6
B. *Operated*	574	2.2	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	20	5.1	26	<1	1	3	8	13	15	17
B. *Operated*	267	3.8	13	1	1	3	4	7	13	18
1. SINGLE DX	582	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	287	3.9	14	1	1	3	4	9	13	18
A. NOT OPERATED	28	4.5	20	1	1	3	5	13	14	17
B. OPERATED	841	2.7	6	<1	<1	2	3	4	7	15
TOTAL 0-19 YRS	9	2.9	3	<1	1	2	3	6	7	7
20-34	162	2.3	5	<1	<1	2	3	3	4	17
35-49	222	2.6	5	<1	<1	2	3	4	7	13
50-64	260	2.7	5	<1	<1	2	3	5	6	15
65+	216	3.4	10	<1	1	3	4	7	11	17
GRAND TOTAL	**869**	**2.8**	**6**	**<1**	**<1**	**2**	**3**	**4**	**7**	**15**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	7.0	38	1	1	7	9	14	19	30
20-34	51	7.6	66	1	1	5	10	18	26	39
35-49	59	6.2	92	1	1	4	7	12	16	67
50-64	61	7.4	77	1	1	5	8	14	32	43
65+	70	8.1	45	1	2	6	12	18	24	28
B. *Operated*										
0-19 YRS	37	4.5	11	1	1	4	5	9	12	14
20-34	163	4.5	13	1	2	4	5	8	11	23
35-49	204	5.4	24	1	1	4	6	11	14	26
50-64	194	5.4	51	<1	1	3	6	9	18	39
65+	82	6.4	69	1	1	3	7	14	24	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	12.8	335	<1	<1	6	18	32	62	70
20-34	46	8.0	178	1	1	6	9	12	22	90
35-49	56	7.8	48	1	2	6	10	16	30	95
50-64	110	11.0	99	1	2	8	14	22	29	54
65+	136	11.8	107	2	3	9	14	30	43	99+
B. *Operated*										
0-19 YRS	25	11.8	263	1	2	6	9	36	49	72
20-34	89	8.3	122	1	2	5	9	20	37	99+
35-49	130	8.1	64	1	2	6	11	17	21	72
50-64	151	8.6	80	1	2	6	11	21	32	98
65+	113	11.7	142	2	2	8	16	28	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	7.3	66	1	1	5	9	15	22	39
B. *Operated*	680	5.2	34	1	1	4	6	10	14	30
2. MULTIPLE DX										
A. *Not Operated*	362	10.5	115	1	2	8	13	24	33	99+
B. *Operated*	508	9.3	107	1	2	6	11	21	36	99+
1. SINGLE DX	946	5.8	44	1	1	4	7	12	16	36
2. MULTIPLE DX	870	9.8	111	1	2	7	12	21	34	99+
A. NOT OPERATED	628	9.2	96	1	2	6	12	20	30	75
B. OPERATED	1188	7.0	69	1	2	4	8	15	22	60
TOTAL 0-19 YRS	101	8.0	131	1	1	5	8	16	29	71
20-34	349	6.4	72	1	2	4	7	12	21	80
35-49	449	6.6	49	1	2	5	8	14	18	39
50-64	516	7.8	77	1	1	5	9	17	26	54
65+	401	10.0	103	1	2	7	13	24	36	99+
GRAND TOTAL	**1816**	**7.7**	**80**	**1**	**2**	**5**	**9**	**17**	**26**	**66**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34										
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	20	5.8	7	2	3	5	8	9	10	10
20-34	55	5.9	12	2	2	5	8	10	13	16
35-49	65	6.4	19	2	2	5	10	13	15	18
50-64	139	6.4	12	2	2	6	9	11	12	16
65+	146	8.0	25	2	3	7	11	14	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0	12	1	1	1	6	7	7	7
65+	8	4.4	21	<1	<1	3	6	12	14	14
B. *Operated*										
0-19 YRS	13	6.8	10	3	3	6	9	11	13	13
20-34	37	7.0	20	3	3	6	8	14	16	24
35-49	46	7.3	19	2	3	6	9	12	19	20
50-64	106	6.1	13	2	3	5	7	10	15	18
65+	121	7.5	21	2	3	7	9	13	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	91	1	1	4	5	24	26	26
B. *Operated*	425	6.9	18	2	2	6	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	14	3.8	15	<1	<1	1	7	8	13	14
B. *Operated*	323	6.9	18	2	3	6	8	12	15	23
1. SINGLE DX	431	6.9	19	2	2	6	10	12	14	19
2. MULTIPLE DX	337	6.8	18	2	3	6	8	12	15	22
A. NOT OPERATED	20	4.7	37	<1	<1	2	6	11	20	26
B. OPERATED	748	6.9	18	2	3	6	9	12	15	20
TOTAL 0-19 YRS	35	6.6	20	2	3	5	9	10	12	26
20-34	93	6.4	15	2	3	6	8	11	15	21
35-49	116	6.6	19	2	2	5	9	13	15	20
50-64	248	6.2	12	2	2	5	8	11	12	18
65+	276	7.7	24	2	3	7	10	13	16	27
GRAND TOTAL	**768**	**6.8**	**18**	**2**	**2**	**6**	**9**	**12**	**15**	**21**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	3.9	6	1	1	4	5	8	8	8
65+	12	4.9	40	1	1	3	5	12	22	24
B. *Operated*										
0-19 YRS	3	7.3	33	4	4	4	12	14	14	14
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	20	7.0	17	<1	1	7	9	13	15	16
50-64	51	5.4	14	2	2	4	7	11	14	17
65+	84	4.8	9	2	2	4	6	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	7	4.9	6	1	1	5	6	8	9	9
65+	27	8.3	154	1	1	4	7	24	40	55
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	22.0	128	14	14	22	30	30	30	30
35-49	7	11.6	92	2	2	7	22	22	22	22
50-64	38	7.4	18	3	3	6	9	12	17	22
65+	110	8.1	48	2	2	6	9	17	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.3	24	1	1	4	5	7	14	24
B. *Operated*	160	5.3	12	2	2	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	37	7.2	116	<1	1	4	6	18	33	55
B. *Operated*	158	8.3	46	2	2	6	10	18	22	34
1. SINGLE DX	182	5.2	14	1	2	4	6	10	13	17
2. MULTIPLE DX	195	8.0	59	2	2	6	9	18	24	36
A. NOT OPERATED	59	6.1	83	1	1	4	6	9	25	53
B. OPERATED	318	6.8	31	2	2	5	8	14	18	29
TOTAL 0-19 YRS	4	6.3	27	3	3	4	9	14	14	14
20-34	5	10.6	141	2	2	4	18	30	30	30
35-49	30	7.5	38	<1	1	6	10	18	22	22
50-64	105	5.9	16	2	2	5	7	11	14	20
65+	233	6.8	48	1	2	5	8	15	20	36
GRAND TOTAL	**377**	**6.7**	**39**	**1**	**2**	**5**	**8**	**14**	**19**	**33**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	5	4.6	11	2	2	4	6	10	10	10
65+	15	6.7	38	2	2	6	9	12	22	26
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	5.1	8	2	2	4	8	9	9	9
35-49	6	8.7	29	3	3	8	10	17	18	18
50-64	21	5.1	12	<1	1	4	7	10	12	14
65+	37	4.8	7	2	2	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	2	<1	<1	3	4	4	4	4
20-34	5	5.0	9	2	2	6	7	9	9	9
35-49	4	3.5	7	1	1	3	5	7	7	7
50-64	6	4.8	10	1	1	4	7	10	10	10
65+	17	8.4	87	<1	<1	5	10	21	30	35
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	7	10.1	26	5	5	10	12	18	20	20
35-49	12	5.7	23	1	1	4	7	13	16	17
50-64	19	7.9	79	2	3	4	8	17	31	40
65+	44	9.5	59	2	3	7	12	22	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.0	31	2	2	5	8	11	18	26
B. *Operated*	72	5.3	11	1	2	5	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	36	6.2	48	<1	1	4	8	13	21	35
B. *Operated*	84	8.5	56	2	2	6	11	19	23	39
1. SINGLE DX	93	5.5	15	2	2	5	7	10	11	23
2. MULTIPLE DX	120	7.8	54	1	2	6	9	19	22	39
A. NOT OPERATED	57	6.1	41	<1	1	4	8	12	21	34
B. OPERATED	156	7.0	37	1	2	5	8	14	20	37
TOTAL 0-19 YRS	8	3.6	6	<1	<1	3	5	7	8	8
20-34	19	6.9	20	2	2	6	9	12	16	20
35-49	22	6.1	23	1	1	5	8	13	17	18
50-64	51	6.1	37	1	2	4	8	10	14	40
65+	113	7.4	46	2	2	6	9	16	23	36
GRAND TOTAL	**213**	**6.8**	**38**	**1**	**2**	**5**	**8**	**13**	**20**	**36**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	11	2.4	3	<1	<1	<1	4	5	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	119	3.9	3	2	2	4	5	6	7	9
50-64	754	4.1	5	2	2	4	5	7	8	12
65+	2740	4.2	6	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	1.6	1	1	1	1	2	4	4	4
50-64	20	3.2	16	<1	<1	1	4	9	13	16
65+	134	3.2	16	<1	<1	1	4	7	13	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	95	4.7	7	2	2	4	6	8	9	16
50-64	578	4.7	12	2	2	4	6	8	11	21
65+	2850	5.3	22	2	2	4	6	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.3	3	<1	<1	1	4	5	6	6
B. *Operated*	3613	4.2	6	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	161	3.1	15	<1	<1	1	4	7	13	20
B. *Operated*	3523	5.2	20	2	2	4	6	9	12	22
1. SINGLE DX	3628	4.2	6	2	2	4	5	7	9	12
2. MULTIPLE DX	3684	5.1	20	2	2	4	6	9	12	22
A. NOT OPERATED	176	3.0	14	<1	<1	1	4	7	12	20
B. OPERATED	7136	4.7	13	2	2	4	6	8	11	18
TOTAL 0-19 YRS										
20-34										
35-49	221	4.2	5	2	2	4	5	7	8	12
50-64	1356	4.3	8	2	2	4	5	7	9	15
65+	5735	4.8	14	2	2	4	6	8	11	19
GRAND TOTAL	**7312**	**4.7**	**13**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	24	3.2	2	<1	<1	3	5	5	6	6
20-34	32	3.9	5	2	2	3	5	7	8	10
35-49	21	4.1	11	1	1	4	4	10	13	13
50-64	29	3.2	6	<1	<1	3	4	6	7	13
65+	51	2.5	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	15	2.7	2	<1	<1	2	4	4	5	5
20-34	21	3.7	8	<1	1	3	4	9	10	12
35-49	18	5.1	15	2	2	4	5	12	14	16
50-64	28	3.9	8	1	2	3	4	9	11	13
65+	38	3.6	9	<1	<1	3	5	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	157	3.3	5	<1	<1	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	120	3.8	9	<1	<1	3	4	7	11	16
1. SINGLE DX	157	3.3	5	<1	<1	3	4	6	8	13
2. MULTIPLE DX	122	3.7	9	<1	<1	3	4	7	11	16
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	277	3.5	7	<1	<1	3	4	6	9	13
TOTAL 0-19 YRS	39	3.0	2	<1	<1	2	4	5	5	6
20-34	54	3.8	6	1	2	3	5	8	9	12
35-49	39	4.6	13	1	2	4	4	12	13	16
50-64	57	3.6	7	<1	1	3	4	6	10	13
65+	90	3.0	5	<1	<1	2	4	6	7	14
GRAND TOTAL	**279**	**3.5**	**7**	**<1**	**<1**	**3**	**4**	**6**	**9**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.0	2	<1	<1	1	3	4	5	5
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	3	4.0	12	2	2	2	7	8	8	8
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	7.0	8	5	5	7	9	9	9	9
B. Operated										
0-19 YRS	576	1.8	1	<1	<1	2	2	2	3	3
20-34	223	2.0		<1	1	2	2	3	3	4
35-49	99	2.4	3	<1	1	2	2	3	5	13
50-64	28	2.2		1	2	2	2	3	4	4
65+	12	2.5	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.7	3	<1	<1	<1	1	5	6	6
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	7	9.6	63	1	2	7	15	22	23	23
65+	7	13.4	92	1	2	13	21	27	28	28
B. Operated										
0-19 YRS	128	2.0	1	<1	1	2	2	3	4	6
20-34	53	2.6	5	1	1	2	3	4	8	13
35-49	32	2.5	3	<1	1	2	3	4	10	99+
50-64	21	4.4	14	1	2	3	5	12	13	14
65+	21	4.2	7	2	2	3	5	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.1	7	<1	<1	2	4	8	9	9
B. Operated	938	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	43	5.0	46	<1	<1	1	7	17	22	28
B. Operated	255	2.6	4	1	1	2	3	4	7	13
1. SINGLE DX	960	1.9	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX	298	2.9	11	<1	1	2	3	6	9	23
A. NOT OPERATED	65	4.4	33	<1	<1	2	5	9	19	27
B. OPERATED	1193	2.0	2	<1	1	2	2	3	3	9
TOTAL 0-19 YRS	737	1.8	1	<1	<1	2	2	2	3	5
20-34	283	2.2	1	<1	1	2	2	3	4	9
35-49	137	2.4	4	<1	1	2	2	3	7	25
50-64	59	3.9	17	1	2	2	4	7	13	23
65+	42	5.4	32	1	2	3	7	12	19	28
GRAND TOTAL	**1258**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.6	6	<1	<1	2	3	5	8	14
20-34	54	3.6	26	<1	<1	2	4	6	9	35
35-49	19	5.0	39	<1	<1	3	6	10	20	28
50-64	24	5.0	20	1	2	4	5	9	15	22
65+	39	6.7	36	<1	<1	6	8	18	20	21
B. *Operated*										
0-19 YRS	83	2.1	5	<1	<1	1	2	4	5	15
20-34	120	3.0	4	<1	<1	2	4	6	6	10
35-49	141	3.2	6	<1	<1	2	4	6	7	13
50-64	184	2.8	4	<1	<1	2	3	5	7	12
65+	251	3.4	6	<1	<1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	5.5	28	1	1	4	7	11	13	35
20-34	29	6.1	107	<1	1	3	6	11	16	57
35-49	17	7.4	129	<1	1	5	7	10	36	50
50-64	26	8.1	59	<1	2	6	10	20	29	30
65+	73	8.2	43	<1	1	6	11	18	26	82
B. *Operated*										
0-19 YRS	40	4.6	24	<1	1	2	6	9	15	25
20-34	44	4.1	15	<1	<1	3	5	8	12	21
35-49	50	3.9	9	<1	<1	3	5	10	10	12
50-64	108	5.5	66	<1	1	3	5	11	19	48
65+	217	5.2	29	<1	2	4	6	11	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	3.8	20	<1	<1	2	4	8	12	22
B. *Operated*	779	3.0	5	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	273	6.6	50	<1	1	5	9	13	19	47
B. *Operated*	459	5.0	34	<1	1	3	5	10	15	25
1. SINGLE DX	1038	3.2	9	<1	<1	2	4	6	8	17
2. MULTIPLE DX	732	5.6	40	<1	1	4	7	11	17	35
A. NOT OPEPATED	532	5.2	37	<1	1	3	7	11	15	34
B. OPERATED	1238	3.7	17	<1	<1	3	5	7	10	21
TOTAL 0-19 YRS	374	3.7	17	<1	<1	2	4	8	12	20
20-34	247	3.7	23	<1	<1	3	5	6	8	21
35-49	227	3.8	19	<1	<1	3	5	7	10	19
50-64	342	4.2	31	<1	<1	3	4	8	12	30
65+	580	4.9	24	<1	1	3	6	10	15	25
GRAND TOTAL	**1770**	**4.2**	**23**	**<1**	**<1**	**3**	**5**	**8**	**12**	**25**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	4.0	6	1	1	3	5	7	9	12
20-34	55	5.2	10	1	2	4	7	10	10	17
35-49	52	4.9	14	<1	1	4	6	10	12	18
50-64	36	5.6	7	1	2	6	8	9	10	11
65+	33	6.2	22	<1	1	6	8	13	14	20
B. *Operated*										
0-19 YRS	23	2.3	2	<1	<1	2	3	4	6	7
20-34	29	4.6	16	<1	<1	3	6	10	13	16
35-49	32	4.5	17	1	2	3	5	8	13	22
50-64	68	4.8	22	1	2	3	5	11	15	24
65+	181	3.9	8	1	2	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.6	61	<1	1	4	7	11	14	54
20-34	53	5.4	16	<1	1	5	7	10	13	20
35-49	34	6.5	14	1	2	6	9	11	13	16
50-64	55	7.0	27	1	2	6	9	13	15	32
65+	72	7.4	41	1	2	5	10	16	19	38
B. *Operated*										
0-19 YRS	24	4.6	15	<1	<1	4	6	10	13	17
20-34	53	7.0	36	2	2	5	9	14	19	30
35-49	61	5.9	14	2	2	5	7	11	14	20
50-64	122	6.8	55	2	2	5	7	14	18	42
65+	234	5.4	26	2	2	4	6	11	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	4.9	11	1	1	4	7	9	11	18
B. *Operated*	333	4.1	12	1	1	3	5	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	279	6.4	35	1	2	5	8	12	16	29
B. *Operated*	494	6.0	33	2	2	4	7	12	15	29
1. SINGLE DX	593	4.5	12	1	1	3	6	9	11	18
2. MULTIPLE DX	773	6.1	33	1	2	4	7	12	15	30
A. NOT OPERATED	539	5.7	24	1	1	5	7	11	14	20
B. OPERATED	827	5.2	25	1	2	4	6	11	14	25
TOTAL 0-19 YRS	196	4.4	26	<1	1	3	5	8	11	17
20-34	190	5.7	20	1	2	4	7	11	14	23
35-49	179	5.5	15	1	2	4	7	11	13	20
50-64	281	6.2	36	1	2	5	7	12	16	30
65+	520	5.2	23	1	2	4	6	11	13	27
GRAND TOTAL	**1366**	**5.4**	**25**	**1**	**2**	**4**	**7**	**11**	**14**	**25**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
20-34	5	3.6	10	1	1	2	7	7	7	7
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	4.8	21	1	1	3	4	13	14	14
B. *Operated*										
0-19 YRS	6	1.8	1	1	1	2	3	3	3	3
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64	7	6.6	13	3	3	6	8	13	14	14
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.3	10	1	1	3	7	9	10	10
20-34	14	6.5	43	<1	1	5	6	16	23	25
35-49	8	10.4	126	3	3	7	11	30	37	37
50-64	10	7.2	65	1	1	4	10	21	23	23
65+	20	7.7	41	1	2	6	16	45	99+	99+
B. *Operated*										
0-19 YRS	5	3.6	7	1	1	3	5	8	8	8
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	5	5.4	15	1	1	5	8	11	11	11
50-64	17	6.9	20	1	2	6	9	13	16	18
65+	12	6.7	23	2	2	5	8	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.7	10	<1	1	3	5	7	11	14
B. *Operated*	22	3.9	9	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	63	7.1	50	1	1	5	10	20	28	99+
B. *Operated*	43	6.1	17	1	2	6	8	12	15	18
1. SINGLE DX	41	3.8	9	1	1	3	5	7	11	14
2. MULTIPLE DX	106	6.7	37	1	2	5	9	17	21	99+
A. NOT OPERATED	82	6.3	42	1	1	4	8	17	24	99+
B. OPERATED	65	5.4	15	1	1	4	7	11	13	18
TOTAL 0-19 YRS	26	3.3	7	<1	1	2	5	8	9	10
20-34	26	5.5	26	1	1	4	6	11	17	25
35-49	21	6.3	60	1	1	4	7	12	24	37
50-64	35	6.9	29	1	2	6	9	14	19	23
65+	39	6.9	31	1	2	5	13	18	56	99+
GRAND TOTAL	**147**	**5.9**	**30**	**1**	**1**	**4**	**7**	**14**	**18**	**99+**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	729	3.7	8	1	1	3	5	7	8	15
20-34	21	3.9	6	<1	1	4	6	7	8	8
35-49	5	4.6	7	2	2	4	6	9	9	9
50-64	3	3.7	6	1	1	4	5	6	6	6
65+	4	9.8	57	5	5	6	14	21	21	21
B. *Operated*										
0-19 YRS	647	1.6	2	<1	<1	1	1	3	4	9
20-34	134	2.7	2	<1	1	2	3	5	6	7
35-49	77	2.4	1	<1	1	2	3	4	4	6
50-64	64	3.0	11	<1	1	2	3	5	7	23
65+	27	2.8	8	1	1	2	3	3	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1521	4.8	15	1	1	4	6	9	12	20
20-34	40	5.1	10	1	2	4	7	9	11	13
35-49	20	6.0	16	<1	1	5	10	12	12	13
50-64	24	5.8	23	1	2	5	9	9	14	24
65+	20	6.4	16	<1	1	6	9	11	14	17
B. *Operated*										
0-19 YRS	661	2.4	5	<1	<1	2	2	4	7	14
20-34	145	3.3	5	<1	<1	3	4	7	8	10
35-49	94	3.3	8	<1	<1	3	3	6	8	19
50-64	94	4.1	16	1	2	3	5	7	11	25
65+	41	3.7	15	1	1	3	4	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	3.7	8	1	1	3	5	7	8	15
B. *Operated*	949	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	1625	4.8	15	1	1	4	6	9	12	20
B. *Operated*	1035	2.8	7	<1	<1	2	3	5	8	15
1. SINGLE DX	1711	2.7	6	<1	<1	2	3	6	7	13
2. MULTIPLE DX	2660	4.0	13	<1	1	3	5	8	11	18
A. NOT OPERATED	2387	4.5	13	1	1	3	6	9	11	18
B. OPERATED	1984	2.4	5	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	3558	3.5	11	<1	1	2	5	7	10	16
20-34	340	3.3	5	<1	1	3	4	6	8	11
35-49	196	3.2	7	<1	1	3	4	6	8	13
50-64	185	3.9	15	1	1	3	4	7	9	25
65+	92	4.3	17	1	1	3	5	9	11	23
GRAND TOTAL	**4371**	**3.5**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	5.4	21	1	1	4	7	13	16	18
20-34	35	4.4	7	<1	2	4	6	9	10	11
35-49	15	5.7	11	1	2	5	9	11	11	11
50-64	9	3.1	3	1	1	3	4	6	7	7
65+	6	7.0	32	2	2	5	7	17	18	18
B. *Operated*										
0-19 YRS	82	2.6	5	<1	<1	2	3	6	8	10
20-34	32	3.8	4	<1	1	3	5	6	7	8
35-49	19	4.7	3	2	2	5	6	7	8	8
50-64	19	4.9	7	2	3	5	6	8	11	13
65+	9	3.9	7	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	6.7	22	2	2	6	8	12	16	25
20-34	34	5.2	9	1	2	5	7	10	10	12
35-49	14	11.3	144	2	4	8	11	19	44	51
50-64	19	9.7	73	2	3	8	11	23	32	34
65+	16	6.1	15	1	2	5	8	13	14	14
B. *Operated*										
0-19 YRS	68	5.1	26	<1	1	3	6	11	17	23
20-34	41	3.9	2	2	2	3	5	6	7	7
35-49	26	4.3	4	2	2	4	5	8	8	9
50-64	29	6.3	52	2	2	4	6	11	27	34
65+	23	6.4	36	1	2	5	7	13	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	5.1	17	1	1	4	7	11	15	18
B. *Operated*	161	3.4	6	<1	<1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	258	6.9	31	2	2	6	8	12	15	30
B. *Operated*	187	5.1	23	1	2	4	6	9	14	28
1. SINGLE DX	337	4.3	12	<1	1	3	5	9	11	17
2. MULTIPLE DX	445	6.1	29	1	2	5	7	11	15	29
A. NOT OPERATED	434	6.2	26	1	2	5	8	12	15	26
B. OPERATED	348	4.3	16	<1	1	3	5	8	10	23
TOTAL 0-19 YRS	436	5.3	21	<1	1	4	7	11	15	23
20-34	142	4.3	5	1	2	4	6	7	9	11
35-49	74	6.0	37	2	2	5	7	11	11	42
50-64	76	6.4	44	2	2	5	7	12	23	34
65+	54	5.9	24	1	2	5	7	12	15	29
GRAND TOTAL	**782**	**5.4**	**22**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	2	1	1	3	3	5	6	6
20-34	67	3.4	7	1	1	2	5	8	10	10
35-49	86	3.6	7	1	1	3	4	7	8	15
50-64	108	3.8	8	1	1	3	5	7	9	16
65+	123	4.4	11	1	2	3	6	9	11	15
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	4.4	3	3	3	4	5	7	8	8
35-49	13	6.8	35	3	3	4	9	14	22	24
50-64	14	5.9	11	2	2	6	7	10	13	14
65+	6	10.0	44	3	3	9	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	14	1	1	3	5	12	13	13
20-34	38	3.9	6	1	1	3	5	7	9	10
35-49	65	4.3	8	1	2	4	6	8	10	12
50-64	124	5.6	34	1	1	4	7	12	13	26
65+	248	6.7	30	1	2	5	9	14	18	27
B. *Operated*										
0-19 YRS										
20-34	5	6.2	17	3	3	4	8	13	13	13
35-49	9	5.0	15	2	2	3	7	11	14	14
50-64	13	6.8	27	2	2	6	8	14	20	21
65+	12	14.8	299	2	4	14	16	74	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.8	8	1	1	3	5	8	10	15
B. *Operated*	42	6.4	23	2	3	5	8	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	492	5.8	27	1	2	4	7	12	14	26
B. *Operated*	39	8.8	117	2	2	6	12	17	44	99+
1. SINGLE DX	441	4.1	10	1	1	3	5	8	10	16
2. MULTIPLE DX	531	6.0	34	1	2	5	8	13	15	28
A. NOT OPERATED	891	4.9	20	1	1	4	6	10	13	20
B. OPERATED	81	7.5	69	2	3	5	9	15	20	89
TOTAL 0-19 YRS	33	3.6	9	1	1	3	4	7	12	13
20-34	118	3.7	7	1	1	3	5	8	9	11
35-49	173	4.2	10	1	1	3	6	8	10	16
50-64	259	4.9	23	1	1	4	6	10	13	18
65+	389	6.3	35	1	2	5	8	14	17	29
GRAND TOTAL	**972**	**5.1**	**24**	**1**	**1**	**4**	**7**	**10**	**14**	**23**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.0		3	3	3	3	3	3	3
20-34	85	2.9	1	2	2	3	3	4	5	6
35-49	108	3.2	2	2	2	3	4	5	5	8
50-64	76	3.2	2	2	2	3	4	5	6	9
65+	16	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	3.0	1	2	2	3	3	4	4	5
35-49	33	3.1	2	2	2	3	3	4	6	8
50-64	24	2.9	1	1	2	3	3	4	5	5
65+	8	6.8	125	1	1	3	5	26	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	291	3.1	1	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	6.0		6	6	6	6	6	6	6
B. *Operated*	93	3.3	12	2	2	3	3	4	5	23
1. SINGLE DX	293	3.1	1	2	2	3	4	4	5	8
2. MULTIPLE DX	95	3.4	12	2	2	3	3	5	6	22
A. NOT OPERATED	4	4.3	4	2	2	4	6	6	6	6
B. OPERATED	384	3.1	4	2	2	3	4	4	5	8
TOTAL 0-19 YRS	7	2.9		2	2	3	3	3	3	3
20-34	112	2.9	1	2	2	3	3	4	4	6
35-49	143	3.2	2	2	2	3	4	5	5	8
50-64	100	3.1	2	2	2	3	4	5	6	8
65+	26	4.0	40	1	1	3	4	6	12	34
GRAND TOTAL	**388**	**3.1**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	5	<1	1	4	6	6	7	7
20-34	9	2.6	3	1	1	2	4	5	5	5
35-49	9	2.9	2	1	1	3	4	4	4	4
50-64	10	3.6	12	1	1	2	5	9	12	12
65+	3	7.3	30	2	2	7	11	13	13	13
B. *Operated*										
0-19 YRS	152	2.7	3	1	2	2	3	4	5	9
20-34	188	2.6	1	1	2	2	3	4	5	7
35-49	125	3.0	11	2	2	2	3	4	5	19
50-64	71	2.7	2	1	2	2	3	4	6	10
65+	21	3.8	23	1	2	2	3	6	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.5	24	1	1	4	7	12	15	21
20-34	11	3.4	7	<1	<1	3	5	8	8	8
35-49	9	3.4	19	<1	<1	1	5	11	12	12
50-64	22	7.0	18	<1	1	7	9	14	15	15
65+	17	8.2	55	1	1	6	13	20	24	25
B. *Operated*										
0-19 YRS	113	3.0	10	1	1	2	3	5	7	18
20-34	144	2.7	2	1	2	2	3	4	5	7
35-49	98	2.8	1	2	2	3	3	4	5	8
50-64	80	3.2	5	1	2	3	3	5	7	13
65+	23	6.1	53	1	2	3	7	16	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.6	7	1	1	3	5	6	8	13
B. *Operated*	557	2.8	5	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	92	5.8	27	<1	1	4	9	13	15	23
B. *Operated*	458	3.1	7	1	2	3	3	5	6	13
1. SINGLE DX	602	2.8	5	1	2	2	3	4	5	11
2. MULTIPLE DX	550	3.5	12	1	1	3	3	6	11	21
A. NOT OPERATED	137	5.1	22	1	1	4	7	12	14	22
B. OPERATED	1015	2.9	6	1	2	2	3	4	5	12
TOTAL 0-19 YRS	312	3.2	9	1	1	2	3	5	7	17
20-34	352	2.7	2	1	2	2	3	4	5	8
35-49	241	2.9	7	1	2	2	3	4	5	12
50-64	183	3.5	7	1	2	3	4	7	10	14
65+	64	6.0	44	1	2	3	7	14	24	28
GRAND TOTAL	**1152**	**3.2**	**8**	**1**	**2**	**2**	**3**	**5**	**7**	**15**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.4	104	1	1	6	10	27	34	34
20-34	3	6.3	9	3	3	7	8	9	9	9
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	10	1	2	5	7	11	12	12
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	3	23.7	1220	3	3	4	49	64	64	64
50-64	3	9.3	26	5	5	8	13	15	15	15
65+	4	10.8	10	8	8	10	13	15	15	15
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	14.5	13	12	12	14	17	17	17	17
35-49										
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	1	6.0		6	6	53	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.5	59	1	2	6	8	15	28	34
B. *Operated*	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	20	10.1	175	2	3	7	10	15	40	64
B. *Operated*	6	9.0	43	2	2	12	16	83	99+	99+
1. SINGLE DX	18	8.1	61	1	2	6	8	17	27	34
2. MULTIPLE DX	26	9.8	142	2	2	8	12	17	69	99+
A. NOT OPERATED	37	8.9	120	1	2	6	9	15	28	64
B. OPERATED	7	10.1	45	2	2	13	17	75	99+	99+
TOTAL 0-19 YRS	18	7.4	58	1	1	6	8	15	27	34
20-34	7	8.7	22	3	3	8	11	16	17	17
35-49	6	13.3	617	2	2	3	4	58	64	64
50-64	7	10.0	33	2	3	8	15	17	17	17
65+	6	9.3	11	6	6	9	14	83	99+	99+
GRAND TOTAL	**44**	**9.1**	**107**	**2**	**2**	**7**	**11**	**17**	**41**	**99+**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	4	5.8	57	1	1	2	10	17	17	17
50-64	7	4.1	10	<1	<1	3	7	9	9	9
65+	5	5.6	10	<1	<1	5	8	9	9	9
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.5	11	<1	<1	2	3	10	11	11
35-49	26	6.0	24	<1	<1	3	11	13	14	15
50-64	44	5.7	33	<1	1	3	10	14	15	26
65+	11	8.0	39	2	2	4	14	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	4.5	5	1	2	4	6	7	9	10
35-49	42	5.7	20	1	2	4	7	13	15	18
50-64	87	11.7	137	2	3	8	14	25	36	61
65+	98	11.5	121	2	3	8	14	22	25	67
B. *Operated*										
0-19 YRS										
20-34	25	10.4	105	2	2	10	13	16	26	54
35-49	60	8.0	35	2	2	6	12	15	18	27
50-64	123	11.1	98	1	2	10	15	21	30	73
65+	71	14.9	152	2	3	12	22	32	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.9	18	<1	<1	4	8	9	14	17
B. *Operated*	93	5.8	29	<1	1	3	11	14	15	23
2. MULTIPLE DX										
A. *Not Operated*	246	10.1	107	2	2	7	12	21	26	62
B. *Operated*	279	11.3	103	2	2	10	15	23	31	54
1. SINGLE DX	111	5.6	27	<1	1	3	10	13	15	21
2. MULTIPLE DX	525	10.7	106	2	2	8	14	22	30	59
A. NOT OPERATED	264	9.7	103	2	2	7	12	20	25	61
B. OPERATED	372	9.9	91	1	2	9	14	20	29	53
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	56	6.9	60	1	2	5	10	13	16	52
35-49	132	6.8	29	1	2	4	11	14	15	24
50-64	261	10.2	102	1	2	8	14	21	30	62
65+	185	12.5	129	2	3	9	17	25	34	61
GRAND TOTAL	**636**	**9.8**	**96**	**1**	**2**	**7**	**13**	**20**	**27**	**55**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	23	3	3	4	7	14	15	15
20-34	51	4.3	11	1	1	4	5	8	12	16
35-49	136	4.6	10	1	2	4	6	8	11	16
50-64	232	5.0	14	1	2	4	7	9	10	24
65+	275	6.1	26	1	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	19	4.9	27	1	1	4	6	8	17	24
35-49	10	2.8	9	<1	<1	1	4	8	9	9
50-64	11	4.4	10	1	1	3	7	9	10	10
65+	12	9.3	47	1	1	8	14	18	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.6	7	1	2	6	6	10	11	11
20-34	89	5.0	12	1	1	5	6	10	13	17
35-49	266	5.9	18	1	2	5	8	12	14	21
50-64	663	6.7	35	1	2	6	8	13	16	34
65+	1123	9.1	69	2	3	7	11	18	24	57
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	13	8.8	42	1	1	7	12	19	22	23
35-49	35	8.0	29	2	2	8	11	15	17	23
50-64	69	10.9	88	1	2	9	14	22	29	45
65+	85	12.5	113	2	3	10	15	29	35	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	700	5.3	18	1	2	4	7	10	13	21
B. *Operated*	55	5.4	27	1	1	4	7	11	16	24
2. MULTIPLE DX										
A. *Not Operated*	2160	7.8	51	2	2	6	10	15	21	49
B. *Operated*	204	10.9	87	1	2	9	14	23	30	54
1. SINGLE DX	755	5.3	19	1	2	4	7	10	13	24
2. MULTIPLE DX	2364	8.1	55	2	2	6	10	15	22	49
A. NOT OPERATED	2860	7.2	44	1	2	6	9	14	18	41
B. OPERATED	259	9.7	79	1	2	8	13	22	28	47
TOTAL 0-19 YRS	30	5.6	9	2	3	5	6	10	11	15
20-34	172	5.1	17	1	1	4	6	10	13	22
35-49	447	5.6	17	1	2	4	8	11	14	21
50-64	975	6.6	35	1	2	5	8	12	16	34
65+	1495	8.8	65	2	2	7	11	17	24	55
GRAND TOTAL	**3119**	**7.4**	**48**	**1**	**2**	**6**	**9**	**14**	**20**	**43**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	13	5.3	10	2	2	5	7	9	13	14
65+	37	8.3	33	2	2	7	12	17	19	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	11	8.0	32	2	3	5	12	16	20	20
50-64	64	9.6	67	2	3	7	13	18	21	52
65+	237	11.2	123	3	4	8	13	22	36	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	24	6	6	7	13	15	15	15
50-64	9	6.0	16	2	2	5	7	13	14	14
65+	15	13.5	72	2	2	15	19	25	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.3	28	2	2	5	10	15	19	24
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	313	10.7	108	2	4	8	13	21	32	92
B. *Operated*	27	10.6	58	2	2	9	16	20	26	30
1. SINGLE DX	53	7.2	28	2	2	5	10	14	19	24
2. MULTIPLE DX	340	10.7	104	2	3	8	13	20	30	89
A. NOT OPERATED	365	10.2	98	2	3	8	12	20	28	85
B. OPERATED	28	10.2	59	2	2	8	16	20	25	30
TOTAL 0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	16	7.6	29	2	2	6	12	15	18	20
50-64	87	8.5	56	2	2	6	12	16	19	44
65+	289	10.9	109	2	3	8	13	21	32	95
GRAND TOTAL	**393**	**10.2**	**95**	**2**	**3**	**8**	**13**	**20**	**28**	**89**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	9.3	38	3	3	9	14	15	15	15
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	6	11.8	52	6	6	9	17	23	24	24
50-64	6	5.5	23	1	1	4	9	13	13	13
65+	11	10.3	38	3	3	10	14	19	24	24
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	5	6.8	18	1	1	6	11	11	11	11
35-49	4	9.0	19	4	4	9	12	14	14	14
50-64	8	15.4	247	1	2	11	23	42	47	47
65+	5	12.0	43	3	3	12	16	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	6.2	8	3	3	6	7	10	13	13
35-49	8	7.5	27	2	2	6	11	15	17	17
50-64	86	4.1	36	1	1	1	4	12	15	32
65+	51	14.0	167	1	2	12	17	27	42	63
B. *Operated*										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	17	15.6	169	1	2	15	27	33	39	42
35-49	22	17.4	177	1	2	16	22	36	46	50
50-64	38	13.1	215	1	2	10	17	23	42	78
65+	35	21.1	232	3	5	21	28	41	53	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	9.0	38	1	3	8	13	16	24	24
B. *Operated*	23	12.2	116	1	2	11	14	28	35	47
2. MULTIPLE DX										
A. *Not Operated*	156	7.6	96	1	1	4	11	17	21	56
B. *Operated*	114	16.7	210	1	2	13	23	33	49	70
1. SINGLE DX	52	10.4	73	1	3	9	14	22	28	47
2. MULTIPLE DX	270	11.4	164	1	1	7	16	27	39	62
A. NOT OPERATED	185	7.8	87	1	1	5	12	17	22	52
B. OPERATED	137	15.9	196	1	2	12	22	32	46	67
TOTAL 0-19 YRS	8	10.4	87	1	1	9	15	24	28	28
20-34	34	10.9	110	1	2	6	15	28	33	42
35-49	40	13.7	127	1	3	11	20	28	38	50
50-64	138	7.3	114	1	1	3	11	17	23	53
65+	102	15.9	182	2	3	13	21	30	46	64
GRAND TOTAL	**322**	**11.3**	**149**	**1**	**1**	**7**	**16**	**27**	**35**	**59**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	33	12.2	18	4	7	12	14	18	20	21
35-49	262	11.8	20	4	7	11	14	17	20	26
50-64	684	12.9	27	6	8	12	15	19	22	31
65+	713	14.0	63	4	7	13	16	22	26	45
B. *Operated*										
0-19 YRS										
20-34	2	17.0	18	14	14	17	20	20	20	20
35-49	17	11.2	56	1	2	10	13	22	28	31
50-64	42	13.2	80	1	1	12	16	21	34	44
65+	22	13.3	67	1	1	14	19	22	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	47	12.7	24	4	7	12	15	18	21	28
35-49	384	12.9	30	5	7	12	15	18	24	34
50-64	1244	13.6	49	5	7	13	16	21	25	39
65+	2056	15.9	93	6	8	14	19	26	34	62
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	10.5	98	1	1	10	19	20	20	20
35-49	73	15.2	50	2	8	15	19	23	28	38
50-64	219	16.8	105	3	8	15	19	28	38	58
65+	273	22.2	181	8	11	19	27	40	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1694	13.2	41	5	7	12	15	20	22	36
B. *Operated*	83	12.9	70	1	1	12	16	21	30	42
2. MULTIPLE DX										
A. *Not Operated*	3733	14.8	72	5	8	13	17	24	30	55
B. *Operated*	570	19.1	143	5	9	16	22	33	42	78
1. SINGLE DX	1777	13.1	43	4	7	12	15	20	23	37
2. MULTIPLE DX	4303	15.4	84	5	8	13	18	25	32	58
A. NOT OPERATED	5427	14.3	63	5	7	13	17	22	28	50
B. OPERATED	653	18.3	138	2	8	16	22	32	42	73
TOTAL 0-19 YRS	5	4.4	36	1	1	2	6	15	15	15
20-34	86	12.5	24	3	7	12	15	19	20	26
35-49	736	12.7	30	4	7	12	15	19	22	32
50-64	2189	13.7	49	5	8	13	16	21	25	42
65+	3064	16.0	98	5	8	14	19	26	34	62
GRAND TOTAL	**6080**	**14.7**	**73**	**5**	**8**	**13**	**17**	**23**	**29**	**53**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	9	3.6	2	2	2	4	4	6	6	6
35-49	107	4.5	12	1	1	3	6	9	12	16
50-64	281	4.5	10	1	1	4	6	9	11	15
65+	337	4.9	13	1	2	4	6	10	11	19
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	16	2.2	4	<1	<1	1	3	5	7	8
50-64	36	3.0	14	<1	<1	1	3	9	11	17
65+	15	7.0	150	<1	<1	1	9	17	39	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	13	3.4	2	1	1	3	5	5	5	6
35-49	224	5.1	19	1	1	4	6	9	12	26
50-64	749	6.1	20	1	2	5	8	11	15	21
65+	1395	7.7	46	2	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	20	6.3	22	1	2	4	10	13	15	18
35-49	234	5.9	33	<1	1	3	9	12	16	31
50-64	619	6.3	29	<1	<1	4	10	13	16	23
65+	310	9.0	73	<1	2	6	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	4.7	12	1	1	4	6	9	11	17
B. *Operated*	69	3.7	42	<1	<1	1	3	10	13	41
2. MULTIPLE DX										
A. *Not Operated*	2384	6.9	36	1	2	5	9	13	18	31
B. *Operated*	1184	6.9	43	<1	1	4	11	14	18	32
1. SINGLE DX	805	4.6	14	1	1	4	6	9	11	18
2. MULTIPLE DX	3568	6.9	38	1	2	5	9	14	18	31
A. NOT OPERATED	3120	6.4	31	1	2	5	8	12	17	29
B. OPERATED	1253	6.7	43	<1	<1	4	10	14	18	32
TOTAL 0-19 YRS	6	8.0	109	2	2	4	6	27	29	29
20-34	44	4.7	13	1	2	3	5	10	12	18
35-49	581	5.2	23	<1	1	3	7	11	13	25
50-64	1685	5.8	22	<1	1	4	8	12	14	21
65+	2057	7.5	47	1	2	5	10	15	21	35
GRAND TOTAL	**4373**	**6.5**	**35**	**1**	**2**	**5**	**9**	**13**	**17**	**29**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	32	2	2	4	8	16	16	16
35-49	85	6.2	13	1	2	5	9	11	13	15
50-64	294	7.6	27	2	2	7	9	14	18	26
65+	324	8.1	27	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	6.0	21	<1	<1	6	9	12	13	13
50-64	20	9.1	43	<1	1	8	12	17	23	27
65+	14	13.6	62	6	6	13	16	20	33	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	6.0	22	2	2	5	7	14	16	16
35-49	163	7.4	24	2	3	7	9	13	17	24
50-64	744	8.1	30	2	3	7	10	14	17	26
65+	1518	9.4	41	3	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	2	11.5	61	6	6	11	17	17	17	17
20-34	3	11.7		11	11	12	12	12	12	12
35-49	75	11.6	39	3	5	11	14	21	24	32
50-64	261	13.2	70	2	6	12	16	23	31	42
65+	210	17.6	101	4	7	15	23	32	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	7.7	26	2	2	7	10	14	18	25
B. *Operated*	42	10.0	51	<1	1	9	14	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	2433	8.9	37	2	3	8	11	16	20	31
B. *Operated*	551	14.6	82	3	5	13	18	26	33	47
1. SINGLE DX	750	7.8	27	2	2	7	10	14	18	26
2. MULTIPLE DX	2984	9.9	50	2	3	8	13	19	24	38
A. NOT OPERATED	3141	8.6	35	2	3	7	11	16	20	29
B. OPERATED	593	14.3	82	3	5	12	18	26	33	46
TOTAL 0-19 YRS	3	8.3	60	2	2	6	14	17	17	17
20-34	15	7.2	24	2	2	5	12	16	16	16
35-49	331	8.0	28	2	2	7	10	14	19	25
50-64	1319	9.0	42	2	3	8	11	16	21	34
65+	2066	10.1	52	3	3	8	13	19	24	40
GRAND TOTAL	**3734**	**9.5**	**46**	**2**	**3**	**8**	**12**	**18**	**23**	**37**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	67	4.9	14	1	1	4	7	10	13	17
50-64	170	6.5	20	1	2	5	9	14	15	19
65+	329	8.3	36	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	14	5.1	28	<1	<1	2	10	13	15	15
35-49	165	4.8	31	<1	1	2	8	12	15	27
50-64	523	4.5	25	<1	<1	2	8	12	14	22
65+	196	5.4	56	<1	1	2	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	12	8.5	80	1	2	5	12	22	30	31
35-49	159	6.1	22	1	2	5	9	12	14	25
50-64	758	7.2	33	1	2	6	9	14	18	30
65+	1813	10.4	91	2	3	8	13	21	30	62
B. *Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	32	4.4	18	<1	1	3	4	10	13	20
35-49	337	5.6	51	<1	<1	2	9	13	17	33
50-64	1106	7.4	60	<1	<1	3	11	17	22	34
65+	512	11.4	124	<1	1	9	16	26	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	7.3	30	1	2	6	10	15	18	26
B. *Operated*	901	4.7	33	<1	<1	2	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	2745	9.3	73	2	2	7	12	18	25	50
B. *Operated*	1991	8.1	79	<1	<1	4	12	19	25	42
1. SINGLE DX	1468	5.7	33	<1	1	3	9	13	16	26
2. MULTIPLE DX	4736	8.8	76	<1	1	7	12	18	25	45
A. NOT OPERATED	3312	9.0	66	2	2	7	11	17	23	45
B. OPERATED	2892	7.0	67	<1	<1	3	11	17	23	38
TOTAL 0-19 YRS	10	3.7	11	<1	1	2	3	10	10	10
20-34	59	5.4	34	<1	1	3	7	13	18	30
35-49	728	5.5	37	<1	<1	3	9	12	15	27
50-64	2557	6.7	44	<1	1	4	10	14	19	30
65+	2850	10.0	90	1	2	8	13	21	29	56
GRAND TOTAL	**6204**	**8.1**	**68**	**<1**	**1**	**6**	**11**	**17**	**23**	**41**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	15	11.6	23	3	6	12	16	17	19	19
35-49	38	9.5	25	1	4	10	12	15	20	24
50-64	44	12.3	79	2	6	11	14	19	25	59
65+	51	12.5	29	4	6	12	17	18	21	27
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	13.3	17	8	8	14	16	17	17	17
35-49	5	13.0	28	8	8	12	16	21	21	21
50-64	15	11.1	20	5	6	10	14	19	20	20
65+	8	19.6	98	12	12	17	20	36	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	11.3	10	8	8	11	13	16	16	16
20-34	20	9.6	29	1	2	9	15	16	18	19
35-49	41	11.0	15	5	6	11	14	16	18	20
50-64	101	13.5	30	6	7	12	17	22	24	27
65+	147	17.7	96	4	9	16	21	30	37	47
B. *Operated*										
0-19 YRS										
20-34	7	11.1	9	6	7	11	13	15	15	15
35-49	11	13.5	5	9	10	14	15	16	17	17
50-64	24	19.4	148	7	9	15	21	34	53	53
65+	40	24.2	281	8	11	20	30	46	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	11.5	43	2	5	11	14	18	20	27
B. *Operated*	33	13.6	48	6	7	12	17	20	21	43
2. MULTIPLE DX										
A. *Not Operated*	315	14.8	66	4	7	13	18	25	28	42
B. *Operated*	82	20.3	200	7	9	15	24	38	53	98
1. SINGLE DX	183	11.9	45	3	5	11	15	19	21	38
2. MULTIPLE DX	397	16.0	98	6	7	14	19	27	34	59
A. NOT OPERATED	465	13.8	61	4	6	12	17	23	27	41
B. OPERATED	115	18.4	165	7	8	15	21	32	50	96
TOTAL 0-19 YRS	9	9.3	17	4	4	8	13	15	16	16
20-34	46	10.8	23	2	3	11	15	17	18	19
35-49	95	10.8	20	4	6	11	14	16	19	23
50-64	184	13.8	60	6	7	12	16	22	26	53
65+	246	17.7	123	5	8	16	21	31	38	71
GRAND TOTAL	**580**	**14.7**	**85**	**4**	**6**	**13**	**17**	**24**	**31**	**53**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	2	12.0	72	6	6	12	18	18	18	18
65+	3	20.3	617	5	5	7	38	49	49	49
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	6	20.0	330	1	1	17	32	45	47	47
35-49	3	31.3	2	30	30	31	32	33	33	33
50-64	7	19.1	199	4	5	14	30	41	43	43
65+	8	25.4	186	8	9	27	34	44	47	47
B. *Operated*										
0-19 YRS	2	22.5	841	2	2	22	43	43	43	43
20-34	1	47.0		47	47	47	47	47	47	47
35-49	2	39.0	968	17	17	39	61	61	61	61
50-64	7	37.1	101	27	27	36	44	53	54	54
65+	7	40.4	103	29	30	36	46	57	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	15.7	289	5	5	8	18	46	49	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	23.4	194	3	6	27	33	43	47	47
B. *Operated*	19	37.5	202	9	21	36	47	57	60	61
1. SINGLE DX	6	15.7	289	5	5	8	18	46	49	49
2. MULTIPLE DX	44	29.5	243	3	7	31	38	48	55	61
A. NOT OPERATED	31	21.9	213	4	5	18	33	44	47	49
B. OPERATED	19	37.5	202	9	21	36	47	57	60	61
TOTAL 0-19 YRS	3	26.0	457	2	2	33	40	43	43	43
20-34	8	22.0	352	1	2	18	39	47	47	47
35-49	5	34.4	261	17	17	31	40	61	61	61
50-64	16	26.1	231	5	6	27	36	47	52	54
65+	18	30.4	257	6	7	32	39	49	55	59
GRAND TOTAL	**50**	**27.8**	**264**	**4**	**6**	**30**	**38**	**48**	**54**	**61**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	6	1	1	2	4	7	9	9
20-34	30	2.2	2	<1	<1	2	3	4	5	7
35-49	52	1.9	2	<1	<1	1	2	4	5	8
50-64	59	3.2	9	<1	1	2	4	7	10	15
65+	54	4.1	10	1	1	3	6	8	10	15
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	2	<1	<1	2	3	4	5	5
20-34	23	5.4	46	1	1	3	5	17	23	24
35-49	35	4.2	14	<1	1	3	5	10	13	15
50-64	98	4.8	14	1	1	4	6	10	13	20
65+	135	6.9	44	1	2	5	9	14	19	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	6	12.0	114	<1	1	8	19	29	30	30
65+	7	15.3	30	7	8	16	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	2.9	7	<1	1	2	4	7	8	13
B. *Operated*	2	5.5	41	<1	<1	5	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	299	5.7	31	1	1	4	8	13	15	27
B. *Operated*	14	13.2	65	1	5	11	19	23	28	30
1. SINGLE DX	207	3.0	7	<1	1	2	4	7	9	13
2. MULTIPLE DX	313	6.0	35	1	1	4	8	14	18	29
A. NOT OPERATED	504	4.6	23	1	1	3	6	10	14	23
B. OPERATED	16	12.3	66	<1	1	11	19	22	28	30
TOTAL 0-19 YRS	18	2.4	4	<1	1	2	3	5	7	9
20-34	54	3.7	24	<1	1	2	4	8	15	24
35-49	89	2.9	8	<1	<1	2	4	6	10	15
50-64	163	4.5	18	1	1	3	6	10	12	22
65+	196	6.4	38	1	1	4	8	14	19	34
GRAND TOTAL	**520**	**4.8**	**26**	**1**	**1**	**3**	**6**	**11**	**15**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	27	2.1	4	<1	<1	1	3	5	7	8
35-49	64	2.9	7	<1	1	2	4	6	9	13
50-64	149	3.7	10	<1	1	3	5	8	10	13
65+	184	5.0	25	<1	1	3	7	9	14	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	9.5	145	1	1	9	18	18	18	18
50-64	7	5.1	32	1	1	2	8	15	16	16
65+	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	4	1	1	2	4	6	6	6
20-34	26	3.1	5	<1	1	2	5	7	7	8
35-49	80	4.1	11	<1	<1	3	5	9	11	15
50-64	435	5.9	34	1	1	4	8	12	15	25
65+	1004	9.2	81	1	2	7	11	18	25	44
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	13.7	121	<1	<1	19	20	21	21	21
50-64	43	12.6	151	<1	1	10	16	25	30	69
65+	78	15.0	245	3	4	10	18	32	62	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	4.0	16	<1	1	3	6	8	10	22
B. *Operated*	11	6.5	38	1	1	3	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	1550	7.9	66	1	2	6	10	16	22	41
B. *Operated*	125	14.0	208	1	3	10	18	26	42	88
1. SINGLE DX	436	4.1	17	<1	1	3	6	9	11	22
2. MULTIPLE DX	1675	8.3	79	1	2	6	10	17	24	45
A. NOT OPERATED	1975	7.0	58	1	1	5	9	14	20	35
B. OPERATED	136	13.4	198	1	2	10	17	26	39	86
TOTAL 0-19 YRS	6	2.5	4	<1	<1	2	3	6	6	6
20-34	54	2.6	4	<1	<1	2	3	6	7	8
35-49	149	3.8	14	<1	<1	2	5	9	11	19
50-64	634	5.9	40	1	1	4	8	12	16	25
65+	1268	8.9	87	1	2	6	11	18	25	47
GRAND TOTAL	**2111**	**7.5**	**69**	**1**	**1**	**5**	**9**	**15**	**22**	**41**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	8	<1	1	2	5	7	9	14
20-34	51	3.2	9	<1	1	3	4	6	11	14
35-49	82	3.7	11	<1	1	3	5	8	9	17
50-64	158	4.5	13	1	1	3	6	9	12	18
65+	216	5.8	27	1	1	4	8	13	17	30
B. *Operated*										
0-19 YRS	3	15.0	97	4	4	18	22	23	23	23
20-34	10	3.7	10	<1	<1	3	7	8	9	9
35-49	11	6.5	15	1	2	6	10	12	13	13
50-64	36	5.7	17	<1	<1	5	8	13	14	16
65+	131	5.9	13	1	3	5	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.6	67	1	1	4	7	16	23	42
20-34	77	4.5	33	<1	1	2	6	11	15	34
35-49	149	4.9	24	<1	1	4	6	9	14	28
50-64	413	6.2	29	1	2	5	8	12	18	28
65+	875	8.6	77	2	2	6	10	17	22	48
B. *Operated*										
0-19 YRS	8	9.4	59	<1	1	7	15	20	22	22
20-34	11	6.0	13	<1	1	6	10	38	91	99+
35-49	25	9.0	95	1	1	7	9	13	31	49
50-64	128	12.5	196	1	3	7	16	26	43	79
65+	443	11.8	119	3	4	9	14	22	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	4.7	19	1	1	3	6	10	14	21
B. *Operated*	191	5.9	16	<1	1	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	1547	7.3	58	1	2	5	9	15	19	40
B. *Operated*	615	11.7	132	3	3	8	14	22	37	71
1. SINGLE DX	723	5.1	18	1	1	4	7	11	14	20
2. MULTIPLE DX	2162	8.6	83	1	2	6	10	17	23	50
A. NOT OPERATED	2079	6.7	50	1	1	5	8	14	18	36
B. OPERATED	806	10.3	111	2	3	7	12	20	31	63
TOTAL 0-19 YRS	69	6.1	51	1	1	4	7	16	22	38
20-34	149	4.1	22	<1	1	3	5	10	14	40
35-49	267	5.0	28	<1	1	4	7	9	13	27
50-64	735	6.9	61	1	1	5	8	14	20	43
65+	1665	8.9	81	2	2	7	11	17	23	50
GRAND TOTAL	**2885**	**7.7**	**69**	**1**	**2**	**5**	**9**	**15**	**21**	**47**

149: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.8	151	3	3	5	18	29	29	29
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	10	11.6	62	4	4	9	15	25	25	25
50-64	100	7.1	32	1	2	6	9	13	18	31
65+	698	8.9	56	2	3	7	11	16	21	44
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	4.2	10	<1	<1	5	6	8	8	8
65+	9	15.8	83	2	5	13	22	29	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	9.1	126	1	1	5	12	28	38	44
20-34	7	10.7	25	5	5	10	13	19	20	20
35-49	98	8.9	43	2	2	7	12	18	21	32
50-64	673	11.1	92	2	3	9	14	22	29	51
65+	4200	12.7	135	3	4	9	15	26	38	83
B. *Operated*										
0-19 YRS										
20-34	3	9.7	25	5	5	9	13	15	15	15
35-49	13	13.1	85	<1	2	14	18	28	28	28
50-64	76	15.7	144	<1	1	13	24	37	41	43
65+	277	25.5	339	6	8	20	32	56	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	8.7	53	2	3	7	11	16	21	40
B. *Operated*	15	10.9	89	<1	<1	9	18	27	29	30
2. MULTIPLE DX										
A. *Not Operated*	5005	12.4	128	3	3	9	15	25	36	76
B. *Operated*	369	22.9	307	3	6	19	31	49	70	99+
1. SINGLE DX	829	8.7	54	2	2	7	11	16	21	40
2. MULTIPLE DX	5374	13.1	147	3	4	9	16	27	38	82
A. NOT OPERATED	5819	11.9	119	2	3	9	14	24	34	72
B. OPERATED	384	22.4	303	2	5	18	29	47	65	99+
TOTAL 0-19 YRS	31	9.4	124	1	1	5	12	30	37	44
20-34	12	9.2	27	2	3	8	12	16	19	20
35-49	122	9.5	50	1	2	8	14	19	25	31
50-64	854	11.0	93	2	3	8	14	23	29	45
65+	5184	12.9	146	3	4	9	16	27	38	82
GRAND TOTAL	**6203**	**12.5**	**137**	**2**	**3**	**9**	**15**	**26**	**37**	**78**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.9	17	1	2	3	6	12	14	16
20-34	77	5.0	22	1	1	4	6	9	14	28
35-49	82	6.1	26	2	2	5	7	13	16	27
50-64	65	6.7	61	2	2	4	8	13	17	52
65+	53	7.0	33	1	2	5	10	15	18	28
B. *Operated*										
0-19 YRS	21	3.7	15	1	1	2	3	9	13	16
20-34	26	5.9	20	<1	<1	5	10	12	13	14
35-49	63	4.6	19	<1	1	3	6	12	14	18
50-64	90	4.1	22	<1	<1	2	5	11	12	23
65+	50	4.8	38	<1	1	2	7	13	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	8.1	58	2	2	6	10	21	24	34
20-34	76	6.2	73	1	1	5	7	11	13	58
35-49	143	7.5	44	2	2	6	10	15	18	33
50-64	254	9.9	95	2	2	7	13	18	25	54
65+	373	11.7	109	2	3	9	15	26	35	60
B. *Operated*										
0-19 YRS	17	9.9	194	1	1	2	11	38	42	43
20-34	25	9.7	72	<1	3	6	15	23	27	32
35-49	81	9.5	56	<1	1	9	14	20	22	34
50-64	209	10.5	98	<1	1	9	15	23	31	42
65+	203	14.2	208	<1	1	12	18	33	47	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	6.0	33	1	2	4	7	13	16	28
B. *Operated*	250	4.5	24	<1	<1	2	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	872	9.9	93	2	2	7	13	20	28	52
B. *Operated*	535	11.7	138	<1	1	10	15	26	35	57
1. SINGLE DX	552	5.3	29	<1	1	3	7	12	15	26
2. MULTIPLE DX	1407	10.6	111	1	2	8	14	22	31	54
A. NOT OPERATED	1174	8.9	80	2	2	6	11	18	26	46
B. OPERATED	785	9.4	113	<1	1	5	13	21	30	53
TOTAL 0-19 YRS	89	6.5	65	1	2	3	8	16	22	42
20-34	204	6.1	48	<1	1	4	8	12	16	32
35-49	369	7.1	41	1	2	5	10	15	20	29
50-64	618	8.9	86	<1	1	6	12	18	25	42
65+	679	11.6	134	1	2	9	15	26	36	66
GRAND TOTAL	**1959**	**9.1**	**93**	**1**	**1**	**6**	**12**	**19**	**27**	**52**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	20.0		20	20	20	20	20	20	20
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	6	8.5	21	3	3	9	14	83	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	10.8	11	8	8	9	13	16	16	16
65+	54	12.1	88	3	4	9	16	29	37	97
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	10.0	49	3	3	10	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.4	33	3	3	8	14	52	96	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	12.0	81	3	4	9	15	27	37	94
B. *Operated*	5	8.8	44	3	3	5	15	17	17	17
1. SINGLE DX	10	8.4	33	3	3	8	14	52	96	99+
2. MULTIPLE DX	64	11.8	79	3	4	9	15	24	36	91
A. NOT OPERATED	69	11.5	75	3	4	9	15	26	38	99+
B. OPERATED	5	8.8	44	3	3	5	15	17	17	17
TOTAL 0-19 YRS										
20-34										
35-49	1	20.0		20	20	20	20	20	20	20
50-64	9	7.9	18	3	3	8	10	14	16	16
65+	64	11.7	79	3	3	9	15	29	39	99+
GRAND TOTAL	**74**	**11.3**	**73**	**3**	**3**	**9**	**15**	**24**	**37**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	12.0	19	9	9	10	15	17	17	17
50-64	5	5.6	25	1	1	6	8	13	13	13
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	10	17.0	89	5	7	15	19	32	38	38
35-49	15	19.2	184	7	8	13	21	48	48	48
50-64	9	12.6	73	1	2	14	18	23	27	27
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.0	19	<1	<1	2	7	9	9	9
50-64	2	11.0	98	4	4	11	18	18	18	18
65+	7	37.3	335	11	14	35	47	65	69	69
B. *Operated*										
0-19 YRS										
20-34	7	13.9	38	3	5	13	19	21	21	21
35-49	24	30.2	274	11	15	28	33	52	66	80
50-64	24	30.1	465	9	10	27	35	84	98	99+
65+	5	25.6	37	16	18	29	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.0	26	1	1	5	9	14	16	17
B. *Operated*	35	16.6	125	3	5	14	19	35	45	48
2. MULTIPLE DX										
A. *Not Operated*	13	22.8	452	<1	1	18	35	54	66	69
B. *Operated*	60	27.9	323	10	11	27	32	64	98	99+
1. SINGLE DX	48	13.7	120	1	2	12	17	27	39	48
2. MULTIPLE DX	73	26.9	344	3	10	26	33	59	93	99+
A. NOT OPERATED	26	14.4	303	<1	1	8	18	37	54	69
B. OPERATED	95	23.7	278	5	10	20	30	48	82	99+
TOTAL 0-19 YRS										
20-34	20	13.6	83	1	2	13	18	24	32	38
35-49	45	23.6	269	6	9	19	30	48	53	80
50-64	40	22.1	396	1	3	18	28	46	90	99+
65+	16	25.6	324	2	4	28	37	90	99+	99+
GRAND TOTAL	**121**	**21.7**	**295**	**1**	**4**	**18**	**30**	**48**	**72**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	18.0		18	18	18	18	18	18	18
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34	1	47.0		47	47	47	47	47	47	47
35-49	1	43.0		43	43	99+	99+	99+	99+	99+
50-64	1	49.0		49	49	99+	99+	99+	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	15.5	13	13	13	15	18	18	18	18
B. *Operated*	3	46.3	9	43	44	99+	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	5	34.0	293	13	15	74	99+	99+	99+	99+
A. NOT OPERATED	2	15.5	13	13	13	15	18	18	18	18
B. OPERATED	3	46.3	9	43	44	99+	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	47.0		47	47	47	47	47	47	47
35-49	1	43.0		43	43	99+	99+	99+	99+	99+
50-64	2	33.5	481	18	18	74	99+	99+	99+	99+
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**5**	**34.0**	**293**	**13**	**15**	**74**	**99+**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49										
50-64	4	4.5		4	4	4	5	5	5	5
65+	4	23.5	650	1	1	17	41	59	59	59
B. *Operated*										
0-19 YRS	2	16.5	41	12	12	16	21	21	21	21
20-34	3	12.3	25	7	7	13	16	17	17	17
35-49	7	14.4	100	6	6	11	17	32	35	35
50-64	4	21.3	258	9	9	16	32	44	44	44
65+	12	17.7	210	6	7	13	35	60	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	7	16.9	323	3	3	10	28	47	50	50
50-64	16	14.4	507	1	3	7	15	20	73	96
65+	35	15.1	205	3	5	12	21	31	68	99+
B. *Operated*										
0-19 YRS	4	19.8	222	2	2	20	31	36	36	36
20-34	4	18.5	272	7	7	12	57	99+	99+	99+
35-49	9	20.1	215	8	8	25	45	99+	99+	99+
50-64	22	22.0	117	7	10	18	29	42	64	99+
65+	31	28.5	455	7	10	24	51	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	14.0	334	1	2	5	16	45	59	59
B. *Operated*	28	16.7	147	6	7	13	21	41	52	99+
2. MULTIPLE DX										
A. *Not Operated*	59	15.0	286	3	4	10	18	32	66	99+
B. *Operated*	70	24.3	295	7	9	23	39	91	99+	99+
1. SINGLE DX	37	16.1	186	4	5	12	21	42	55	99+
2. MULTIPLE DX	129	20.0	310	3	5	15	27	56	99+	99+
A. NOT OPERATED	68	14.9	287	3	3	10	18	32	60	99
B. OPERATED	98	22.1	262	7	7	18	34	63	99+	99+
TOTAL 0-19 YRS	8	16.9	116	2	4	14	24	33	36	36
20-34	7	15.9	155	7	7	13	30	83	99+	99+
35-49	23	17.4	200	4	6	11	32	50	99+	99+
50-64	46	17.7	270	3	4	14	25	41	52	99+
65+	82	20.9	345	4	6	15	28	63	99+	99+
GRAND TOTAL	**166**	**19.2**	**284**	**3**	**5**	**14**	**27**	**51**	**99**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	11.0	3	9	9	12	56	99+	99+	99+
65+	12	34.3	597	5	7	49	67	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	45.5	613	28	28	45	63	63	63	63
50-64	3	36.0	637	19	19	24	55	65	65	65
65+	2	35.0	722	16	16	54	88	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	28.4	549	6	8	29	66	99+	10+	99+
B. *Operated*	7	38.4	458	16	17	41	64	89	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	23	31.4	522	7	9	29	64	99+	99+	99+
A. NOT OPERATED	16	28.4	549	6	8	29	66	99+	99+	99+
B. OPERATED	7	38.4	458	16	17	41	64	89	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	33.7	726	10	10	28	54	63	63	63
50-64	6	23.5	444	9	10	19	55	93	99+	99+
65+	14	34.4	561	6	8	51	68	99+	99+	99+
GRAND TOTAL	**23**	**31.4**	**522**	**7**	**9**	**29**	**64**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	6	3.5	2	2	2	3	4	6	6	6
65+	9	5.9	42	1	1	3	6	17	21	21
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	14	8.0	15	3	4	8	10	13	15	16
50-64	66	10.0	56	1	2	9	11	18	27	36
65+	90	9.4	163	1	1	6	12	17	22	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	16	6.3	22	2	2	5	8	13	17	18
65+	36	15.5	320	1	3	8	18	39	59	76
B. *Operated*										
0-19 YRS	3	14.3	30	9	9	14	18	20	20	20
20-34	2	10.5	61	5	5	10	16	16	16	16
35-49	29	9.8	34	1	2	9	15	18	20	21
50-64	229	11.6	75	1	2	10	15	21	27	47
65+	308	12.9	152	1	2	10	16	28	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.9	24	1	1	3	6	10	17	21
B. *Operated*	171	9.5	109	1	1	8	12	17	25	61
2. MULTIPLE DX										
A. *Not Operated*	53	12.6	240	2	2	7	13	32	53	76
B. *Operated*	571	12.3	115	1	2	10	15	23	32	60
1. SINGLE DX	188	9.1	103	1	1	7	12	17	22	56
2. MULTIPLE DX	624	12.3	125	1	2	10	15	24	33	63
A. NOT OPERATED	70	10.7	198	1	2	6	11	26	39	73
B. OPERATED	742	11.6	114	1	1	10	15	22	31	61
TOTAL 0-19 YRS	3	14.3	30	9	9	14	18	20	20	20
20-34	4	8.8	25	5	5	7	12	16	16	16
35-49	45	9.0	28	1	3	9	12	17	18	21
50-64	317	10.9	69	1	2	10	14	20	27	39
65+	443	12.3	168	1	1	9	15	25	37	77
GRAND TOTAL	**812**	**11.5**	**121**	**1**	**1**	**9**	**14**	**22**	**31**	**63**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	31.0		31	31	31	31	31	31	31
65+	2	63.5	265	52	52	63	75	75	75	75
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	27.0	215	8	8	23	40	45	45	45
50-64	13	20.8	584	5	6	14	21	91	98	99+
65+	12	25.8	991	4	4	9	50	95	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	41.3	844	7	7	41	63	75	75	75
B. *Operated*	30	23.9	654	4	5	15	38	91	99	99+
1. SINGLE DX										
2. MULTIPLE DX	34	25.9	684	4	6	16	42	89	98	99+
A. NOT OPERATED	4	41.3	844	7	7	41	63	75	75	75
B. OPERATED	30	23.9	654	4	5	15	38	91	99	99+
TOTAL 0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	27.0	215	8	8	23	40	45	45	45
50-64	14	21.6	546	5	6	15	28	90	97	99+
65+	14	31.2	1046	4	4	21	69	94	98	99+
GRAND TOTAL	**34**	**25.9**	**684**	**4**	**6**	**16**	**42**	**89**	**98**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	6.3	12	3	3	6	9	10	10	10
50-64	10	4.9	10	1	2	4	8	47	95	99+
65+	51	14.8	202	2	3	11	20	35	60	99
B. *Operated*										
0-19 YRS										
20-34	2	15.5	5	14	14	15	17	17	17	17
35-49	6	10.3	30	4	4	9	12	19	20	20
50-64	7	7.6	15	1	2	8	11	12	12	12
65+	4	9.3	3	7	7	9	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.5	6	5	5	7	9	10	10	10
35-49	17	9.4	35	2	3	8	13	18	22	23
50-64	81	17.1	222	3	5	11	22	48	54	99+
65+	265	18.1	219	3	5	13	24	40	52	97
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	6	11.7	14	6	6	12	15	16	16	16
35-49	16	13.7	361	2	2	7	15	69	92	99+
50-64	52	14.0	98	2	5	10	21	30	33	48
65+	65	21.0	359	4	6	15	29	58	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	12.7	176	2	3	8	16	29	61	99+
B. *Operated*	19	9.6	20	2	4	10	12	16	19	20
2. MULTIPLE DX										
A. *Not Operated*	367	17.3	213	3	5	12	23	42	53	99+
B. *Operated*	140	17.2	254	3	5	13	22	37	68	99+
1. SINGLE DX	84	12.0	142	2	3	9	14	25	55	99+
2. MULTIPLE DX	507	17.3	224	3	5	12	23	40	55	99+
A. NOT OPERATED	432	16.6	210	3	4	12	23	42	53	99+
B. OPERATED	159	16.3	232	3	5	12	20	36	62	99+
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	13	10.2	22	2	4	10	14	16	17	17
35-49	42	11.0	156	2	3	8	12	21	51	99+
50-64	150	14.8	166	2	4	10	19	40	51	99+
65+	385	18.0	241	3	5	13	24	41	59	99+
GRAND TOTAL	**591**	**16.5**	**215**	**3**	**4**	**12**	**22**	**40**	**55**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	12.3	94	6	6	8	15	29	31	31
50-64	17	28.2	384	3	4	32	42	86	99+	99+
65+	69	26.9	525	4	5	23	55	99+	99+	99+
B. *Operated*										
0-19 YRS	2	33.5	1625	5	5	33	62	62	62	62
20-34	2	30.0	2	29	29	30	31	31	31	31
35-49										
50-64	7	21.6	628	6	8	14	83	99+	99+	99+
65+	11	38.3	348	13	18	47	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	93	25.9	480	3	5	25	43	99+	99+	99+
B. *Operated*	22	31.8	480	6	11	30	66	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	115	27.1	481	4	5	26	57	99+	99+	99+
A. NOT OPERATED	93	25.9	480	3	5	25	43	99+	99+	99+
B. OPERATED	22	31.8	480	6	11	30	66	99+	99+	99+
TOTAL 0-19 YRS	2	33.5	1625	5	5	33	62	62	62	62
20-34	3	21.0	244	3	3	29	30	31	31	31
35-49	6	12.3	94	6	6	8	27	86	99+	99+
50-64	24	26.3	440	4	4	30	54	99+	99+	99+
65+	80	28.5	512	4	6	26	58	99+	99+	99+
GRAND TOTAL	**115**	**27.1**	**481**	**4**	**5**	**26**	**57**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.0	6	<1	<1	2	4	7	7	7
35-49	15	3.2	3	<1	1	3	4	5	7	7
50-64	88	4.8	18	1	1	4	7	10	14	22
65+	326	6.1	40	1	2	4	8	12	15	35
B. *Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	21	6.0	9	2	3	6	8	10	12	13
50-64	50	5.2	14	1	1	4	8	11	12	15
65+	47	6.0	42	1	1	5	8	12	13	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	10	4.3	6	1	1	4	6	7	8	8
35-49	45	6.0	42	1	2	4	7	10	23	31
50-64	181	7.2	48	1	2	5	9	13	18	59
65+	1012	9.3	106	1	2	7	12	20	28	96
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	6	7.0	21	1	1	7	12	12	12	12
35-49	20	6.5	18	1	2	5	8	14	16	16
50-64	137	8.5	67	1	1	7	11	15	21	74
65+	185	10.8	110	1	1	8	14	21	29	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	5.7	34	1	1	4	7	11	14	30
B. *Operated*	120	5.7	24	1	1	5	8	11	12	23
2. MULTIPLE DX										
A. *Not Operated*	1250	8.8	95	1	2	6	11	19	25	92
B. *Operated*	349	9.6	103	1	1	7	12	18	27	70
1. SINGLE DX	554	5.7	32	1	1	4	8	11	14	29
2. MULTIPLE DX	1599	9.0	97	1	2	6	11	19	25	83
A. NOT OPERATED	1684	8.0	81	1	2	5	10	17	24	69
B. OPERATED	469	8.6	86	1	1	7	11	17	22	51
TOTAL 0-19 YRS	3	10.3	1	9	9	11	11	11	11	11
20-34	23	5.0	11	<1	1	5	7	10	12	12
35-49	101	5.7	25	1	2	4	7	10	14	30
50-64	456	6.9	46	1	1	5	9	13	17	41
65+	1570	8.7	96	1	2	6	11	18	25	78
GRAND TOTAL	**2153**	**8.2**	**82**	**1**	**2**	**6**	**10**	**17**	**23**	**67**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	16	1	1	3	7	10	10	10
20-34	4	11.5	130	3	3	7	19	28	28	28
35-49	14	9.9	44	<1	1	8	15	20	21	21
50-64	71	13.7	262	1	2	8	16	31	61	96
65+	321	17.9	315	2	3	12	24	50	71	99+
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	11	8.9	113	2	2	6	9	22	38	40
50-64	16	9.0	35	2	3	7	10	20	22	23
65+	12	27.8	671	9	9	17	56	82	97	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	19.3	569	5	5	11	18	61	72	72
20-34	6	15.2	137	2	2	16	23	30	31	31
35-49	20	12.9	196	1	2	11	16	24	46	64
50-64	144	14.6	247	3	4	10	19	44	82	99+
65+	965	21.5	382	3	5	15	31	63	94	99+
B. *Operated*										
0-19 YRS										
20-34	4	17.0	49	8	8	17	21	25	25	25
35-49	5	10.8	77	3	3	10	16	24	24	24
50-64	38	18.9	398	4	5	13	17	59	83	99+
65+	95	27.4	494	6	8	23	44	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	16.7	297	2	3	11	21	46	65	99+
B. *Operated*	40	14.7	307	2	3	9	15	44	76	99+
2. MULTIPLE DX										
A. *Not Operated*	1142	20.4	367	3	5	14	30	60	92	99+
B. *Operated*	142	24.2	459	5	7	16	38	86	99+	99+
1. SINGLE DX	454	16.5	297	2	3	11	21	46	67	99+
2. MULTIPLE DX	1284	20.8	378	3	5	15	30	63	95	99+
A. NOT OPERATED	1556	19.4	351	3	4	13	28	55	81	99+
B. OPERATED	182	22.1	440	4	6	15	35	82	99+	99+
TOTAL 0-19 YRS	11	13.8	404	1	2	7	15	40	69	72
20-34	15	14.4	93	2	3	11	22	28	30	31
35-49	50	11.0	120	1	2	8	15	20	29	64
50-64	269	14.6	262	2	3	10	17	41	80	99+
65+	1393	21.1	381	3	4	15	31	62	92	99+
GRAND TOTAL	**1738**	**19.7**	**361**	**3**	**4**	**13**	**29**	**57**	**86**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	69.0		69	69	69	69	69	69	69
20-34										
35-49	6	24.2	846	2	3	14	22	76	82	82
50-64	59	23.2	541	3	4	15	38	73	89	99+
65+	303	27.7	546	4	6	23	52	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	38.5	1301	13	13	38	64	64	64	64
50-64	10	34.0	748	5	7	36	75	99+	99+	99+
65+	28	46.3	750	15	18	69	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	369	27.0	553	4	5	22	50	97	99+	99+
B. *Operated*	41	41.9	774	6	14	55	93	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	410	28.5	593	4	6	24	56	99+	99+	99+
A. NOT OPERATED	369	27.0	553	4	5	22	50	97	99+	99+
B. OPERATED	41	41.9	774	6	14	55	93	99+	99+	99+
TOTAL 0-19 YRS	1	69.0		69	69	69	69	69	69	69
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	27.8	834	2	4	14	43	77	82	82
50-64	69	24.8	575	3	4	17	44	83	99	99+
65+	331	29.3	588	4	6	25	59	99+	99+	99+
GRAND TOTAL	**410**	**28.5**	**593**	**4**	**6**	**24**	**56**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	5.2	18	1	1	4	7	12	12	12
35-49	8	6.0	29	<1	<1	6	7	15	18	18
50-64	16	8.6	157	1	2	4	9	45	82	99+
65+	108	12.3	273	1	2	7	14	32	75	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	6.1	22	2	2	5	8	14	16	16
35-49	8	9.9	145	1	1	7	10	30	38	38
50-64	11	10.1	110	<1	1	8	13	26	36	37
65+	17	7.4	84	1	1	3	10	26	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.8	70	4	4	11	18	24	24	24
20-34	9	4.0	11	1	1	3	5	9	12	12
35-49	21	10.0	168	1	2	6	10	32	45	49
50-64	70	10.9	271	2	2	6	11	27	65	97
65+	485	15.6	252	2	3	10	21	44	91	99+
B. *Operated*										
0-19 YRS	3	26.0	601	1	1	27	44	50	50	50
20-34	5	16.4	40	6	6	17	21	22	22	22
35-49	19	19.3	390	2	3	13	25	47	69	79
50-64	33	15.5	329	1	1	13	22	62	93	99+
65+	54	18.7	336	2	2	12	31	50	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	11.2	237	1	2	6	13	30	66	99+
B. *Operated*	45	8.2	85	1	1	6	10	19	32	38
2. MULTIPLE DX										
A. *Not Operated*	589	14.7	251	2	3	10	20	41	81	99+
B. *Operated*	114	18.0	329	1	2	13	26	52	77	99+
1. SINGLE DX	183	10.4	201	1	1	6	12	30	51	99+
2. MULTIPLE DX	703	15.2	265	2	3	10	21	45	80	99+
A. NOT OPERATED	727	14.0	250	2	3	9	19	39	79	99+
B. OPERATED	159	15.2	279	1	1	10	22	48	61	99+
TOTAL 0-19 YRS	9	15.4	250	1	2	10	25	41	50	50
20-34	27	7.1	39	1	1	5	11	17	21	22
35-49	56	12.6	236	1	1	7	14	32	47	78
50-64	130	11.8	259	1	2	6	13	37	72	99+
65+	664	15.1	261	2	3	10	21	44	84	99+
GRAND TOTAL	**886**	**14.2**	**255**	**2**	**2**	**9**	**19**	**40**	**73**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	10.0	181	1	1	4	17	30	30	30
65+	28	8.9	78	2	2	6	12	28	38	99+
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	23	7.5	35	1	1	7	10	14	19	26
50-64	57	5.4	31	<1	1	3	8	14	18	21
65+	61	7.8	47	1	1	7	12	16	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	25	13.6	273	2	3	9	15	24	40	86
65+	156	15.2	252	2	3	11	24	55	99+	99+
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	16.4	43	7	7	20	21	22	22	22
35-49	39	12.6	131	1	2	11	16	29	50	99+
50-64	235	12.5	147	1	1	11	15	23	43	66
65+	270	17.1	271	1	1	13	23	40	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	9.0	85	2	2	5	12	30	34	99+
B. *Operated*	142	6.7	40	1	1	5	10	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	186	14.8	250	2	3	10	22	45	84	99+
B. *Operated*	550	14.8	210	1	1	12	19	35	56	99+
1. SINGLE DX	174	7.2	48	1	1	5	10	16	24	34
2. MULTIPLE DX	736	14.8	220	1	2	11	19	37	60	99+
A. NOT OPERATED	218	13.9	229	2	3	9	21	38	79	99+
B. OPERATED	692	13.1	186	1	1	11	17	30	45	99+
TOTAL 0-19 YRS	2	14.5	41	10	10	14	19	19	19	19
20-34	7	12.3	79	1	1	12	21	22	22	22
35-49	65	10.4	98	1	1	9	14	20	39	93
50-64	321	11.3	143	1	1	9	14	22	38	67
65+	515	15.0	238	1	1	11	22	38	69	99+
GRAND TOTAL	**910**	**13.3**	**196**	**1**	**1**	**10**	**17**	**32**	**56**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	8.8	70	3	3	5	14	21	21	21
65+	21	11.8	80	3	4	9	15	27	31	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	32	11.4	42	2	2	11	15	21	24	27
65+	66	14.0	80	3	3	13	17	23	35	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	9	7.9	38	1	1	6	10	17	22	22
65+	82	10.1	181	1	2	6	12	24	35	98
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	38.0	128	30	30	38	46	46	46	46
35-49	4	11.8	9	8	8	12	14	15	15	15
50-64	117	16.2	105	4	8	14	18	27	36	59
65+	329	19.1	152	4	9	16	23	34	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	11.3	77	3	4	8	15	26	29	34
B. *Operated*	98	13.1	69	2	3	12	17	23	30	43
2. MULTIPLE DX										
A. *Not Operated*	94	9.6	164	1	2	6	11	22	33	97
B. *Operated*	453	18.4	141	4	8	16	22	32	44	70
1. SINGLE DX	123	12.7	70	3	3	11	17	23	29	43
2. MULTIPLE DX	547	16.9	156	2	4	15	20	31	41	72
A. NOT OPERATED	119	10.0	145	1	2	6	12	23	33	96
B. OPERATED	551	17.5	132	3	6	15	21	31	40	70
TOTAL 0-19 YRS	1	18.0		18	18	18	18	16	18	18
20-34	3	25.7	520	1	1	30	42	46	46	46
35-49	6	8.2	36	<1	<1	9	13	15	15	15
50-64	162	14.6	94	2	5	13	18	25	31	57
65+	498	16.7	157	2	4	15	21	32	41	76
GRAND TOTAL	**670**	**16.1**	**143**	**2**	**4**	**14**	**20**	**30**	**39**	**70**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	4.2	15	<1	<1	2	9	9	9	9
35-49	7	12.4	73	1	2	11	21	23	23	23
50-64	15	9.9	16	3	6	10	13	15	16	16
65+	16	12.3	71	2	6	9	15	22	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	23.0		23	23	23	23	23	23	23
35-49										
50-64	3	4.7	14	2	2	3	7	9	9	9
65+	7	7.1	26	1	1	8	10	14	15	15
B. *Operated*										
0-19 YRS										
20-34	3	27.3	549	10	10	18	45	54	54	54
35-49	4	21.3	656	2	2	12	36	59	59	59
50-64	27	18.7	191	4	8	17	21	40	77	99+
65+	67	17.5	206	4	7	14	20	30	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*	45	10.2	50	1	2	9	14	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	12	7.6	42	1	2	6	10	17	22	23
B. *Operated*	101	18.3	220	3	7	15	20	35	60	89
1. SINGLE DX	50	9.4	51	1	1	8	13	17	23	37
2. MULTIPLE DX	113	17.1	211	2	4	14	20	32	58	87
A. NOT OPERATED	17	6.0	36	<1	1	4	9	14	20	23
B. OPERATED	146	15.8	181	2	4	13	19	28	50	80
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	10	13.0	262	<1	<1	9	18	38	54	54
35-49	11	15.6	260	1	2	12	21	38	57	59
50-64	47	14.3	143	2	3	12	18	23	47	99+
65+	93	15.3	178	1	3	12	18	26	37	76
GRAND TOTAL	**163**	**14.8**	**174**	**2**	**2**	**12**	**18**	**25**	**45**	**78**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	2	2.0	2	1	1	2	3	3	3	3
20-34	4	4.5	9	2	2	4	7	8	8	8
35-49	8	9.3	13	3	4	10	12	13	13	13
50-64	11	8.7	24	2	2	8	13	15	16	16
65+	16	8.7	56	1	1	6	14	22	23	23
B. *Operated*										
0-19 YRS.	1	4.0		4	4	4	4	4	4	4
20-34	4	5.3	28	1	1	3	8	13	13	13
35-49	54	8.2	35	1	2	8	12	14	19	29
50-64	166	9.4	53	1	2	9	14	19	23	33
65+	164	9.6	79	1	2	9	13	18	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	1	4.0		4	4	4	4	4	4	4
20-34	4	5.8	2	4	4	6	7	7	7	7
35-49	4	5.0	74	<1	<1	4	9	11	11	11
50-64	22	8.0	25	1	1	7	11	16	17	18
65+	47	10.2	52	1	1	9	15	19	24	29
B. *Operated*										
0-19 YRS.										
20-34	13	10.1	64	1	2	11	15	33	85	99+
35-49	80	13.2	106	1	3	13	16	22	34	92
50-64	398	13.7	146	1	1	12	17	26	36	66
65+	569	14.7	160	1	1	13	20	32	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	8.1	34	1	2	7	13	16	20	23
B. *Operated*	389	9.3	61	1	2	9	13	18	22	38
2. MULTIPLE DX										
A. *Not Operated*	78	9.0	42	1	1	8	13	18	21	28
B. *Operated*	1060	14.2	150	1	1	12	18	29	38	85
1. SINGLE DX	430	9.2	59	1	2	8	13	18	22	37
2. MULTIPLE DX	1138	13.8	144	1	1	12	18	28	37	81
A. NOT OPERATED	119	8.7	39	1	1	7	13	18	21	28
B. OPERATED	1449	12.8	131	1	1	11	17	26	34	71
TOTAL 0-19 YRS.	4	3.0	2	1	1	3	4	4	4	4
20-34	25	7.8	44	1	2	6	11	23	41	99+
35-49	146	10.9	79	1	2	10	14	19	26	75
50-64	597	12.2	118	1	1	11	16	23	31	64
65+	796	13.3	140	1	1	11	18	29	36	76
GRAND TOTAL	**1568**	**12.5**	**125**	**1**	**1**	**11**	**16**	**25**	**34**	**68**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	19	7.4	31	1	1	7	9	15	21	23
20-34	13	4.5	4	<1	1	5	6	7	7	7
35-49	13	4.1	10	1	1	3	5	10	11	11
50-64	37	5.0	21	<1	1	4	6	12	14	22
65+	45	6.7	30	1	2	5	9	16	17	25
B. *Operated*										
0-19 YRS.	4	14.0	74	3	3	14	19	24	24	24
20-34	19	8.4	81	<1	<1	6	12	17	29	38
35-49	49	5.8	40	<1	<1	3	8	14	18	29
50-64	137	9.0	78	<1	1	7	13	18	25	39
65+	135	9.6	112	<1	1	6	14	24	31	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	15	9.3	48	1	1	10	16	18	19	19
20-34	16	7.7	11	3	4	7	10	12	14	15
35-49	25	7.0	39	1	1	6	8	10	21	31
50-64	58	10.8	208	1	2	6	13	22	38	79
65+	165	12.6	208	1	2	8	15	33	55	99+
B. *Operated*										
0-19 YRS.	4	5.3	14	2	2	5	8	9	9	9
20-34	19	12.3	137	1	2	10	17	30	41	65
35-49	72	12.3	187	1	3	8	15	27	56	92
50-64	253	12.9	149	1	2	10	17	24	44	85
65+	322	16.1	223	1	2	12	23	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	5.8	24	1	1	5	7	13	16	23
B. *Operated*	344	6.8	67	<1	1	6	13	20	26	53
2. MULTIPLE DX										
A. *Not Operated*	279	11.3	175	1	2	7	14	27	49	99+
B. *Operated*	670	14.3	190	1	2	11	18	34	48	96
1. SINGLE DX	471	8.0	72	<1	1	5	11	17	24	42
2. MULTIPLE DX	949	13.4	187	1	2	10	17	32	46	99+
A. NOT OPERATED	406	9.6	134	1	2	6	11	19	32	93
B. OPERATED	1014	12.5	162	1	1	9	16	29	41	80
TOTAL 0-19 YRS.	42	8.5	41	1	1	8	13	18	21	24
20-34	67	8.6	71	<1	1	6	11	18	22	44
35-49	159	8.8	113	<1	1	6	11	15	30	67
50-64	485	11.0	131	<1	1	8	15	22	34	76
65+	667	13.3	193	1	2	9	17	32	50	99+
GRAND TOTAL	**1420**	**11.6**	**155**	**1**	**1**	**8**	**15**	**27**	**41**	**83**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.9	25	1	2	8	8	14	19	19
20-34	52	7.1	14	2	3	7	10	12	13	15
35-49	95	7.3	16	2	3	7	9	13	15	21
50-64	106	8.5	19	3	4	8	10	15	17	23
65+	130	8.9	37	3	3	7	11	17	22	29
B. *Operated*										
0-19 YRS	8	9.1	60	1	1	8	13	21	24	24
20-34	17	7.3	25	1	1	9	11	14	15	16
35-49	34	9.6	175	<1	1	6	11	15	27	77
50-64	41	8.6	37	1	2	8	12	18	21	23
65+	35	13.5	102	3	5	11	18	30	35	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.0	7	3	3	5	8	10	10	10
20-34	45	8.1	53	1	2	6	10	15	24	37
35-49	81	8.3	34	2	2	7	11	14	19	33
50-64	143	11.0	53	3	4	9	14	20	26	37
65+	246	11.7	77	3	4	9	14	20	31	48
B. *Operated*										
0-19 YRS	3	11.3	124	3	3	7	20	24	24	24
20-34	10	16.6	239	1	2	13	20	41	54	54
35-49	25	10.8	25	3	4	11	14	17	18	21
50-64	65	14.1	80	3	5	11	20	28	30	42
65+	85	14.1	80	4	5	13	18	29	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	8.1	24	2	3	7	10	14	17	26
B. *Operated*	135	10.0	91	1	2	9	12	21	25	51
2. MULTIPLE DX										
A. *Not Operated*	525	10.6	62	3	4	8	13	19	26	44
B. *Operated*	188	13.8	81	3	5	12	17	28	31	99+
1. SINGLE DX	529	8.6	42	2	3	8	11	16	20	30
2. MULTIPLE DX	713	11.4	69	3	4	9	14	21	30	48
A. NOT OPERATED	919	9.5	47	2	3	8	12	17	22	37
B. OPERATED	323	12.2	88	2	3	10	16	25	30	82
TOTAL 0-19 YRS	32	7.6	35	1	2	7	9	15	23	24
20-34	124	8.3	52	1	2	7	11	14	18	41
35-49	235	8.3	46	2	2	7	11	14	17	29
50-64	355	10.5	50	2	3	9	13	20	25	35
65+	496	11.5	71	3	4	9	14	22	30	49
GRAND TOTAL	**1242**	**10.2**	**59**	**2**	**3**	**8**	**13**	**19**	**25**	**44**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	10.2	27	2	3	10	12	17	18	18
35-49	8	15.5	139	2	3	12	23	34	37	37
50-64	34	13.3	156	1	2	9	19	37	41	48
65+	98	19.5	285	2	4	14	29	47	58	88
B. *Operated*										
0-19 YRS	13	4.8	6	1	2	4	6	8	10	10
20-34	382	4.3	15	2	2	4	5	6	8	14
35-49	623	4.4	6	2	2	4	5	7	9	13
50-64	489	5.5	27	2	2	4	6	9	12	24
65+	136	9.4	150	1	2	5	8	26	43	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	6.9	121	<1	<1	2	7	27	31	31
35-49	18	9.6	90	<1	<1	5	16	26	29	30
50-64	54	14.8	339	1	2	9	17	36	77	99+
65+	195	22.5	360	4	5	17	31	52	72	99+
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	80	6.3	54	2	2	4	6	8	19	46
35-49	207	7.2	64	2	3	5	8	13	21	31
50-64	258	8.5	85	2	2	5	9	17	27	51
65+	139	18.6	367	2	4	11	27	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	17.7	245	2	3	12	23	43	52	76
B. *Operated*	1643	5.1	28	2	2	4	5	8	11	28
2. MULTIPLE DX										
A. *Not Operated*	275	19.7	350	2	3	14	27	46	69	99+
B. *Operated*	685	9.9	152	2	3	6	10	23	35	78
1. SINGLE DX	1789	6.1	57	2	2	4	6	10	17	46
2. MULTIPLE DX	960	12.7	228	2	3	7	15	32	47	98
A. NOT OPERATED	421	19.0	314	2	3	13	27	45	60	99+
B. OPERATED	2328	6.5	69	2	2	4	6	11	20	51
TOTAL 0-19 YRS	15	5.0	6	1	3	5	7	8	9	10
20-34	475	4.7	24	2	2	4	5	7	10	29
35-49	856	5.3	25	2	2	4	6	9	12	28
50-64	835	7.3	77	2	2	5	8	14	22	46
65+	568	18.0	322	2	3	11	26	46	61	99+
GRAND TOTAL	**2749**	**8.4**	**127**	**2**	**2**	**5**	**8**	**19**	**32**	**66**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	34	3.1	5	<1	1	3	4	5	7	12
35-49	40	3.1	4	<1	<1	3	5	6	7	8
50-64	36	4.3	13	<1	1	3	6	9	11	18
65+	27	5.7	13	1	2	5	7	13	14	15
B. *Operated*										
0-19 YRS	10	5.2	2	2	3	5	6	7	7	7
20-34	422	4.9	4	2	3	5	6	7	8	10
35-49	524	5.2	4	2	3	5	6	8	9	12
50-64	312	5.4	9	2	3	5	6	8	9	12
65+	98	6.0	13	3	3	5	7	9	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	28	2.9	5	<1	<1	2	5	6	7	7
35-49	45	4.2	14	<1	1	3	6	8	10	20
50-64	32	3.7	11	<1	1	3	4	7	11	17
65+	72	7.8	82	1	2	6	9	13	16	62
B. *Operated*										
0-19 YRS	8	3.8	1	2	2	4	5	5	5	5
20-34	363	5.1	5	2	3	5	6	8	9	13
35-49	519	6.0	15	3	3	5	7	9	11	18
50-64	450	6.5	20	3	3	6	8	10	13	23
65+	202	8.5	39	3	4	6	10	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.9	9	<1	1	3	5	7	10	15
B. *Operated*	1366	5.2	6	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	178	5.4	43	<1	1	4	7	11	14	28
B. *Operated*	1542	6.3	18	3	3	5	7	10	13	23
1. SINGLE DX	1505	5.1	6	2	3	5	6	8	9	13
2. MULTIPLE DX	1720	6.2	21	2	3	5	7	10	13	23
A. NOT OPERATED	317	4.8	29	<1	1	4	6	9	12	22
B. OPERATED	2908	5.8	13	3	3	5	7	9	11	19
TOTAL 0-19 YRS	21	4.7	3	1	2	5	6	7	8	9
20-34	847	4.9	5	2	3	5	6	8	8	12
35-49	1128	5.4	10	2	3	5	7	8	9	16
50-64	830	5.9	16	2	3	5	7	9	11	20
65+	399	7.6	40	2	3	6	8	14	18	33
GRAND TOTAL	**3225**	**5.7**	**14**	**2**	**3**	**5**	**7**	**9**	**11**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.9	24	<1	<1	5	9	13	16	18
20-34	56	8.4	19	2	3	8	10	14	16	24
35-49	93	8.6	32	1	2	8	11	14	18	32
50-64	98	8.8	30	2	3	8	12	16	19	27
65+	115	9.6	50	2	3	8	12	17	24	37
B. *Operated*										
0-19 YRS	35	6.8	62	1	2	3	6	17	29	32
20-34	97	5.8	37	<1	2	3	7	13	18	31
35-49	80	7.1	24	2	2	6	10	14	18	21
50-64	50	8.5	65	2	2	8	10	14	19	53
65+	41	12.1	39	3	4	11	16	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.3	25	1	2	6	11	14	17	19
20-34	54	7.9	38	<1	1	7	12	15	21	27
35-49	88	10.9	100	2	4	9	14	18	28	92
50-64	187	10.0	64	2	3	8	13	18	21	48
65+	385	10.9	71	2	3	9	14	22	26	38
B. *Operated*										
0-19 YRS	20	4.5	17	<1	1	3	6	12	13	14
20-34	71	8.2	73	1	1	4	11	22	28	38
35-49	79	9.7	81	1	2	8	12	18	30	47
50-64	127	15.7	147	3	5	12	18	33	40	64
65+	182	19.0	255	3	6	14	23	41	57	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	8.7	35	2	3	8	11	16	19	28
B. *Operated*	303	7.6	45	2	2	5	10	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	732	10.4	70	2	2	9	14	20	25	40
B. *Operated*	479	14.4	182	1	2	12	17	31	41	70
1. SINGLE DX	688	8.2	40	2	2	7	11	16	19	30
2. MULTIPLE DX	1211	12.0	118	2	2	10	15	23	33	61
A. NOT OPERATED	1117	9.8	58	2	2	8	13	18	23	38
B. OPERATED	782	11.7	140	1	2	9	15	24	35	65
TOTAL 0-19 YRS	96	6.2	36	<1	1	4	8	14	18	32
20-34	278	7.3	44	1	2	6	10	15	22	31
35-49	340	9.1	61	1	2	8	12	16	21	39
50-64	462	11.1	88	2	3	9	14	20	26	53
65+	723	12.8	125	2	3	11	16	25	33	67
GRAND TOTAL	**1899**	**10.6**	**93**	**2**	**2**	**9**	**14**	**20**	**27**	**52**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5381	3.3	6	1	1	3	4	6	8	12
20-34	310	3.3	3	1	2	3	4	5	7	9
35-49	88	4.1	5	1	2	4	6	7	8	9
50-64	64	4.7	13	1	2	4	6	9	12	21
65+	118	7.3	57	2	3	6	9	12	14	52
B. *Operated*										
0-19 YRS	210	2.5	2	2	2	2	3	3	5	9
20-34	42	4.2	13	1	2	3	4	8	13	18
35-49	11	4.9	31	1	2	3	4	13	20	21
50-64	8	2.9	1	2	2	3	4	4	4	4
65+	5	6.0	12	2	2	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4793	4.6	13	1	1	4	6	9	11	19
20-34	315	4.0	7	1	1	3	5	7	9	15
35-49	160	4.5	7	2	2	4	6	8	10	12
50-64	189	6.3	23	1	2	5	8	12	15	24
65+	460	9.1	63	2	3	7	11	17	22	34
B. *Operated*										
0-19 YRS	85	5.4	31	2	2	3	7	11	18	28
20-34	31	6.3	34	2	2	4	7	14	20	27
35-49	12	8.6	92	<1	1	7	9	21	34	36
50-64	15	8.0	50	<1	<1	5	13	16	23	26
65+	19	12.9	122	2	2	9	17	30	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5961	3.4	7	1	1	3	4	7	8	13
B. *Operated*	276	2.9	5	1	2	2	3	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	5917	5.0	19	1	2	4	6	9	12	21
B. *Operated*	162	7.0	52	1	2	4	9	16	25	36
1. SINGLE DX	6237	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	6079	5.0	20	1	2	4	6	10	12	23
A. NOT OPERATED	11878	4.2	13	1	1	3	5	8	10	18
B. OPERATED	438	4.4	27	1	2	3	4	10	14	27
TOTAL 0-19 YRS	10469	3.9	10	1	1	3	5	7	10	16
20-34	698	3.8	7	1	2	3	5	7	8	15
35-49	271	4.6	11	1	2	4	6	8	9	20
50-64	276	5.9	22	1	2	5	7	12	14	24
65+	602	8.8	64	2	3	7	10	17	22	39
GRAND TOTAL	**12316**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2737	4.8	12	1	2	4	6	9	11	17
20-34	104	4.0	4	1	2	4	5	7	8	9
35-49	74	4.4	5	1	2	4	6	8	9	11
50-64	90	5.6	9	2	2	5	7	8	12	16
65+	173	7.1	24	2	3	6	9	13	15	30
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1942	6.2	22	2	2	5	8	11	14	23
20-34	109	5.0	17	1	2	4	6	8	10	26
35-49	142	5.8	23	1	2	5	7	11	14	26
50-64	335	7.5	33	2	3	6	9	15	17	33
65+	862	9.5	58	3	4	8	12	17	22	37
B. *Operated*										
0-19 YRS	13	7.9	23	2	2	8	11	14	17	18
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	3	10.0	73	2	2	9	16	19	19	19
50-64	17	12.5	82	2	4	10	18	26	33	35
65+	34	14.9	163	2	2	14	19	26	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3178	4.9	13	1	2	4	6	9	11	17
B. *Operated*	13	5.5	22	2	2	3	6	14	16	17
2. MULTIPLE DX										
A. *Not Operated*	3390	7.1	34	2	2	6	9	13	17	29
B. *Operated*	69	12.6	113	2	2	10	18	22	29	60
1. SINGLE DX	3191	4.9	13	1	2	4	6	9	11	17
2. MULTIPLE DX	3459	7.2	36	2	2	6	9	14	18	30
A. NOT OPERATED	6568	6.1	25	1	2	5	8	11	15	25
B. OPERATED	82	11.5	105	2	2	9	16	21	28	58
TOTAL 0-19 YRS	4694	5.4	17	1	2	4	7	10	13	21
20-34	217	4.5	11	1	2	4	6	8	8	17
35-49	224	5.4	18	1	2	4	6	10	12	24
50-64	445	7.3	31	2	3	6	9	14	17	33
65+	1070	9.3	58	2	3	7	11	17	22	37
GRAND TOTAL	**6650**	**6.1**	**26**	**1**	**2**	**5**	**8**	**11**	**15**	**25**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	211	2.7	1	2	2	3	3	4	4	5
20-34	685	2.7	1	1	2	3	3	4	4	6
35-49	255	2.6	1	1	2	3	3	4	4	5
50-64	122	2.5	1	<1	1	3	3	4	4	4
65+	29	3.0	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	10	1.1		<1	<1	1	1	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	8	1.5	1	<1	<1	1	2	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	233	2.8	1	2	2	3	3	4	5	7
20-34	793	2.9	1	2	2	3	3	4	5	7
35-49	371	3.1	9	2	2	3	3	4	5	9
50-64	174	3.0	2	2	2	3	3	4	5	10
65+	53	3.4	4	1	2	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	1302	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	28	1.7	6	<1	<1	1	1	2	4	14
B. Operated	1624	3.0	3	2	2	3	3	4	5	7
1. SINGLE DX	1304	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1652	2.9	3	2	2	3	3	4	5	8
A. NOT OPERATED	30	1.7	6	<1	<1	1	1	2	3	14
B. OPERATED	2926	2.8	2	2	2	3	3	4	4	7
TOTAL 0-19 YRS	450	2.8	1	1	2	3	3	4	5	6
20-34	1489	2.8	1	1	2	3	3	4	4	7
35-49	630	2.9	6	2	2	3	3	4	4	7
50-64	304	2.8	1	1	2	3	3	4	4	7
65+	83	3.4	4	2	2	3	4	5	7	13
GRAND TOTAL	**2956**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	8	2.9	1	2	2	3	4	4	4	4
20-34	28	2.9	6	1	1	2	3	4	7	14
35-49	44	2.4	1	<1	<1	2	3	4	4	5
50-64	50	2.8	2	1	2	2	3	4	5	9
65+	36	3.3	12	<1	1	2	4	6	7	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64	4	1.3		1	1	1	2	2	2	2
65+										
B. Operated										
0-19 YRS	22	2.9	2	1	2	2	3	5	6	6
20-34	68	2.8	2	1	2	2	3	5	6	9
35-49	79	2.9	4	1	2	2	3	4	5	13
50-64	115	2.9	4	1	2	2	3	4	6	12
65+	51	4.1	32	2	2	3	3	5	9	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	166	2.8	4	<1	1	2	3	4	5	13
2. MULTIPLE DX										
A. Not Operated	6	1.8	1	1	1	2	2	4	4	4
B. Operated	335	3.0	8	1	2	2	3	5	6	14
1. SINGLE DX	168	2.8	4	<1	1	2	3	4	5	13
2. MULTIPLE DX	341	3.0	7	1	2	2	3	5	6	13
A. NOT OPERATED	8	1.6	1	1	1	1	2	3	4	4
B. OPERATED	501	3.0	6	1	2	2	3	4	6	13
TOTAL 0-19 YRS	30	2.9	1	2	2	3	3	5	5	6
20-34	99	2.8	3	1	2	2	3	4	6	12
35-49	124	2.7	3	1	1	2	3	4	5	12
50-64	169	2.8	3	1	2	2	3	4	5	10
65+	87	3.8	23	1	2	3	3	5	9	32
GRAND TOTAL	**509**	**2.9**	**6**	**1**	**2**	**2**	**3**	**4**	**6**	**13**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.1	7	<1	1	2	4	5	7	15
20-34	12	3.1	1	<1	1	3	4	5	5	5
35-49	5	3.0	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7150	2.1	1	1	2	2	2	3	3	5
20-34	1413	2.8	1	1	2	3	3	4	4	6
35-49	147	3.1	3	2	2	3	3	4	5	12
50-64	31	3.8	11	2	2	3	4	7	9	19
65+	8	5.4	35	1	1	3	6	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	2.1	6	<1	<1	1	2	4	6	13
20-34	7	1.9	1	<1	<1	1	3	4	4	4
35-49	4	3.5	3	1	1	4	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2937	2.2	2	1	1	2	2	3	4	8
20-34	257	3.2	2	2	2	3	4	5	5	10
35-49	49	3.3	3	2	2	3	4	5	6	10
50-64	18	3.3	2	2	2	3	4	6	6	6
65+	5	10.8	89	3	3	6	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	3.1	5	<1	1	3	4	5	7	15
B. *Operated*	8749	2.3	1	1	2	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	173	2.1	6	<1	<1	1	2	4	6	12
B. *Operated*	3266	2.3	2	1	1	2	2	3	4	8
1. SINGLE DX	8836	2.3	1	1	2	2	3	3	4	5
2. MULTIPLE DX	3439	2.3	2	1	1	2	2	3	4	9
A. NOT OPERATED	260	2.5	6	<1	<1	2	3	5	6	14
B. OPERATED	12015	2.3	1	1	2	2	2	3	4	6
TOTAL 0-19 YRS	10318	2.2	1	1	1	2	2	3	3	6
20-34	1689	2.8	1	1	2	3	3	4	5	7
35-49	205	3.1	3	2	2	3	4	5	5	11
50-64	49	3.6	7	2	2	3	4	6	7	19
65+	14	7.0	56	1	1	3	8	20	22	22
GRAND TOTAL	**12275**	**2.3**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	3.8	8	1	1	3	5	7	9	16
20-34	150	3.3	3	1	1	3	4	6	7	9
35-49	53	3.5	3	1	2	3	4	6	8	9
50-64	33	4.2	8	<1	<1	4	6	8	8	11
65+	25	4.4	10	<1	<1	4	6	9	11	13
B. *Operated*										
0-19 YRS	155	2.6	2	1	1	2	3	4	6	7
20-34	301	2.8	3	<1	1	2	3	4	6	8
35-49	172	2.5	2	1	1	2	3	4	4	9
50-64	140	3.1	8	<1	1	2	3	5	8	16
65+	80	3.1	5	<1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	5.0	12	1	1	4	7	9	12	18
20-34	69	3.7	10	<1	1	3	4	7	9	19
35-49	41	4.5	10	<1	1	4	7	9	10	14
50-64	58	5.1	16	<1	1	4	7	12	14	17
65+	51	6.8	51	<1	1	5	7	14	17	47
B. *Operated*										
0-19 YRS	134	3.2	11	<1	<1	2	3	6	8	19
20-34	289	3.0	14	<1	<1	3	3	4	5	15
35-49	220	3.1	10	<1	<1	3	3	5	7	17
50-64	204	3.5	9	<1	1	3	4	6	9	13
65+	116	6.5	72	<1	1	3	8	14	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	516	3.7	6	1	1	3	5	7	8	13
B. *Operated*	848	2.8	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	382	5.0	18	1	1	4	7	9	13	18
B. *Operated*	963	3.6	20	<1	<1	3	3	6	10	25
1. SINGLE DX	1364	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	1345	4.0	20	<1	<1	3	4	8	11	19
A. NOT OPERATED	898	4.2	12	1	1	3	5	8	10	17
B. OPERATED	1811	3.2	12	<1	1	3	3	5	8	16
TOTAL 0-19 YRS	707	3.7	9	1	1	3	5	7	9	17
20-34	809	3.0	8	<1	<1	3	3	5	7	12
35-49	486	3.1	6	<1	1	3	3	5	7	13
50-64	435	3.7	10	<1	1	3	4	8	10	15
65+	272	5.3	45	<1	1	3	6	12	15	38
GRAND TOTAL	**2709**	**3.5**	**12**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3482	5.8	19	2	2	5	7	11	13	22
20-34	621	5.3	8	2	2	5	7	9	11	15
35-49	416	5.9	11	2	2	5	7	10	12	17
50-64	372	7.0	16	2	3	6	8	11	14	24
65+	792	9.2	48	2	3	7	11	16	22	35
B. *Operated*										
0-19 YRS	8	9.3	57	1	2	7	13	21	23	23
20-34	4	10.0	19	5	5	10	13	15	15	15
35-49	12	9.8	49	1	1	9	15	20	20	20
50-64	18	9.4	49	1	2	10	12	18	25	28
65+	19	13.3	109	2	3	10	18	30	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2409	7.5	37	2	2	6	9	14	19	30
20-34	328	6.7	18	2	3	6	8	13	15	23
35-49	362	7.9	32	2	3	7	10	14	18	30
50-64	797	9.8	60	3	4	8	12	17	23	43
65+	2571	12.7	102	3	4	10	15	24	32	55
B. *Operated*										
0-19 YRS	41	14.1	123	3	4	10	18	36	39	41
20-34	27	14.8	116	4	6	11	18	27	35	54
35-49	36	16.1	209	4	5	9	20	33	45	73
50-64	120	19.1	142	6	7	17	23	36	44	99+
65+	238	23.0	264	5	8	20	29	44	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5683	6.3	23	2	2	5	8	11	14	24
B. *Operated*	61	10.7	66	1	2	9	14	21	28	36
2. MULTIPLE DX										
A. *Not Operated*	6467	9.9	70	2	3	8	12	19	25	44
B. *Operated*	462	20.2	216	5	7	17	26	39	54	99+
1. SINGLE DX	5744	6.4	23	2	2	5	8	11	14	25
2. MULTIPLE DX	6929	10.5	87	2	3	8	13	21	28	51
A. NOT OPERATED	12150	8.2	51	2	3	6	10	15	21	38
B. OPERATED	523	19.1	208	4	6	16	25	38	51	99+
TOTAL 0-19 YRS	5940	6.6	28	2	2	5	8	12	16	27
20-34	980	6.1	17	2	2	5	7	11	13	22
35-49	826	7.3	34	2	3	6	9	13	17	30
50-64	1307	9.8	65	3	3	8	12	18	25	44
65+	3620	12.6	110	3	4	10	15	25	32	60
GRAND TOTAL	**12673**	**8.6**	**62**	**2**	**3**	**7**	**10**	**16**	**23**	**42**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	499	4.0	10	1	1	3	5	8	10	17
20-34	152	3.1	4	1	1	3	4	6	7	9
35-49	119	3.6	4	1	2	3	4	6	8	10
50-64	139	4.8	9	1	2	4	6	8	11	14
65+	293	7.4	44	2	2	6	9	13	18	27
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	417	5.0	20	1	1	4	6	10	12	23
20-34	177	3.7	7	1	1	3	5	7	9	15
35-49	141	4.8	9	1	2	4	6	9	10	16
50-64	282	6.9	24	2	2	6	9	13	17	24
65+	814	10.0	99	2	3	7	12	20	27	61
B. *Operated*										
0-19 YRS	3	14.7	21	12	12	12	18	20	20	20
20-34	5	9.0	17	3	3	9	12	14	14	14
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	8	11.4	39	2	3	10	16	20	21	21
65+	19	16.6	146	4	5	14	23	44	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1212	4.8	19	1	1	4	6	9	12	20
B. *Operated*	6	3.3	4	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1831	7.4	60	1	2	5	9	15	20	40
B. *Operated*	37	13.8	95	3	4	12	17	28	44	99+
1. SINGLE DX	1218	4.8	19	1	1	4	6	9	12	20
2. MULTIPLE DX	1868	7.5	61	1	2	5	9	15	21	43
A. NOT OPERATED	3043	6.3	45	1	2	5	8	12	17	33
B. OPERATED	43	12.3	96	2	3	11	16	25	43	99+
TOTAL 0-19 YRS	920	4.5	15	1	1	3	6	9	12	20
20-34	346	3.5	6	1	1	3	4	7	8	13
35-49	262	4.3	7	1	2	4	6	8	9	13
50-64	431	6.3	21	2	2	5	8	12	15	22
65+	1127	9.4	88	2	3	7	11	18	25	57
GRAND TOTAL	**3086**	**6.4**	**46**	**1**	**2**	**5**	**8**	**13**	**17**	**35**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1087	4.5	11	1	2	4	6	9	11	15
20-34	79	4.2	8	1	2	4	5	7	8	19
35-49	82	5.2	14	1	2	4	7	10	11	21
50-64	167	6.8	22	2	2	6	9	12	16	26
65+	327	8.3	45	2	3	7	10	15	21	30
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	10	6.7	26	2	2	5	8	14	20	20
35-49	10	4.5	21	<1	<1	3	5	11	16	16
50-64	28	7.1	35	1	1	5	10	13	18	29
65+	20	7.0	20	2	2	5	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	781	6.3	32	1	2	5	8	11	14	28
20-34	115	4.8	13	1	2	4	6	9	10	23
35-49	136	6.2	17	1	2	5	8	11	14	20
50-64	348	8.7	65	2	3	7	10	16	20	56
65+	958	10.5	83	2	3	8	13	21	27	54
B. *Operated*										
0-19 YRS	9	16.1	470	1	1	9	16	52	71	71
20-34	7	10.9	198	1	1	3	14	35	40	40
35-49	21	7.4	26	2	2	7	10	16	19	20
50-64	64	10.3	57	2	2	9	15	21	23	33
65+	76	17.1	256	2	3	14	20	38	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1742	5.4	21	1	2	4	7	10	13	24
B. *Operated*	69	6.8	27	1	2	5	10	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	2338	8.3	60	2	2	6	10	16	22	43
B. *Operated*	177	13.2	175	1	2	10	17	27	38	96
1. SINGLE DX	1811	5.5	21	1	2	4	7	11	13	24
2. MULTIPLE DX	2515	8.6	70	2	2	7	11	17	23	47
A. NOT OPERATED	4080	7.1	45	2	2	5	9	14	18	35
B. OPERATED	246	11.4	142	1	2	9	15	23	35	86
TOTAL 0-19 YRS	1878	5.3	23	1	2	4	7	10	12	21
20-34	211	4.9	18	1	2	4	6	8	10	24
35-49	249	5.9	17	1	2	5	7	11	14	20
50-64	607	8.3	52	2	2	6	10	16	20	39
65+	1381	10.3	86	2	3	8	13	20	27	58
GRAND TOTAL	**4326**	**7.3**	**52**	**2**	**2**	**5**	**9**	**14**	**19**	**38**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	6.2	27	2	2	5	8	15	15	15
50-64	45	10.2	219	1	2	6	12	18	30	95
65+	101	11.6	119	3	4	8	14	22	35	58
B. *Operated*										
0-19 YRS										
20-34	4	12.3	92	3	3	12	20	21	21	21
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	2	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	11	19.5	455	4	4	10	24	57	70	71
50-64	151	13.0	142	2	3	9	15	27	36	60
65+	354	14.0	167	3	4	10	16	30	40	67
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	4	15.5	90	8	8	12	22	29	29	29
35-49	5	8.4	90	2	2	5	11	25	25	25
50-64	16	18.2	218	2	3	16	25	56	67	99+
65+	37	19.9	310	4	5	15	25	56	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	11.0	145	2	3	7	14	19	30	66
B. *Operated*	10	9.2	51	1	2	6	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	517	13.8	165	3	4	10	16	29	41	78
B. *Operated*	63	18.1	254	2	4	14	24	39	72	99+
1. SINGLE DX	161	10.9	139	2	3	7	13	19	30	64
2. MULTIPLE DX	580	14.3	176	3	4	10	17	30	46	84
A. NOT OPERATED	668	13.2	162	3	3	9	15	28	39	76
B. OPERATED	73	16.9	235	2	4	14	21	35	68	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	9	13.0	78	3	4	10	20	26	29	29
35-49	23	12.7	274	1	2	6	15	31	55	71
50-64	214	12.7	165	2	3	9	16	28	36	74
65+	494	13.9	170	3	4	10	16	30	41	83
GRAND TOTAL	**741**	**13.5**	**170**	**3**	**3**	**10**	**16**	**29**	**41**	**79**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4222	4.0	9	1	1	3	5	7	9	16
20-34	799	3.8	7	1	1	3	5	7	9	14
35-49	573	5.0	14	1	2	4	7	10	12	17
50-64	770	5.6	17	1	2	5	7	10	13	18
65+	613	7.5	33	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	5	10.0	76	2	2	8	15	24	24	24
20-34	8	4.6	3	1	2	5	6	7	7	7
35-49	5	8.6	30	5	5	6	11	18	18	18
50-64	10	5.8	6	2	2	7	8	9	9	9
65+	2	17.0	128	9	9	17	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1839	4.8	15	1	2	4	6	9	12	19
20-34	410	5.3	18	1	2	4	7	9	13	24
35-49	413	6.9	37	2	2	5	9	13	17	30
50-64	822	8.6	53	2	3	7	11	16	20	30
65+	1058	9.7	70	2	3	8	12	18	23	47
B. *Operated*										
0-19 YRS	20	11.7	160	1	2	9	13	22	43	58
20-34	19	15.5	183	2	3	10	25	44	76	99+
35-49	25	18.0	305	3	4	11	21	45	59	67
50-64	35	12.3	72	2	3	11	15	22	33	39
65+	54	18.1	191	4	5	14	21	36	62	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6977	4.5	13	1	1	4	6	8	11	18
B. *Operated*	30	7.4	33	2	2	6	8	15	24	25
2. MULTIPLE DX										
A. *Not Operated*	4542	6.9	41	1	2	5	9	13	18	30
B. *Operated*	153	15.6	180	2	4	12	20	36	52	98
1. SINGLE DX	7007	4.5	13	1	1	4	6	9	11	18
2. MULTIPLE DX	4695	7.2	48	1	2	5	9	14	19	36
A. NOT OPERATED	11519	5.4	25	1	2	4	7	11	14	24
B. OPERATED	183	14.2	165	2	3	11	18	32	46	88
TOTAL 0-19 YRS	6086	4.3	11	1	1	3	5	8	10	17
20-34	1236	4.5	16	1	1	3	5	8	11	23
35-49	1016	6.1	35	1	2	5	7	11	15	30
50-64	1637	7.2	39	2	2	6	9	13	17	29
65+	1727	9.2	64	2	3	7	11	17	22	46
GRAND TOTAL	**11702**	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	6.1	15	1	1	5	9	11	13	16
20-34	13	6.8	38	1	1	5	10	14	21	23
35-49	31	8.5	81	1	2	5	10	17	30	43
50-64	291	8.2	48	2	3	7	10	15	21	39
65+	624	9.8	83	2	3	7	12	18	25	64
B. *Operated*										
0-19 YRS										
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	7	6.0	13	<1	1	5	10	10	10	10
50-64	15	7.7	26	1	2	6	11	16	17	18
65+	16	13.3	344	3	4	7	11	25	63	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	9.0	148	2	2	6	8	14	38	57
20-34	25	6.3	18	1	2	5	8	11	15	21
35-49	104	10.1	87	2	3	7	12	20	24	55
50-64	716	11.0	99	2	3	8	13	22	30	55
65+	1886	12.9	148	3	4	9	15	27	38	87
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	12.0	64	<1	<1	13	17	22	23	23
35-49	21	17.1	137	3	5	15	20	33	45	52
50-64	79	20.2	283	3	5	15	25	51	67	99+
65+	156	21.0	322	4	6	16	28	45	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	983	9.1	71	2	3	7	11	17	23	53
B. *Operated*	40	9.8	153	1	2	7	10	17	23	79
2. MULTIPLE DX										
A. *Not Operated*	2750	12.2	133	2	3	9	15	24	34	76
B. *Operated*	263	20.2	290	4	6	15	26	46	67	99+
1. SINGLE DX	1023	9.2	74	2	3	7	11	17	23	54
2. MULTIPLE DX	3013	12.9	152	3	4	9	16	27	39	85
A. NOT OPERATED	3733	11.4	118	2	3	8	14	23	33	70
B. OPERATED	303	18.8	284	3	5	14	23	44	65	99+
TOTAL 0-19 YRS	44	7.4	72	1	2	6	9	12	15	57
20-34	46	7.4	31	1	1	6	10	14	21	23
35-49	163	10.5	95	2	3	7	13	20	29	51
50-64	1101	10.8	105	2	3	8	13	22	32	63
65+	2682	12.6	150	2	3	9	15	26	39	89
GRAND TOTAL	**4036**	**11.9**	**135**	**2**	**3**	**8**	**14**	**24**	**35**	**78**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.1	5	1	2	3	5	7	9	12
20-34	58	4.1	7	1	1	4	5	6	10	14
35-49	11	5.2	18	1	2	4	6	11	16	17
50-64	4	4.0	6	1	1	4	6	6	6	5
65+	4	7.0	34	1	1	6	11	15	15	15
B. *Operated*										
0-19 YRS	33	7.3	19	2	3	6	8	13	18	20
20-34	149	7.3	20	2	3	6	9	13	14	22
35-49	27	8.6	41	3	3	6	10	16	27	27
50-64	19	9.0	68	3	4	6	7	22	31	34
65+	6	14.0	152	3	3	10	20	34	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	10	1	1	7	8	9	9	9
20-34	13	4.9	6	2	2	5	6	8	10	10
35-49	4	4.3	12	1	1	3	6	9	9	9
50-64	9	10.8	27	3	5	10	14	19	19	19
65+	10	5.3	9	1	1	5	8	9	10	10
B. *Operated*										
0-19 YRS	12	12.3	88	2	4	9	14	29	34	35
20-34	65	10.9	94	3	3	8	13	20	23	66
35-49	20	10.5	52	2	3	9	11	20	28	33
50-64	29	10.6	45	3	4	9	14	18	25	32
65+	36	13.3	146	3	3	8	20	31	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.3	9	1	1	4	5	7	11	16
B. *Operated*	234	7.7	30	2	3	6	9	14	17	34
2. MULTIPLE DX										
A. *Not Operated*	43	6.3	17	1	2	6	8	10	15	19
B. *Operated*	162	11.4	90	3	4	8	14	23	29	55
1. SINGLE DX	332	6.7	26	2	2	5	8	13	15	29
2. MULTIPLE DX	205	10.3	79	2	3	8	12	21	26	45
A. NOT OPERATED	141	4.9	12	1	2	4	6	9	12	18
B. OPERATED	396	9.2	58	2	3	7	11	17	24	35
TOTAL 0-19 YRS	73	7.0	32	2	3	5	8	13	18	33
20-34	285	7.3	39	2	2	6	9	14	16	26
35-49	62	8.3	42	2	3	7	10	17	24	32
50-64	61	9.7	48	3	4	7	12	18	26	34
65+	56	11.5	121	2	3	8	14	26	33	57
GRAND TOTAL	**537**	**8.1**	**49**	**2**	**3**	**6**	**10**	**15**	**21**	**34**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	4.8	22	1	1	4	6	9	12	18
20-34	91	4.6	20	1	1	3	6	9	12	28
35-49	76	4.7	12	1	1	4	6	10	12	18
50-64	114	6.0	18	1	2	5	8	13	14	18
65+	173	9.1	88	2	2	7	10	19	27	53
B. *Operated*										
0-19 YRS	12	7.2	55	1	1	5	9	19	26	27
20-34	18	11.5	39	3	4	11	17	21	21	21
35-49	43	12.7	141	2	3	9	16	30	41	54
50-64	81	9.0	55	2	3	7	11	17	23	41
65+	53	10.6	85	2	2	9	15	19	32	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	6.6	33	1	2	5	8	13	16	27
20-34	89	6.5	53	1	1	4	8	12	17	44
35-49	136	7.0	32	1	2	5	9	15	19	27
50-64	299	9.0	58	1	2	7	11	18	23	38
65+	727	11.3	117	2	3	8	14	21	31	66
B. *Operated*										
0-19 YRS	23	9.4	110	2	2	7	12	18	33	50
20-34	32	16.3	126	2	3	14	24	34	43	99+
35-49	65	14.2	119	3	4	11	17	33	39	46
50-64	153	16.6	122	2	5	14	23	34	42	97
65+	196	18.8	269	3	4	14	25	42	59	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	5.8	37	1	2	4	7	11	15	33
B. *Operated*	207	10.3	80	2	2	8	13	20	30	47
2. MULTIPLE DX										
A. *Not Operated*	1651	9.1	80	2	2	7	11	17	23	51
B. *Operated*	469	16.8	187	2	3	13	23	36	49	97
1. SINGLE DX	1018	6.8	49	1	2	5	8	14	18	40
2. MULTIPLE DX	2120	10.8	114	2	2	8	14	22	32	60
A. NOT OPERATED	2462	8.0	68	1	2	6	10	16	21	44
B. OPERATED	676	14.8	163	2	3	11	19	33	43	79
TOTAL 0-19 YRS	792	5.9	32	1	2	4	7	12	15	27
20-34	230	7.5	64	1	1	5	10	17	25	45
35-49	320	8.7	72	1	2	6	11	18	26	45
50-64	647	10.2	79	2	2	8	14	22	29	49
65+	1149	12.2	147	2	3	8	15	25	38	71
GRAND TOTAL	**3138**	**9.5**	**96**	**1**	**2**	**7**	**12**	**19**	**28**	**54**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.5	5	1	1	3	4	7	8	13
20-34	58	3.6	4	1	1	3	5	5	7	12
35-49	18	3.1	3	1	1	3	3	5	8	9
50-64	7	4.9	10	2	2	3	8	10	10	10
65+	11	6.7	25	2	2	4	9	15	16	16
B. *Operated*										
0-19 YRS	878	1.8	2	<1	<1	1	2	4	5	7
20-34	1161	2.2	3	<1	<1	2	3	4	5	8
35-49	452	2.2	2	<1	<1	2	3	4	5	7
50-64	218	2.1	3	<1	<1	2	2	5	5	8
65+	87	2.3	2	<1	<1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.1	8	<1	<1	3	6	9	10	12
20-34	71	4.1	10	<1	1	3	6	9	10	14
35-49	36	3.2	6	<1	<1	3	4	6	9	11
50-64	24	6.6	71	<1	1	4	7	14	25	40
65+	16	4.5	29	<1	<1	3	5	9	19	23
B. *Operated*										
0-19 YRS	449	3.2	10	<1	1	2	4	5	6	19
20-34	504	3.4	5	<1	1	3	4	6	7	13
35-49	255	3.1	12	<1	1	2	4	6	8	16
50-64	231	3.0	22	<1	<1	2	3	4	6	27
65+	139	3.8	31	1	1	2	3	6	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	3.7	7	1	1	3	5	7	8	15
B. *Operated*	2796	2.1	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	241	4.2	16	<1	<1	3	5	9	11	19
B. *Operated*	1578	3.3	12	<1	1	2	4	6	7	19
1. SINGLE DX	2964	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1819	3.4	13	<1	1	2	4	6	8	19
A. NOT OPERATED	409	4.0	12	<1	1	3	5	8	10	15
B. OPERATED	4374	2.5	6	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	1495	2.5	5	<1	<1	2	3	5	6	10
20-34	1794	2.7	4	<1	<1	2	4	5	6	10
35-49	761	2.5	6	<1	<1	2	3	5	6	11
50-64	480	2.8	16	<1	<1	2	3	5	6	20
65+	253	3.5	21	<1	1	2	3	6	9	27
GRAND TOTAL	**4783**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	4.7	7	1	2	4	6	8	8	14
20-34	19	4.2	3	2	2	4	5	7	8	9
35-49	9	4.3	7	1	1	4	5	8	10	10
50-64	9	5.9	19	1	1	4	10	12	14	14
65+	10	5.5	10	1	2	5	7	10	11	11
B. *Operated*										
0-19 YRS	39	2.8	4	<1	<1	2	3	6	7	10
20-34	68	3.5	6	<1	<1	3	4	7	9	11
35-49	48	3.2	4	<1	<1	3	4	6	9	9
50-64	50	3.9	21	<1	1	3	4	6	12	30
65+	43	4.6	10	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.7	18	1	2	5	7	10	14	26
20-34	30	4.2	3	1	2	4	5	7	8	8
35-49	15	5.6	17	1	2	4	8	13	13	13
50-64	15	7.1	11	3	3	7	9	11	14	15
65+	37	7.3	41	1	2	5	9	18	22	31
B. *Operated*										
0-19 YRS	30	5.9	17	2	2	5	7	12	16	18
20-34	57	4.7	26	<1	2	3	5	8	9	36
35-49	47	4.1	6	1	2	3	6	8	9	12
50-64	51	4.9	10	<1	2	4	6	8	9	18
65+	50	6.3	26	2	2	5	8	14	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	4.7	7	1	2	4	6	8	10	14
B. *Operated*	248	3.6	9	<1	<1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	248	5.9	20	1	2	5	7	10	14	26
B. *Operated*	235	5.1	18	1	2	4	6	9	14	22
1. SINGLE DX	404	4.0	9	<1	1	3	5	8	9	14
2. MULTIPLE DX	483	5.5	19	1	2	4	7	10	14	23
A. NOT OPERATED	404	5.4	15	1	2	4	7	10	13	21
B. OPERATED	483	4.3	14	<1	1	3	5	8	10	20
TOTAL 0-19 YRS	329	5.1	14	1	2	4	6	8	12	18
20-34	174	4.1	12	<1	1	3	5	7	9	14
35-49	119	3.9	7	<1	1	3	5	8	9	13
50-64	125	4.9	16	<1	1	4	6	10	12	21
65+	140	6.0	25	1	2	5	8	11	18	25
GRAND TOTAL	**887**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.1	8	1	1	3	6	9	10	12
20-34	75	3.8	9	<1	1	3	6	8	10	15
35-49	108	3.7	13	<1	<1	3	5	7	11	21
50-64	103	3.6	9	<1	<1	3	5	8	10	12
65+	104	5.2	14	1	1	4	7	9	10	20
B. *Operated*										
0-19 YRS	8	9.6	28	2	2	10	13	16	16	16
20-34	44	7.7	31	1	2	7	10	13	16	32
35-49	41	7.8	24	1	2	8	9	11	17	27
50-64	70	7.0	30	<1	1	7	9	13	17	26
65+	69	7.5	93	1	2	6	9	14	15	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.8	23	1	1	4	6	8	12	29
20-34	91	4.0	13	<1	1	3	5	8	11	18
35-49	176	5.1	21	<1	1	4	7	10	13	26
50-64	265	6.0	25	1	1	4	9	13	16	25
65+	313	8.1	43	1	2	6	10	16	23	66
B. *Operated*										
0-19 YRS	13	7.8	50	<1	<1	4	13	20	20	20
20-34	42	8.3	30	1	2	7	10	17	19	25
35-49	101	12.1	141	<1	2	9	13	22	30	70
50-64	174	12.1	115	2	2	10	14	22	27	65
65+	268	11.2	125	2	2	8	14	23	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	4.1	11	<1	1	3	6	9	10	16
B. *Operated*	232	7.5	47	<1	2	7	10	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	939	6.2	31	1	1	5	8	13	17	31
B. *Operated*	598	11.4	117	1	2	9	14	22	29	72
1. SINGLE DX	685	5.2	26	<1	1	4	7	10	13	22
2. MULTIPLE DX	1537	8.2	71	1	2	6	11	17	23	56
A. NOT OPERATED	1392	5.5	25	1	1	4	7	11	15	27
B. OPERATED	830	10.3	101	1	2	8	13	19	27	68
TOTAL 0-19 YRS	178	5.0	21	1	1	4	6	10	13	24
20-34	252	5.3	21	<1	1	4	8	10	13	21
35-49	426	6.7	58	<1	1	5	9	13	18	33
50-64	612	7.4	58	<1	1	5	10	15	19	36
65+	754	8.7	77	1	2	6	11	17	25	75
GRAND TOTAL	**2222**	**7.3**	**59**	**1**	**1**	**5**	**9**	**15**	**20**	**40**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	9	4	4	8	10	11	11	11
20-34	26	3.9	4	<1	<1	4	5	6	7	8
35-49	45	4.2	9	<1	1	4	5	9	10	14
50-64	32	4.6	6	<1	1	4	5	9	9	10
65+	38	6.4	32	<1	<1	5	9	12	19	28
B. *Operated*										
0-19 YRS										
20-34	11	8.1	28	<1	1	8	11	15	19	19
35-49	28	9.4	30	<1	2	9	12	15	21	24
50-64	29	8.8	30	<1	1	9	13	17	19	19
65+	24	8.5	27	<1	2	8	12	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	20	<1	<1	4	8	13	13	13
20-34	25	6.4	29	1	2	5	8	14	19	25
35-49	46	9.7	134	2	2	6	9	16	32	70
50-64	54	9.0	68	1	2	7	11	17	24	46
65+	98	8.2	25	2	3	7	11	15	16	29
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	19	12.4	110	<1	2	10	14	27	39	44
35-49	51	14.1	133	4	5	11	16	30	36	67
50-64	69	13.6	96	4	5	12	16	25	29	62
65+	106	15.8	141	2	4	13	22	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	4.9	14	<1	1	4	6	9	11	23
B. *Operated*	92	8.8	28	<1	1	8	12	16	19	23
2. MULTIPLE DX										
A. *Not Operated*	228	8.4	58	2	2	7	10	15	19	42
B. *Operated*	247	14.5	123	3	5	12	19	29	37	74
1. SINGLE DX	238	6.4	23	<1	1	5	9	13	16	23
2. MULTIPLE DX	475	11.6	101	2	3	9	14	24	31	68
A. NOT OPERATED	374	7.1	44	1	2	5	9	13	16	36
B. OPERATED	339	13.0	104	1	4	11	16	25	33	69
TOTAL 0-19 YRS	12	7.0	14	<1	3	6	10	12	13	13
20-34	81	7.2	49	<1	1	5	9	14	18	41
35-49	170	9.5	96	1	2	7	11	18	30	62
50-64	184	9.9	72	1	2	8	13	19	25	43
65+	266	11.0	88	2	3	9	14	23	30	69
GRAND TOTAL	**713**	**9.9**	**81**	**1**	**2**	**8**	**12**	**20**	**27**	**48**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	3	4	4	7	8	8	8	8
20-34	20	4.5	6	1	2	4	5	7	10	12
35-49	25	5.6	7	3	3	5	6	11	11	12
50-64	39	6.8	16	3	3	5	8	11	16	21
65+	40	8.1	28	3	4	6	10	15	17	30
B. *Operated*										
0-19 YRS	3	6.3	26	2	2	5	10	12	12	12
20-34	11	8.2	13	3	4	8	11	13	15	15
35-49	13	9.1	22	3	3	9	13	15	17	17
50-64	28	9.5	28	3	4	8	13	18	20	21
65+	36	12.8	79	2	3	13	18	24	39	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	23	5.6	19	1	2	4	6	14	16	18
35-49	35	6.8	21	2	3	7	8	11	17	23
50-64	63	7.2	21	3	3	6	9	14	15	27
65+	110	10.5	80	3	3	7	14	19	23	53
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	11	13.6	90	4	5	10	18	27	36	37
35-49	44	12.0	109	4	4	9	14	22	28	63
50-64	75	13.2	117	4	4	11	16	28	33	94
65+	133	16.2	202	4	5	12	21	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	6.6	17	3	3	5	8	11	15	23
B. *Operated*	91	10.5	48	3	3	10	14	20	22	77
2. MULTIPLE DX										
A. *Not Operated*	233	8.6	52	2	3	6	11	16	21	41
B. *Operated*	264	14.5	159	4	4	11	19	30	37	97
1. SINGLE DX	221	8.2	33	3	3	6	11	16	20	34
2. MULTIPLE DX	497	11.7	117	3	3	9	14	23	33	78
A. NOT OPERATED	363	7.9	40	2	3	6	9	15	18	30
B. OPERATED	355	13.5	133	3	4	11	17	26	36	98
TOTAL 0-19 YRS	12	7.1	9	2	3	7	9	11	12	12
20-34	65	7.0	35	2	2	5	9	14	18	35
35-49	117	8.8	57	3	3	7	11	16	22	43
50-64	205	9.7	63	3	3	8	12	18	25	54
65+	319	12.8	133	3	4	10	16	25	37	88
GRAND TOTAL	**718**	**10.6**	**94**	**3**	**3**	**8**	**13**	**21**	**29**	**77**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	4.1	16	<1	1	3	5	8	10	25
20-34	206	3.5	5	<1	1	3	5	6	8	10
35-49	186	4.2	10	<1	<1	3	5	8	10	17
50-64	124	5.0	12	<1	1	4	7	10	12	16
65+	110	8.3	35	1	3	7	11	15	20	31
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	51	8.7	9	5	6	9	10	12	15	17
35-49	52	11.0	23	5	6	10	14	16	20	28
50-64	53	10.5	20	3	6	10	12	15	21	24
65+	17	11.9	54	2	6	10	16	17	29	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.5	14	1	2	4	6	7	9	24
20-34	133	5.1	13	1	2	4	7	9	14	18
35-49	177	6.6	27	1	2	6	8	12	14	25
50-64	193	6.9	24	1	2	6	9	13	17	24
65+	269	9.1	66	2	3	7	11	17	21	56
B. *Operated*										
0-19 YRS	5	5.6	7	<1	<1	6	7	8	8	8
20-34	47	11.7	43	4	7	9	14	21	26	37
35-49	77	12.4	49	4	6	11	16	22	24	39
50-64	72	13.8	86	4	4	12	17	26	31	55
65+	58	15.6	104	5	7	12	22	32	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	4.7	16	<1	1	4	6	9	12	20
B. *Operated*	175	10.2	22	4	6	10	12	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	813	7.1	39	2	2	6	9	14	17	29
B. *Operated*	259	13.3	72	4	6	11	17	25	31	47
1. SINGLE DX	890	5.8	22	<1	1	5	8	12	14	23
2. MULTIPLE DX	1072	8.6	53	2	2	7	11	17	22	37
A. NOT OPERATED	1528	6.0	29	1	2	5	8	12	15	26
B. OPERATED	434	12.0	54	4	6	10	14	22	27	41
TOTAL 0-19 YRS	137	4.3	15	<1	1	3	5	8	10	25
20-34	437	5.5	19	1	1	4	7	10	14	21
35-49	492	7.1	32	<1	2	6	9	14	18	26
50-64	442	7.9	39	1	2	7	10	14	19	31
65+	454	9.8	68	2	3	8	12	19	26	47
GRAND TOTAL	**1962**	**7.4**	**41**	**1**	**2**	**6**	**10**	**14**	**19**	**34**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.9	19	<1	1	4	6	7	15	21
20-34	99	4.7	8	1	2	4	6	8	9	18
35-49	102	5.2	9	2	2	4	7	9	10	17
50-64	106	5.6	11	2	2	5	7	9	11	20
65+	100	7.7	23	2	3	7	10	14	16	25
B. *Operated*										
0-19 YRS	4	9.0	28	4	4	8	13	16	16	16
20-34	41	9.0	12	5	5	8	10	15	16	18
35-49	42	9.5	20	4	5	9	11	16	17	27
50-64	46	9.7	29	4	6	9	11	14	18	37
65+	32	12.2	32	6	7	11	15	20	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	6	2	3	6	7	9	11	11
20-34	65	5.8	26	2	3	5	6	11	13	35
35-49	85	5.4	11	2	2	5	7	9	11	20
50-64	130	7.5	20	2	3	6	10	13	18	38
65+	201	9.5	73	3	4	7	12	18	22	66
B. *Operated*										
0-19 YRS	7	9.3	31	4	4	8	14	18	18	18
20-34	19	11.9	68	2	4	10	15	18	30	40
35-49	51	13.5	113	4	5	11	15	23	35	62
50-64	77	15.6	94	7	7	14	19	26	30	56
65+	132	20.8	250	6	8	16	24	40	61	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	426	5.8	14	2	2	5	7	10	13	21
B. *Operated*	165	9.9	24	4	6	9	12	16	18	28
2. MULTIPLE DX										
A. *Not Operated*	494	7.7	43	2	3	6	9	14	19	36
B. *Operated*	286	17.2	177	5	7	14	19	32	47	70
1. SINGLE DX	591	6.9	20	2	2	6	9	13	16	24
2. MULTIPLE DX	780	11.2	113	3	3	8	14	20	30	66
A. NOT OPERATED	920	6.8	31	2	3	5	8	12	17	28
B. OPERATED	451	14.6	133	5	6	11	17	26	38	66
TOTAL 0-19 YRS	43	6.3	20	1	2	6	8	12	17	21
20-34	224	6.4	24	2	2	5	8	12	15	25
35-49	280	7.5	40	2	3	6	9	14	17	33
50-64	359	9.0	48	2	3	7	11	17	20	47
65+	465	12.5	138	3	4	9	15	23	32	71
GRAND TOTAL	**1371**	**9.4**	**78**	**2**	**3**	**7**	**11**	**18**	**23**	**52**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	5.7	2	4	4	5	6	8	8	8
65+	5	6.6	2	4	4	7	7	3	8	8
B. *Operated*										
0-19 YRS										
20-34	6	9.2	49	<1	<1	10	14	18	18	18
35-49	8	11.8	17	7	7	11	16	17	17	17
50-64	6	13.2	65	3	3	12	19	24	25	25
65+	8	14.1	76	8	8	11	16	29	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	8	3.0	5	<1	<1	2	4	6	7	7
50-64	7	10.1	215	<1	1	5	8	36	43	43
65+	14	11.8	166	1	4	7	12	25	46	52
B. *Operated*										
0-19 YRS										
20-34	5	12.6	9	9	9	13	15	16	16	16
35-49	28	15.9	105	8	8	13	17	24	48	49
50-64	33	23.6	281	9	9	19	28	42	49	97
65+	36	20.6	173	8	9	17	27	38	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.8	3	2	4	6	7	8	8	8
B. *Operateo*	28	12.2	49	1	4	11	16	19	26	34
2. MULTIPLE DX										
A. *Not Operated*	31	8.8	131	<1	<1	5	8	20	42	52
B. *Operated*	102	19.9	189	8	9	16	23	37	48	98
1. SINGLE DX	43	10.0	42	2	4	8	13	18	21	34
2. MULTIPLE DX	133	17.3	197	3	5	14	21	35	48	97
A. NOT OPERATED	46	7.8	90	<1	1	6	8	12	26	52
B. OPERATED	130	18.2	169	7	8	16	21	33	46	98
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	9.5	27	<1	1	9	14	16	17	18
35-49	45	12.6	93	<1	3	11	16	20	31	49
50-64	52	18.5	258	3	5	15	24	37	46	96
65+	63	16.7	165	5	6	13	20	34	48	96
GRAND TOTAL	**176**	**15.5**	**168**	**2**	**4**	**12**	**19**	**30**	**45**	**91**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	439	2.7	3	<1	1	2	3	5	6	8
20-34	427	3.1	9	<1	1	2	4	6	8	15
35-49	313	3.3	7	<1	1	3	4	6	8	13
50-64	256	3.9	15	<1	1	3	5	7	10	17
65+	253	5.3	17	1	1	4	7	10	13	19
B. *Operated*										
0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	33	3.9	18	<1	<1	1	7	10	13	16
35-49	28	5.1	26	<1	<1	3	7	13	16	18
50-64	31	4.5	21	<1	<1	3	7	10	15	20
65+	23	5.7	33	<1	<1	4	9	13	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	3.6	8	1	1	3	4	7	10	14
20-34	489	3.9	11	1	1	3	5	8	10	16
35-49	462	5.3	23	1	1	4	7	11	16	25
50-64	467	6.5	26	1	1	5	9	13	16	23
65+	725	8.0	61	1	2	6	10	16	22	43
B. *Operated*										
0-19 YRS	7	9.3	56	1	1	8	15	20	21	21
20-34	50	10.0	126	<1	1	7	12	20	25	58
35-49	52	9.8	82	<1	1	7	12	24	29	43
50-64	88	12.8	130	<1	1	9	17	26	37	55
65+	129	13.1	138	<1	3	9	17	27	36	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1688	3.5	10	<1	1	3	4	7	9	16
B. *Operated*	119	4.7	23	<1	<1	2	7	11	15	20
2. MULTIPLE DX										
A. *Not Operated*	2466	5.8	33	1	1	4	7	12	16	29
B. *Operated*	326	11.9	124	<1	1	9	16	25	36	60
1. SINGLE DX	1807	3.6	11	<1	1	3	5	7	9	16
2. MULTIPLE DX	2792	6.5	47	1	1	4	8	14	19	36
A. NOT OPERATED	4154	4.9	25	1	1	3	6	10	14	25
B. OPERATED	445	10.0	107	<1	<1	7	13	21	31	57
TOTAL 0-19 YRS	773	3.1	6	1	1	2	4	6	8	13
20-34	999	3.9	18	<1	1	3	5	8	10	19
35-49	855	4.9	23	<1	1	3	6	10	13	25
50-64	842	6.3	40	<1	1	5	8	13	17	31
65+	1130	7.9	64	1	2	6	10	16	22	42
GRAND TOTAL	**4599**	**5.4**	**35**	**<1**	**1**	**4**	**7**	**11**	**16**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.0	4	<1	1	2	4	6	7	11
20-34	108	3.7	8	<1	<1	3	5	8	10	14
35-49	101	3.6	10	<1	<1	3	5	9	11	13
50-64	73	4.0	13	<1	<1	3	5	7	12	20
55+	91	5.1	26	1	1	3	7	11	12	32
B. *Operated*										
0-19 YRS	17	5.5	13	<1	<1	5	9	10	12	13
20-34	17	8.1	12	<1	2	8	11	12	13	13
35-49	24	9.8	33	2	3	9	12	17	24	25
50-64	13	13.0	38	6	6	9	19	21	23	23
65+	9	12.9	68	4	5	11	15	26	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.9	8	1	1	3	5	9	10	14
20-34	100	5.1	16	<1	1	4	6	10	11	22
35-49	102	5.6	15	1	2	5	7	10	13	20
50-64	134	5.6	14	1	1	5	7	10	14	17
65+	237	9.0	126	1	2	6	10	17	25	69
B. *Operated*										
0-19 YRS	9	9.0	32	2	3	8	12	18	19	19
20-34	23	10.0	37	1	3	9	14	17	21	28
35-49	39	11.3	53	1	2	10	16	18	26	35
50-64	59	15.3	114	1	3	14	18	30	41	49
65+	69	20.6	354	3	5	15	27	52	68	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	3.9	12	<1	<1	3	5	8	11	14
B. *Operated*	80	9.4	35	1	3	9	12	17	22	30
2. MULTIPLE DX										
A. *Not Operated*	641	6.6	58	1	2	5	8	12	17	34
B. *Operated*	199	15.4	189	1	3	12	18	29	47	85
1. SINGLE DX	545	4.7	20	<1	<1	3	6	10	13	23
2. MULTIPLE DX	840	8.7	103	1	2	6	10	17	25	60
A. NOT OPERATED	1106	5.5	41	<1	1	4	7	11	14	26
B. OPERATED	279	13.7	152	1	3	10	16	27	40	72
TOTAL 0-19 YRS	186	3.9	10	<1	1	3	5	8	10	16
20-34	248	5.1	18	<1	1	4	7	10	13	20
35-49	266	6.1	27	<1	1	5	9	13	16	25
50-64	279	7.6	55	<1	1	5	9	16	21	42
65+	406	10.2	165	1	2	6	12	22	32	76
GRAND TOTAL	**1385**	**7.1**	**74**	**<1**	**1**	**5**	**9**	**15**	**20**	**48**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.8	5	<1	<1	2	5	6	7	7
20-34	9	2.6	4	1	1	2	3	6	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	1799	4.1	7	2	3	4	5	6	7	10
20-34	1236	4.2	3	2	3	4	5	6	7	10
35-49	326	4.8	5	2	3	4	5	7	10	13
50-64	119	5.3	11	2	3	5	6	8	9	20
65+	29	6.9	23	2	3	6	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	2	<1	<1	1	3	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	280	5.8	12	3	3	5	7	10	13	17
20-34	238	5.7	9	3	3	5	7	9	12	16
35-49	96	7.3	17	3	4	6	9	13	16	22
50-64	51	9.1	46	3	4	8	11	16	18	45
65+	28	12.3	113	4	4	9	13	24	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.7	4	<1	1	2	4	6	7	7
B. *Operated*	3509	4.3	6	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	12	2.0	1	<1	<1	2	3	3	4	4
B. *Operated*	693	6.5	20	3	3	5	8	11	14	24
1. SINGLE DX	3540	4.3	6	2	3	4	5	6	7	10
2. MULTIPLE DX	705	6.4	20	3	3	5	7	11	14	24
A. NOT OPERATED	43	2.5	3	<1	1	2	3	5	7	7
B. OPERATED	4202	4.6	9	2	3	4	5	7	9	15
TOTAL 0-19 YRS	2104	4.3	8	2	3	4	5	7	8	13
20-34	1486	4.4	4	2	3	4	5	7	8	12
35-49	424	5.3	9	2	3	4	6	9	11	16
50-64	173	6.4	24	3	3	5	7	10	14	31
65+	58	9.5	73	3	3	7	11	23	25	52
GRAND TOTAL	**4245**	**4.6**	**9**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	17	2	3	5	6	13	15	15
20-34	13	5.5	6	1	2	6	6	8	10	11
35-49	4	6.3	9	3	3	6	8	10	10	10
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	269	7.3	14	3	3	7	9	13	15	19
20-34	196	6.9	12	3	3	6	9	11	12	22
35-49	81	7.7	16	3	4	7	9	12	14	26
50-64	53	8.8	13	5	5	8	10	15	16	20
65+	31	10.4	22	5	5	10	13	18	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	8.2	11	3	3	9	11	11	11	11
35-49										
50-64	4	13.0	85	3	3	12	19	25	25	25
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	144	10.9	40	4	5	9	13	19	24	29
20-34	95	9.6	25	4	5	9	11	14	16	32
35-49	60	12.1	60	4	5	10	14	20	25	50
50-64	66	12.4	34	5	7	11	15	19	23	35
65+	62	14.8	59	6	8	13	18	26	32	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.9	11	2	2	5	7	11	14	15
B. *Operated*	630	7.5	15	3	3	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	11	10.3	48	2	2	10	13	21	25	25
B. *Operated*	427	11.6	44	4	5	10	14	19	25	36
1. SINGLE DX	657	7.4	15	3	3	7	9	12	15	21
2. MULTIPLE DX	438	11.5	44	4	5	10	14	19	25	36
A. NOT OPERATED	38	7.2	25	2	2	6	10	14	17	25
B. OPERATED	1057	9.1	30	3	4	8	11	15	19	31
TOTAL 0-19 YRS	421	8.5	26	3	4	7	10	15	18	26
20-34	309	7.7	17	3	3	7	10	12	14	25
35-49	145	9.4	39	3	4	8	11	15	20	32
50-64	125	10.7	30	5	5	10	13	17	20	32
65+	95	13.4	50	5	6	12	17	23	31	36
GRAND TOTAL	**1095**	**9.1**	**30**	**3**	**4**	**8**	**11**	**15**	**19**	**30**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	1.9	1	<1	1	2	2	3	5	7
20-34	44	2.3	2	1	1	2	3	4	5	6
35-49	11	3.5	6	1	1	3	5	7	9	9
50-64	4	1.5		1	1	1	2	2	2	2
65+	4	7.3	6	4	4	7	9	10	10	10
B. *Operated*										
0-19 YRS	229	4.6	3	3	3	4	5	7	8	10
20-34	137	4.7	4	3	3	4	5	7	8	12
35-49	43	4.7	3	3	3	4	5	7	9	10
50-64	18	7.8	18	3	4	7	9	14	18	19
65+	4	13.0	12	10	10	12	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.9	2	<1	<1	1	2	4	6	6
20-34	9	3.2	3	<1	<1	4	4	6	6	6
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64	3	6.0	4	4	4	6	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	97	5.5	12	3	3	5	6	8	10	22
20-34	93	5.8	12	3	3	5	7	9	11	22
35-49	20	6.7	9	3	4	6	8	11	12	13
50-64	12	8.5	18	4	4	8	12	14	14	14
65+	9	11.8	80	1	2	9	16	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	2.3	3	1	1	2	3	4	6	9
B. *Operated*	431	4.9	5	3	3	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	37	2.6	3	<1	<1	2	4	6	6	8
B. *Operated*	231	6.1	16	3	3	5	7	10	14	23
1. SINGLE DX	571	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX	268	5.6	15	1	2	5	7	9	14	23
A. NOT OPERATED	177	2.4	3	<1	1	2	3	5	6	9
B. OPERATED	662	5.3	9	3	3	5	6	8	10	19
TOTAL 0-19 YRS	421	4.2	6	1	1	4	5	7	8	14
20-34	283	4.7	7	1	2	4	6	7	9	16
35-49	80	4.9	6	1	2	4	6	8	10	13
50-64	37	7.2	18	1	2	6	9	14	15	19
65+	18	10.5	50	1	3	9	12	21	27	29
GRAND TOTAL	**839**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**9**	**18**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	1	1	1	2	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	9	5.6	52	1	1	2	7	18	23	23
B. *Operated*										
0-19 YRS	851	2.5	2	<1	1	2	3	4	5	7
20-34	1009	3.7	2	1	2	4	4	6	6	8
35-49	1033	4.1	3	2	2	4	5	6	7	9
50-64	1292	4.3	3	2	2	4	5	7	8	10
65+	961	5.2	9	2	2	5	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.8	4	<1	<1	1	2	3	7	9
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49	9	3.2	8	<1	<1	2	6	8	8	8
50-64	20	2.4	6	<1	<1	1	3	6	8	9
65+	19	4.3	11	<1	1	4	6	8	11	14
B. *Operated*										
0-19 YRS	461	2.9	4	<1	1	2	3	5	6	12
20-34	271	4.2	4	2	2	4	5	7	8	10
35-49	437	4.8	6	2	3	4	5	7	9	16
50-64	908	5.7	11	2	3	5	7	9	12	19
65+	1038	7.7	39	3	3	6	9	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.5	26	1	1	2	3	9	16	23
B. *Operated*	5146	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	88	2.6	7	<1	<1	1	3	7	8	12
B. *Operated*	3115	5.7	21	2	2	5	7	10	13	23
1. SINGLE DX	5167	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX	3203	5.6	21	1	2	5	7	10	13	23
A. NOT OPERATED	109	2.8	10	<1	<1	1	3	7	8	18
B. OPERATED	8261	4.7	11	1	2	4	6	8	10	18
TOTAL 0-19 YRS	1355	2.6	3	<1	1	2	3	5	6	10
20-34	1286	3.8	3	1	2	4	5	6	7	9
35-49	1481	4.3	4	2	2	4	5	6	7	11
50-64	2221	4.9	7	2	2	4	6	8	9	15
65+	2027	6.5	26	2	3	5	8	11	15	27
GRAND TOTAL	**8370**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	4	3.0	8	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	124	2.1	1	1	1	2	3	3	4	6
20-34	46	3.8	2	2	2	4	5	6	6	7
35-49	28	4.5	4	2	2	4	6	7	8	10
50-64	65	4.9	6	2	2	4	6	8	11	14
65+	62	6.4	8	3	3	6	7	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	8	5.4	20	2	2	4	5	13	16	16
B. *Operated*										
0-19 YRS	67	3.3	6	1	1	3	4	8	9	10
20-34	18	4.9	6	1	2	5	6	8	9	10
35-49	23	6.0	8	3	3	6	8	10	11	12
50-64	36	6.4	8	3	3	6	8	11	13	13
65+	117	10.8	69	3	4	8	13	21	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.9	3	1	1	1	2	4	6	7
B. *Operated*	325	3.9	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	14	5.7	17	1	2	5	7	11	15	16
B. *Operated*	261	7.4	45	1	2	6	9	14	20	36
1. SINGLE DX	339	3.8	7	1	1	3	5	7	9	12
2. MULTIPLE DX	275	7.3	43	1	2	6	9	14	20	36
A. NOT OPERATED	28	3.8	13	1	1	2	5	8	11	16
B. OPERATED	586	5.5	27	1	1	4	7	10	14	32
TOTAL 0-19 YRS	199	2.5	3	1	1	2	3	4	6	9
20-34	69	4.1	4	2	2	4	5	7	8	11
35-49	53	5.2	6	2	3	4	7	9	10	12
50-64	102	5.5	7	2	3	5	7	9	11	14
65+	191	9.0	51	3	3	7	11	17	23	38
GRAND TOTAL	**614**	**5.4**	**26**	**1**	**1**	**4**	**7**	**10**	**14**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	40	1	1	1	9	12	12	12
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	128	2.3	1	<1	1	2	3	4	5	6
20-34	59	3.0	2	1	2	3	3	5	6	8
35-49	79	3.4	3	1	2	3	4	5	7	11
50-64	77	3.9	3	1	2	4	5	6	8	9
65+	29	4.1	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	3	<1	<1	1	2	5	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	5	5.2	27	1	1	3	9	13	13	13
B. *Operated*										
0-19 YRS	35	3.7	9	1	1	3	4	9	11	13
20-34	23	4.7	25	<1	1	4	5	7	14	26
35-49	62	4.9	11	1	2	4	6	8	10	22
50-64	74	6.1	12	1	3	6	8	10	11	21
65+	29	8.4	42	3	3	7	9	15	26	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	15	1	1	1	2	9	12	12
B. *Operated*	372	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	19	3.1	10	<1	1	2	4	7	11	13
B. *Operated*	223	5.5	18	1	2	4	7	10	11	26
1. SINGLE DX	380	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	242	5.3	18	1	1	4	7	10	11	26
A. NOT OPERATED	27	2.9	11	<1	1	1	3	8	12	13
B. OPERATED	595	4.0	10	1	1	3	5	7	9	16
TOTAL 0-19 YRS	175	2.6	4	<1	1	2	3	4	6	12
20-34	87	3.3	9	1	1	3	4	5	7	19
35-49	143	4.0	7	1	2	3	5	7	9	12
50-64	154	4.9	9	1	2	4	6	9	10	12
65+	63	6.2	27	1	2	5	7	10	15	31
GRAND TOTAL	**622**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	5	9.2	179	1	1	4	12	33	33	33
B. *Operated*										
0-19 YRS	64	2.7	2	<1	1	2	3	5	6	6
20-34	124	4.2	5	1	2	4	6	7	8	11
35-49	237	5.6	7	2	3	5	7	9	10	14
50-64	258	6.3	11	2	3	6	8	10	12	16
65+	152	7.7	14	3	4	7	9	13	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.3	7	1	1	2	5	7	7	7
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	16	8.7	71	<1	1	6	11	24	28	29
65+	28	9.3	82	2	2	7	12	17	24	47
B. *Operated*										
0-19 YRS	8	3.5	4	1	1	3	5	6	6	6
20-34	61	6.4	20	2	3	6	8	10	12	31
35-49	158	7.9	51	3	4	7	8	12	16	36
50-64	248	8.3	23	3	3	8	10	14	18	25
65+	231	10.1	46	4	4	9	12	18	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.1	87	1	1	3	5	19	32	33
B. *Operated*	835	5.8	10	2	2	5	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	55	7.6	70	<1	1	5	9	17	24	46
B. *Operated*	706	8.6	38	3	4	7	10	14	19	33
1. SINGLE DX	846	5.8	11	2	2	5	7	10	11	16
2. MULTIPLE DX	761	8.5	40	2	3	7	10	15	19	33
A. NOT OPERATED	66	7.4	72	<1	1	5	8	17	26	45
B. OPERATED	1541	7.1	25	2	3	6	9	12	15	26
TOTAL 0-19 YRS	73	2.7	2	<1	1	2	3	5	6	6
20-34	189	4.9	11	2	2	4	6	8	10	15
35-49	405	6.4	25	2	3	6	8	10	12	29
50-64	524	7.3	19	2	3	6	9	12	15	25
65+	416	9.1	39	3	4	8	11	16	21	37
GRAND TOTAL	**1607**	**7.1**	**27**	**2**	**3**	**6**	**9**	**12**	**15**	**29**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	5	<1	<1	3	4	7	7	7
20-34	13	3.7	8	<1	1	3	5	7	10	11
35-49	27	3.1	4	<1	1	3	4	5	7	11
50-64	38	4.4	8	<1	1	4	6	8	10	13
65+	78	6.5	16	1	2	6	9	11	14	20
B. *Operated*										
0-19 YRS										
20-34	11	8.1	4	3	5	9	9	10	10	10
35-49	21	7.9	9	2	4	8	10	11	12	12
50-64	18	7.9	11	<1	2	8	10	12	14	14
65+	13	12.0	22	8	8	10	13	17	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	29	5.0	23	<1	<1	4	6	8	11	27
35-49	96	5.1	12	<1	1	4	7	11	11	15
50-64	181	6.3	22	<1	1	5	8	12	15	23
65+	346	8.3	54	2	2	7	10	15	20	35
B. *Operated*										
0-19 YRS	3	10.3	22	5	5	12	13	14	14	14
20-34	33	10.4	17	6	7	9	12	16	18	26
35-49	108	9.9	60	3	5	9	10	14	17	57
50-64	136	10.7	31	2	5	10	13	18	20	28
65+	99	15.1	93	3	6	12	18	31	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	5.1	13	<1	1	4	7	10	12	19
B. *Operated*	63	8.8	14	2	5	9	10	13	14	24
2. MULTIPLE DX										
A. *Not Operated*	654	7.1	39	<1	2	6	9	13	18	29
B. *Operated*	379	11.6	58	3	5	10	13	19	27	41
1. SINGLE DX	225	6.1	16	<1	1	6	9	11	13	19
2. MULTIPLE DX	1033	8.8	51	1	2	8	11	16	20	36
A. NOT OPERATED	816	6.7	34	<1	2	5	9	13	17	28
B. OPERATED	442	11.2	53	3	5	10	13	18	25	39
TOTAL 0-19 YRS	11	5.1	19	<1	<1	4	7	13	14	14
20-34	86	7.3	23	1	1	7	9	12	16	27
35-49	252	7.2	38	<1	2	7	9	11	13	30
50-64	373	7.8	29	<1	2	7	10	14	18	25
65+	536	9.4	63	2	2	8	12	18	25	39
GRAND TOTAL	**1258**	**8.3**	**45**	**1**	**2**	**7**	**10**	**15**	**19**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	3	6.0	19	3	3	4	9	11	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	9	2.0	1	1	1	2	3	3	3	3
20-34	31	4.0	2	2	2	4	5	6	7	8
35-49	42	4.4	4	2	3	4	5	7	8	11
50-64	41	5.1	8	1	2	5	6	8	9	16
65+	34	5.9	23	2	2	4	7	9	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	4.0	27	<1	<1	1	8	10	10	10
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	7	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	11	5.5	22	2	2	5	5	12	18	19
35-49	18	7.5	39	2	3	5	8	15	23	28
50-64	37	7.3	36	3	3	6	8	14	18	35
65+	39	7.7	18	2	2	7	10	13	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.8	13	1	1	3	4	10	11	11
B. *Operated*	157	4.7	9	1	2	4	6	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	17	3.4	10	<1	1	2	4	9	10	10
B. *Operated*	109	7.1	28	2	3	6	9	14	18	31
1. SINGLE DX	163	4.7	9	1	2	4	6	8	9	16
2. MULTIPLE DX	126	6.6	27	1	2	5	8	12	16	30
A. NOT OPERATED	23	3.5	10	<1	1	2	4	9	10	11
B. OPERATED	266	5.7	18	2	2	5	7	9	14	27
TOTAL 0-19 YRS	16	2.0	1	1	1	2	3	3	4	4
20-34	45	4.4	8	1	2	4	5	7	8	19
35-49	66	5.3	16	1	3	4	6	9	12	26
50-64	82	6.0	22	1	2	5	7	9	15	30
65+	80	6.5	21	2	2	6	8	11	15	26
GRAND TOTAL	**289**	**5.5**	**18**	**1**	**2**	**4**	**7**	**9**	**13**	**25**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	6	9.2	129	2	2	4	12	29	31	31
B. *Operated*										
0-19 YRS	11	2.8	5	1	1	2	3	6	9	9
20-34	23	4.0	6	1	2	3	6	7	9	10
35-49	39	4.3	7	1	2	4	6	8	10	11
50-64	66	5.7	11	2	3	5	7	9	10	19
65+	47	9.3	36	3	4	8	12	15	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.5	85	<1	<1	7	14	14	14	14
50-64	3	5.7	12	2	2	6	8	9	9	9
65+	23	9.6	116	2	2	6	12	16	31	54
B. *Operated*										
0-19 YRS	8	8.1	22	3	3	7	12	15	16	16
20-34	15	7.9	19	2	2	7	11	14	16	17
35-49	43	12.1	202	3	3	7	11	34	46	67
50-64	75	11.4	113	3	4	9	14	20	31	95
65+	117	14.8	142	4	5	11	18	29	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.9	68	<1	1	4	8	18	29	31
B. *Operated*	186	5.9	20	1	2	5	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	28	9.0	100	1	2	6	12	15	22	54
B. *Operated*	258	12.8	136	3	4	9	15	24	39	80
1. SINGLE DX	198	6.0	22	1	2	5	7	11	14	28
2. MULTIPLE DX	286	12.4	133	3	4	9	14	23	39	76
A. NOT OPERATED	40	8.4	89	1	2	6	10	15	25	54
B. OPERATED	444	9.9	98	2	3	7	12	19	28	67
TOTAL 0-19 YRS	21	5.0	18	<1	1	3	7	12	14	16
20-34	38	5.5	14	2	2	5	7	11	14	17
35-49	86	8.3	119	1	2	5	9	14	34	64
50-64	146	8.6	71	2	3	6	10	17	20	82
65+	193	12.7	118	3	4	10	15	24	39	64
GRAND TOTAL	**484**	**9.8**	**98**	**2**	**3**	**7**	**12**	**19**	**28**	**64**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.6	4	<1	1	2	4	5	7	9
20-34	111	4.9	13	1	1	4	6	10	13	17
35-49	161	5.2	15	1	1	4	6	10	14	19
50-64	175	5.1	15	1	2	4	7	11	14	19
65+	231	6.8	38	1	2	6	8	12	16	36
B. *Operated*										
0-19 YRS	35	7.5	13	3	4	7	9	11	13	21
20-34	43	10.4	34	4	5	9	12	19	22	31
35-49	63	9.6	23	4	5	8	12	16	18	27
50-64	61	12.0	61	5	6	10	13	20	29	46
65+	66	16.3	126	7	8	13	17	27	38	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.7	11	1	2	4	6	9	11	16
20-34	100	4.6	9	1	1	4	6	8	10	15
35-49	137	5.9	22	1	2	5	7	13	16	22
50-64	205	7.3	42	2	2	6	8	13	17	36
65+	448	9.9	87	2	2	7	12	19	28	49
B. *Operated*										
0-19 YRS	34	12.4	65	4	5	10	14	26	27	42
20-34	78	15.1	152	5	5	11	17	30	45	63
35-49	116	15.9	109	5	7	13	19	31	35	78
50-64	179	16.8	106	6	7	14	21	30	37	64
65+	221	22.3	212	7	8	19	28	46	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	5.4	22	1	1	4	7	10	14	23
B. *Operated*	268	11.6	66	4	5	10	14	20	27	47
2. MULTIPLE DX										
A. *Not Operated*	920	8.0	61	1	2	6	9	16	20	44
B. *Operated*	628	18.1	157	5	7	14	23	34	47	72
1. SINGLE DX	1002	7.1	41	1	2	5	9	14	17	33
2. MULTIPLE DX	1548	12.1	124	2	3	9	15	25	34	62
A. NOT OPERATED	1654	6.8	45	1	2	5	8	14	17	36
B. OPERATED	896	16.2	138	5	6	13	20	31	43	68
TOTAL 0-19 YRS	155	6.3	34	1	1	5	9	13	17	27
20-34	332	7.9	66	1	2	6	10	15	22	48
35-49	477	8.6	60	1	2	6	11	17	23	37
50-64	620	9.9	78	2	2	8	13	21	27	46
65+	966	12.4	140	2	3	9	16	26	36	65
GRAND TOTAL	**2550**	**10.1**	**98**	**1**	**2**	**7**	**13**	**21**	**30**	**58**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3761	3.6	7	1	1	3	5	7	9	13
20-34	784	2.8	4	1	1	2	3	5	7	10
35-49	342	3.3	6	1	1	3	4	6	8	12
50-64	275	4.0	12	1	1	3	5	7	9	16
65+	431	5.3	20	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	25	5.4	13	1	2	5	6	10	12	19
20-34	46	5.6	11	2	3	5	8	9	11	18
35-49	14	7.6	24	2	3	7	9	12	20	22
50-64	17	9.5	50	2	3	7	12	21	24	26
65+	6	13.5	21	8	8	13	15	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2223	5.3	24	1	2	4	7	10	14	24
20-34	485	3.5	9	1	1	3	4	7	9	15
35-49	277	5.1	30	1	2	4	6	10	13	22
50-64	377	5.9	24	1	2	4	7	12	15	26
65+	934	8.5	91	2	2	6	10	16	23	63
B. *Operated*										
0-19 YRS	32	9.4	57	2	2	8	11	19	20	40
20-34	51	8.4	57	1	3	6	10	14	24	46
35-49	33	11.2	147	3	4	7	12	23	31	68
50-64	43	18.2	265	3	6	13	20	38	65	70
65+	61	21.3	265	4	7	16	29	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5593	3.6	8	1	1	3	5	7	9	14
B. *Operated*	108	6.9	24	2	3	5	9	13	19	24
2. MULTIPLE DX										
A. *Not Operated*	4296	5.8	39	1	2	4	7	11	15	31
B. *Operated*	220	14.5	196	3	3	10	18	32	49	87
1. SINGLE DX	5701	3.7	9	1	1	3	5	7	9	15
2. MULTIPLE DX	4516	6.3	50	1	2	4	7	12	17	37
A. NOT OPERATED	9889	4.6	23	1	1	3	6	9	12	22
B. OPERATED	328	12.0	152	2	3	8	14	25	40	72
TOTAL 0-19 YRS	6041	4.3	15	1	1	3	5	8	11	19
20-34	1366	3.3	9	1	1	3	4	6	9	15
35-49	666	4.5	26	1	1	3	6	9	12	23
50-64	712	6.0	45	1	1	4	7	12	16	31
65+	1432	8.1	86	1	2	6	10	16	23	62
GRAND TOTAL	**10217**	**4.8**	**29**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	4.4	9	1	1	5	7	9	10	10
35-49	91	5.8	11	1	2	5	8	9	12	18
50-64	175	5.2	7	1	2	5	7	8	10	13
65+	304	6.9	37	1	2	6	9	13	17	23
B. *Operated*										
0-19 YRS										
20-34	6	11.5	38	7	7	9	13	22	23	23
35-49	14	11.4	16	6	7	11	14	17	18	19
50-64	45	13.3	30	7	8	12	16	21	25	29
65+	42	13.1	40	4	6	12	15	23	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	7	6.1	18	3	3	4	7	14	15	15
35-49	55	7.0	26	2	2	6	8	13	15	32
50-64	185	7.1	25	2	3	6	9	12	15	31
65+	643	9.2	67	2	3	7	11	16	22	44
B. *Operated*										
0-19 YRS										
20-34	15	15.8	69	4	8	13	21	30	32	33
35-49	47	16.2	91	3	7	14	22	29	35	46
50-64	135	16.7	116	5	8	14	19	29	43	67
65+	199	22.1	248	6	9	17	26	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	6.1	24	1	2	5	8	11	15	20
B. *Operated*	108	12.9	32	6	7	12	15	21	25	30
2. MULTIPLE DX										
A. *Not Operated*	891	8.6	56	2	3	7	10	15	21	42
B. *Operated*	396	19.3	185	5	8	15	23	38	55	99
1. SINGLE DX	698	7.2	31	1	2	6	9	14	17	26
2. MULTIPLE DX	1287	11.9	120	3	3	9	15	24	32	63
A. NOT OPERATED	1481	7.6	45	1	2	6	9	14	18	33
B. OPERATED	504	18.0	159	6	8	15	22	32	49	86
TOTAL 0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	47	9.2	57	1	2	7	11	21	24	33
35-49	207	8.9	51	2	3	7	11	16	23	37
50-64	540	9.4	64	2	3	7	12	18	25	48
65+	1189	10.9	115	2	3	8	14	21	29	64
GRAND TOTAL	**1985**	**10.3**	**94**	**2**	**3**	**8**	**13**	**20**	**27**	**59**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.1	10	<1	<1	2	4	8	9	17
20-34	60	3.0	7	<1	<1	2	4	6	6	18
35-49	38	2.7	6	<1	<1	2	3	5	8	12
50-64	27	3.7	6	<1	<1	3	6	7	8	9
65+	8	4.9	45	<1	<1	1	7	16	20	20
B. *Operated*										
0-19 YRS	78	2.9	3	<1	1	3	4	5	6	7
20-34	460	3.7	7	1	1	3	4	7	9	14
35-49	398	3.9	7	1	1	3	5	7	9	12
50-64	182	4.1	9	1	2	3	5	7	10	16
65+	51	5.0	15	1	1	5	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.2	5	<1	<1	3	4	6	9	10
20-34	30	5.1	30	<1	<1	3	5	13	16	25
35-49	28	4.2	18	<1	<1	3	6	10	12	19
50-64	27	5.5	18	<1	<1	4	10	12	13	14
65+	26	6.7	16	<1	1	6	10	11	14	16
B. *Operated*										
0-19 YRS	45	5.7	41	1	2	4	6	11	19	35
20-34	251	5.0	36	1	2	4	5	8	12	25
35-49	256	4.8	13	1	2	4	6	8	10	24
50-64	165	6.1	32	1	2	4	7	10	16	27
65+	97	8.7	102	1	2	5	9	21	23	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	3.1	9	<1	<1	2	4	6	8	18
B. *Operated*	1169	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	142	4.9	18	<1	<1	4	6	11	13	19
B. *Operated*	814	5.6	37	1	2	4	6	10	15	28
1. SINGLE DX	1345	3.7	8	<1	1	3	5	7	9	14
2. MULTIPLE DX	956	5.5	35	1	2	4	6	10	14	28
A. NOT OPERATED	318	3.9	14	<1	<1	3	5	9	11	19
B. OPERATED	1983	4.6	20	1	1	4	5	8	11	22
TOTAL 0-19 YRS	197	3.6	15	<1	1	3	4	6	9	23
20-34	801	4.1	17	1	1	3	5	7	10	17
35-49	720	4.2	9	1	1	3	5	7	10	18
50-64	401	5.0	20	1	1	4	6	10	12	20
65+	182	7.2	65	1	1	5	9	16	21	34
GRAND TOTAL	**2301**	**4.5**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	546	4.0	17	1	1	3	5	9	11	21
20-34	520	5.3	24	1	1	4	7	11	14	23
35-49	305	5.9	29	1	1	4	7	12	15	32
50-64	211	6.1	31	1	1	4	9	13	18	30
65+	309	6.4	49	1	1	4	8	13	16	[illegible]1
B. *Operated*										
0-19 YRS	101	8.6	98	1	2	6	10	18	27	56
20-34	227	10.7	95	2	2	8	14	22	30	55
35-49	171	9.1	49	1	2	8	12	17	23	36
50-64	134	10.0	90	1	2	8	13	19	25	51
65+	116	10.4	84	1	2	8	15	25	31	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	5.1	25	1	1	3	7	11	16	28
20-34	488	7.4	62	1	2	5	9	16	20	40
35-49	337	7.5	60	1	1	5	9	15	20	46
50-64	369	7.8	61	1	2	6	10	16	20	33
65+	853	8.9	77	1	2	7	11	17	23	43
B. *Operated*										
0-19 YRS	103	14.5	178	2	4	9	22	30	48	58
20-34	433	15.0	173	2	3	11	20	31	42	82
35-49	308	14.6	171	3	3	11	18	30	41	82
50-64	307	15.6	178	2	3	12	20	33	47	83
65+	393	18.3	234	3	5	14	25	38	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1891	5.3	28	1	1	4	7	11	15	27
B. *Operated*	749	9.9	83	1	2	8	13	21	27	47
2. MULTIPLE DX										
A. *Not Operated*	2362	7.7	64	1	2	6	10	16	21	41
B. *Operated*	1544	15.8	191	3	4	12	21	33	47	98
1. SINGLE DX	2640	6.6	48	1	1	5	8	14	19	35
2. MULTIPLE DX	3906	10.9	130	1	2	8	14	24	33	71
A. NOT OPERATED	4253	6.6	49	1	1	5	8	14	18	34
B. OPERATED	2293	13.9	163	2	3	10	18	30	40	82
TOTAL 0-19 YRS	1065	5.8	52	1	1	3	7	13	19	37
20-34	1668	9.2	98	1	2	6	11	20	28	55
35-49	1121	9.2	92	1	2	7	12	19	28	54
50-64	1021	10.1	108	1	2	7	13	21	30	59
65+	1671	10.8	127	1	2	8	13	24	33	80
GRAND TOTAL	**6546**	**9.2**	**101**	**1**	**2**	**6**	**11**	**20**	**28**	**57**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	6.6	25	1	1	5	11	13	14	14
35-49	21	10.0	64	3	3	7	12	23	29	33
50-64	29	14.8	104	3	5	11	21	34	36	39
65+	11	13.5	109	3	4	10	21	31	32	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	8.1	63	1	1	8	11	21	23	23
50-64	4	11.5	100	3	3	9	19	25	25	25
65+	3	8.3	85	3	3	3	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	38	8.4	39	<1	1	7	11	17	21	29
35-49	107	13.6	172	3	3	10	16	27	41	73
50-64	148	17.3	238	3	4	13	22	39	50	71
65+	85	23.8	483	5	6	14	29	58	76	94
B. *Operated*										
0-19 YRS										
20-34	9	12.1	68	3	4	9	15	26	28	28
35-49	30	12.8	117	1	3	10	15	28	31	53
50-64	67	15.2	215	1	2	13	20	32	44	97
65+	29	25.9	620	2	7	16	27	85	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	12.2	88	3	3	9	14	29	33	38
B. *Operated*	14	9.1	68	1	1	6	13	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	378	16.8	274	3	4	12	20	37	54	86
B. *Operated*	135	16.8	289	1	2	13	21	32	66	99+
1. SINGLE DX	83	11.7	85	2	3	9	14	25	33	38
2. MULTIPLE DX	513	16.8	277	2	3	12	20	35	55	94
A. NOT OPERATED	447	16.1	248	3	4	11	20	34	50	82
B. OPERATED	149	16.1	272	1	2	12	20	31	64	99+
TOTAL 0-19 YRS										
20-34	55	8.7	43	1	2	7	12	17	23	29
35-49	165	12.8	144	2	3	9	15	26	33	60
50-64	248	16.4	214	2	3	12	22	35	47	85
65+	128	23.0	481	4	6	15	29	59	82	96
GRAND TOTAL	**596**	**16.1**	**253**	**2**	**3**	**12**	**20**	**33**	**51**	**91**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	7	5.6	21	<1	<1	5	9	12	13	13
50-64	11	9.3	57	2	2	6	13	22	24	24
65+	14	10.1	25	2	3	12	14	15	17	17
B. Operated										
0-19 YRS	7	6.0	20	1	1	4	10	13	13	13
20-34	16	2.0	3	1	1	1	3	4	6	7
35-49	24	4.3	50	1	1	2	4	9	26	28
50-64	26	8.3	124	1	1	3	10	27	31	43
65+	16	8.6	145	1	1	4	11	21	39	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.7	24	3	3	11	12	12	12	12
20-34	9	5.2	7	2	2	4	7	9	11	11
35-49	22	6.7	19	2	4	8	10	15	17	18
50-64	48	13.0	194	1	3	10	15	23	33	86
65+	57	16.4	290	4	5	10	21	36	68	99+
B. Operated										
0-19 YRS	5	13.8	61	3	3	15	21	21	21	21
20-34	23	6.6	79	<1	1	2	9	19	26	38
35-49	37	9.8	66	1	1	9	15	20	33	99+
50-64	56	11.5	157	1	2	9	14	27	33	75
65+	49	17.5	329	1	2	9	26	43	52	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	8.6	35	1	2	7	13	15	20	24
B. Operated	89	6.0	81	1	1	2	5	17	28	45
2. MULTIPLE DX										
A. Not Operated	139	13.1	200	2	3	9	15	25	43	94
B. Operated	170	12.3	184	1	1	9	16	31	41	82
1. SINGLE DX	125	6.7	69	1	1	3	9	17	25	44
2. MULTIPLE DX	309	12.6	191	1	2	9	15	28	41	89
A. NOT OPERATED	175	12.2	169	2	3	9	14	23	32	91
B. OPERATED	259	10.1	157	1	1	6	14	26	37	76
TOTAL 0-19 YRS	16	9.4	41	1	3	10	13	20	21	21
20-34	51	4.7	41	1	1	2	6	10	19	38
35-49	90	7.7	51	1	1	6	12	17	20	76
50-64	141	11.2	156	1	1	8	14	25	30	79
65+	136	15.2	266	1	2	9	18	38	52	94
GRAND TOTAL	**434**	**10.9**	**163**	**1**	**1**	**7**	**14**	**25**	**36**	**83**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	7.8	22	2	3	7	10	14	18	20
20-34	24	6.2	13	2	2	5	8	12	14	15
35-49	19	10.5	103	2	3	7	13	23	35	44
50-64	22	10.1	137	1	1	6	10	33	39	43
65+	15	11.1	53	1	3	11	14	23	25	26
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	10.0	89	2	2	6	17	23	29	29
35-49	9	8.4	35	1	1	8	14	16	18	18
50-64	15	13.2	407	1	2	5	14	55	64	67
65+	13	8.1	59	1	1	5	15	19	22	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	7.9	29	2	2	6	8	17	18	18
20-34	27	8.5	39	2	2	7	12	14	19	31
35-49	39	9.2	63	1	2	7	11	17	22	46
50-64	65	10.6	67	2	3	8	13	22	28	40
65+	60	15.2	223	3	5	11	20	26	33	91
B. Operated										
0-19 YRS	3	7.3	36	1	1	8	12	13	13	13
20-34	10	18.9	375	1	2	17	24	46	68	68
35-49	22	12.8	197	1	1	8	14	31	47	59
50-64	31	20.6	548	1	2	13	22	48	90	98
65+	24	23.0	268	5	5	20	26	49	62	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	9.0	68	2	2	7	11	19	26	44
B. Operated	48	10.0	165	1	1	6	15	18	32	67
2. MULTIPLE DX										
A. Not Operated	201	11.3	113	2	3	8	13	23	28	58
B. Operated	90	18.7	359	1	2	14	24	43	59	96
1. SINGLE DX	144	9.3	100	1	2	7	12	18	27	56
2. MULTIPLE DX	291	13.6	200	2	3	9	16	26	39	83
A. NOT OPERATED	297	10.5	99	2	3	8	13	22	28	45
B. OPERATED	138	15.7	307	1	2	10	20	33	57	93
TOTAL 0-19 YRS	30	7.6	24	2	2	7	10	15	18	20
20-34	71	9.4	95	2	2	7	13	18	24	60
35-49	89	10.3	101	1	2	8	13	21	29	54
50-64	133	13.1	240	1	2	8	15	30	43	93
65+	112	15.5	208	2	3	12	21	27	36	79
GRAND TOTAL	**435**	**12.2**	**170**	**1**	**2**	**8**	**15**	**25**	**35**	**70**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.9	5	<1	1	2	4	6	7	11
20-34	209	2.6	3	<1	1	2	3	5	6	9
35-49	176	3.0	5	<1	1	2	4	7	8	11
50-64	152	3.9	8	1	1	3	5	8	9	14
65+	136	7.0	78	1	2	5	8	13	16	66
B. *Operated*										
0-19 YRS	139	7.2	5	5	5	7	8	10	12	15
20-34	1414	7.1	5	4	5	7	8	9	11	16
35-49	1113	7.4	8	5	5	7	8	10	12	17
50-64	987	8.4	11	5	5	8	9	12	15	20
65+	502	10.4	25	6	6	9	12	16	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	4	<1	1	3	4	6	8	9
20-34	103	3.5	9	<1	1	3	5	7	10	16
35-49	76	4.6	9	1	1	4	6	9	10	14
50-64	150	5.5	16	1	2	5	7	10	13	22
65+	308	8.6	61	2	2	7	10	15	26	43
B. *Operated*										
0-19 YRS	75	9.7	52	5	6	8	11	15	20	50
20-34	900	8.8	17	5	5	8	10	13	17	24
35-49	953	9.1	18	5	6	8	10	14	18	26
50-64	1330	11.0	42	6	6	9	12	18	23	35
65+	1163	15.4	113	6	7	12	18	28	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	3.8	21	1	1	3	5	8	10	16
B. *Operated*	4155	7.9	11	5	5	7	9	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	660	6.4	39	1	1	5	8	13	16	35
B. *Operated*	4421	11.3	57	5	6	9	13	20	25	44
1. SINGLE DX	4867	7.3	14	2	4	7	8	11	13	21
2. MULTIPLE DX	5081	10.6	57	4	5	9	12	19	24	43
A. NOT OPERATED	1372	5.1	32	1	1	4	7	10	13	28
B. OPERATED	8576	9.6	38	5	5	8	10	15	21	34
TOTAL 0-19 YRS	276	6.9	23	1	2	6	8	11	13	25
20-34	2626	7.2	12	2	4	7	8	11	13	21
35-49	2318	7.7	14	2	4	7	9	12	14	23
50-64	2619	9.3	31	3	5	8	11	15	19	30
65+	2109	12.6	92	3	5	10	15	24	31	59
GRAND TOTAL	**9948**	**9.0**	**39**	**3**	**4**	**8**	**10**	**15**	**20**	**34**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	4	1	1	3	5	7	8	8
20-34	195	3.0	7	<1	1	2	4	6	8	15
35-49	111	3.2	4	<1	1	2	4	6	7	9
50-64	104	4.0	13	1	1	3	5	8	11	19
65+	93	6.5	34	1	2	5	7	12	16	35
B. *Operated*										
0-19 YRS	16	6.4	3	4	5	6	7	9	10	11
20-34	124	7.4	9	4	5	7	8	11	13	21
35-49	119	7.6	12	4	5	7	9	10	14	23
50-64	68	8.3	11	5	5	8	9	12	12	25
65+	47	10.6	23	5	6	9	12	19	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	5	<1	1	3	5	7	8	8
20-34	74	3.7	9	1	1	3	5	8	9	15
35-49	67	4.6	8	1	1	4	7	9	10	11
50-64	98	6.1	24	1	1	5	8	12	16	25
65+	175	8.7	50	2	3	8	11	16	20	37
B. *Operated*										
0-19 YRS	5	5.0		5	5	5	5	5	5	5
20-34	121	8.5	16	5	5	7	10	14	19	45
35-49	157	10.5	45	5	5	9	12	18	21	28
50-64	150	11.8	50	6	7	9	13	22	28	41
65+	149	16.4	140	6	7	13	20	29	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	537	3.9	13	1	1	3	5	7	10	19
B. *Operated*	374	8.0	13	4	5	7	9	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	431	6.4	33	1	2	5	8	13	16	26
B. *Operated*	582	11.9	72	5	6	9	14	22	28	54
1. SINGLE DX	911	5.6	17	1	1	5	7	10	12	21
2. MULTIPLE DX	1013	9.6	63	2	3	8	11	18	24	41
A. NOT OPERATED	968	5.0	24	1	1	4	7	10	13	22
B. OPERATED	956	10.4	53	5	5	8	11	19	24	41
TOTAL 0-19 YRS	72	4.3	5	1	1	4	6	7	8	11
20-34	514	5.5	16	1	1	5	8	10	12	21
35-49	454	7.1	29	1	2	6	9	12	17	26
50-64	420	8.0	38	1	2	7	10	14	21	29
65+	464	10.9	88	2	3	9	13	21	27	55
GRAND TOTAL	**1924**	**7.7**	**45**	**1**	**2**	**6**	**9**	**14**	**20**	**32**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	18	2.8	4	1	1	2	4	5	7	9
35-49	18	4.8	53	<1	1	3	4	7	23	33
50-64	11	2.3	1	<1	1	2	3	4	4	4
65+	25	5.4	15	1	2	5	7	11	13	18
B. *Operated*										
0-19 YRS	4	9.0	8	7	7	8	11	13	13	13
20-34	49	8.5	52	3	3	7	9	13	17	52
35-49	45	8.3	20	3	4	8	10	12	13	30
50-64	38	11.6	37	3	4	11	15	19	23	26
65+	65	14.1	60	4	6	14	17	24	33	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	15	6.7	19	1	1	7	9	13	15	16
65+	45	9.0	42	1	3	7	12	19	21	30
B. *Operated*										
0-19 YRS	4	15.0	62	7	7	14	21	24	24	24
20-34	33	10.8	41	2	4	11	12	18	21	36
35-49	37	11.1	46	4	5	10	13	20	23	39
50-64	72	14.0	65	4	6	12	17	23	32	40
65+	143	22.0	213	5	8	19	28	42	54	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.1	20	1	1	3	5	8	10	29
B. *Operated*	201	10.9	49	3	4	9	14	19	24	47
2. MULTIPLE DX										
A. *Not Operated*	69	7.9	34	1	2	7	11	16	20	29
B. *Operated*	289	17.3	156	4	6	14	22	34	42	65
1. SINGLE DX	275	9.0	50	1	2	8	12	17	23	40
2. MULTIPLE DX	358	15.4	146	3	4	12	20	31	40	64
A. NOT OPERATED	143	5.9	30	1	1	4	8	12	18	30
B. OPERATED	490	14.6	122	3	5	12	18	27	37	62
TOTAL 0-19 YRS	11	9.3	51	1	1	7	12	21	24	24
20-34	103	8.2	46	1	2	7	10	14	18	44
35-49	105	8.4	39	1	2	8	10	14	21	36
50-64	136	11.6	59	2	3	11	16	21	25	40
65+	278	16.6	168	2	4	14	22	33	42	88
GRAND TOTAL	**633**	**12.7**	**115**	**2**	**3**	**10**	**16**	**25**	**34**	**59**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	19	4.1	8	1	1	3	5	9	11	11
35-49	16	6.3	30	<1	1	4	10	14	18	20
50-64	20	4.6	8	1	1	5	6	8	10	12
65+	26	7.1	35	1	2	5	11	18	20	21
B. *Operated*										
0-19 YRS										
20-34	4	16.0	57	9	9	16	22	23	23	23
35-49	9	9.0	20	3	4	7	12	15	17	17
50-64	9	12.0	34	5	6	11	14	22	22	22
65+	12	12.2	76	1	3	10	15	24	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	5.1	12	1	1	4	8	10	11	11
35-49	12	4.4	9	1	1	4	7	9	10	10
50-64	24	8.3	33	2	3	8	10	15	19	29
65+	78	11.8	141	2	3	9	13	22	27	78
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	10.8	19	7	7	10	11	18	19	19
35-49	16	12.5	39	6	6	10	16	22	25	27
50-64	32	20.0	204	3	5	16	23	39	57	59
65+	46	22.9	119	10	11	20	29	40	49	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.5	22	1	1	4	8	11	16	21
B. *Operated*	34	11.7	48	3	5	10	14	22	23	35
2. MULTIPLE DX										
A. *Not Operated*	123	9.9	104	1	2	8	12	18	25	66
B. *Operated*	101	19.5	142	6	8	17	23	35	47	59
1. SINGLE DX	118	7.3	37	1	1	5	10	15	21	27
2. MULTIPLE DX	224	14.2	143	2	3	11	18	28	36	59
A. NOT OPERATED	207	8.1	75	1	2	6	10	15	21	42
B. OPERATED	135	17.5	129	5	7	15	22	32	42	59
TOTAL 0-19 YRS	5	4.4	15	1	1	2	8	10	10	10
20-34	37	6.7	30	1	1	5	9	11	21	23
35-49	53	8.2	35	1	2	7	11	17	20	27
50-64	85	12.2	131	1	3	9	15	24	36	59
65+	162	14.2	144	2	3	11	19	28	34	58
GRAND TOTAL	**342**	**11.8**	**117**	**1**	**2**	**9**	**15**	**23**	**31**	**59**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.4	41	1	1	5	7	15	19	32
20-34	188	5.7	21	1	2	5	7	10	14	21
35-49	213	6.2	36	1	2	5	8	11	14	23
50-64	154	7.0	17	2	3	6	9	12	14	21
65+	91	8.6	21	2	3	8	11	14	16	27
B. *Operated*										
0-19 YRS	3	18.0	49	13	13	15	23	26	26	26
20-34	15	15.9	83	3	3	15	20	30	34	36
35-49	29	17.4	267	1	3	13	20	43	55	69
50-64	13	12.8	54	5	6	11	15	25	30	31
65+	8	13.3	30	9	9	11	17	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.8	17	1	2	5	10	13	14	15
20-34	212	7.3	30	2	3	6	9	14	18	30
35-49	312	7.5	42	2	2	6	9	14	17	32
50-64	228	8.7	45	2	3	7	10	17	21	36
65+	220	11.7	99	3	4	9	14	22	29	61
B. *Operated*										
0-19 YRS	6	21.7	118	8	9	18	31	37	38	38
20-34	56	21.3	361	3	6	16	27	53	64	99+
35-49	108	19.8	230	5	6	16	23	42	59	99+
50-64	72	24.1	342	5	7	20	35	68	80	99+
65+	71	23.9	240	8	10	20	32	49	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	673	6.6	26	1	2	5	8	12	14	22
B. *Operated*	68	15.7	147	3	5	13	19	31	42	66
2. MULTIPLE DX										
A. *Not Operated*	991	8.6	55	2	3	7	11	16	21	39
B. *Operated*	313	22.0	280	5	7	17	29	50	69	99+
1. SINGLE DX	741	7.4	44	1	2	6	9	14	17	32
2. MULTIPLE DX	1304	11.8	142	2	3	[illegible]	14	25	38	74
A. NOT OPERATED	1664	7.8	44	2	2	6	9	14	19	35
B. OPERATED	381	20.9	261	4	6	16	27	45	68	99+
TOTAL 0-19 YRS	55	8.9	65	1	2	6	12	17	30	38
20-34	471	8.6	91	2	2	6	10	17	25	54
35-49	662	9.5	105	2	2	7	11	19	26	70
50-64	467	10.6	116	2	3	7	12	22	34	70
65+	390	13.2	131	3	4	10	15	27	36	71
GRAND TOTAL	**2045**	**10.2**	**111**	**2**	**3**	**7**	**12**	**21**	**31**	**69**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.1	4	1	1	2	4	7	7	9
20-34	70	4.0	6	1	1	3	5	8	9	10
35-49	69	4.5	12	1	2	4	5	9	10	21
50-64	58	6.0	18	1	2	5	7	11	15	23
65+	158	6.7	33	1	2	6	8	13	16	32
B. *Operated*										
0-19 YRS										
20-34	7	7.3	17	<1	1	7	9	13	14	14
35-49	6	5.8	12	<1	<1	6	9	10	10	10
50-64	6	7.5	14	1	1	8	10	12	12	12
65+	6	10.5	13	6	6	11	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.4	20	<1	1	3	5	11	14	24
20-34	105	4.0	8	1	1	3	5	8	10	13
35-49	131	6.0	23	1	2	5	7	11	15	27
50-64	218	8.2	66	2	3	6	10	15	20	39
65+	625	10.2	91	2	3	8	12	19	28	68
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	12	7.3	15	<1	1	8	10	12	13	13
35-49	18	12.4	40	5	5	12	15	23	25	25
50-64	42	14.0	224	3	4	11	18	23	28	98
65+	104	19.0	250	5	6	14	26	45	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	5.3	21	1	1	4	7	9	13	24
B. *Operated*	25	7.8	15	<1	1	8	10	12	14	16
2. MULTIPLE DX										
A. *Not Operated*	1135	8.5	72	1	2	6	10	16	22	50
B. *Operated*	178	16.2	217	4	5	12	21	32	49	99
1. SINGLE DX	439	5.4	21	1	1	4	7	10	13	24
2. MULTIPLE DX	1313	9.5	99	2	2	7	11	19	27	65
A. NOT OPERATED	1549	7.6	60	1	2	6	9	15	20	44
B. OPERATED	203	15.1	200	3	5	11	19	31	46	99
TOTAL 0-19 YRS	117	3.7	12	1	1	3	5	7	10	19
20-34	194	4.3	8	1	1	4	6	9	10	14
35-49	224	6.0	24	1	2	5	7	12	16	25
50-64	324	8.5	81	2	3	6	10	16	21	38
65+	893	10.6	110	2	3	8	13	21	31	74
GRAND TOTAL	**1752**	**8.5**	**82**	**1**	**2**	**6**	**10**	**17**	**24**	**52**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	6.3	18	2	2	6	8	11	14	22
20-34	6	5.8	5	3	3	6	7	9	9	9
35-49	5	4.6	3	2	2	5	6	7	7	7
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	8	10.0	25	3	4	8	15	17	17	17
20-34	9	7.8	32	1	2	8	10	17	19	19
35-49	7	9.7	8	5	6	10	12	14	14	14
50-64	10	13.0	171	4	4	9	12	34	47	47
65+	5	7.8	84	2	2	5	10	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.2	16	1	2	5	8	12	13	18
20-34	9	4.4	21	1	1	2	6	12	14	14
35-49	8	5.8	9	1	2	6	7	10	11	11
50-64	16	8.4	27	2	2	8	12	16	19	20
65+	7	8.3	31	<1	1	9	11	17	18	18
B. *Operated*										
0-19 YRS	4	12.0	55	5	5	11	18	21	21	21
20-34	14	13.4	41	6	6	11	17	24	26	27
35-49	7	14.6	79	5	5	11	23	27	27	27
50-64	13	19.3	327	4	6	14	23	38	67	74
65+	12	20.0	169	4	7	16	22	45	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.1	15	2	2	5	8	11	14	21
B. *Operated*	39	9.9	66	2	3	8	12	18	23	47
2. MULTIPLE DX										
A. *Not Operated*	92	6.5	19	1	2	6	9	13	16	19
B. *Operated*	50	16.6	152	5	6	14	21	27	45	74
1. SINGLE DX	113	7.4	36	2	2	6	9	14	18	32
2. MULTIPLE DX	142	10.1	86	1	2	8	13	20	25	48
A. NOT OPERATED	166	6.3	17	1	2	6	8	12	14	20
B. OPERATED	89	13.7	124	3	4	10	17	24	30	63
TOTAL 0-19 YRS	124	6.7	20	2	2	6	8	13	16	21
20-34	38	8.7	41	1	1	8	11	18	22	27
35-49	27	8.9	38	2	4	7	11	17	25	27
50-64	41	12.9	171	3	3	9	14	23	37	74
65+	25	13.6	138	1	3	11	17	24	45	46
GRAND TOTAL	**255**	**8.9**	**67**	**2**	**2**	**7**	**11**	**17**	**22**	**46**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	8.0	50	1	2	6	10	13	24	41
20-34	9	4.8	11	1	1	4	6	10	12	12
35-49	7	10.0	131	2	2	7	10	30	35	35
50-64	8	9.1	51	1	1	8	14	19	21	21
65+	5	9.4	44	3	3	11	17	92	99+	99+
B. *Operated*										
0-19 YRS	18	4.7	11	1	2	3	7	9	11	13
20-34	20	5.9	37	1	2	3	7	14	20	26
35-49	4	5.8	8	4	4	5	7	10	10	10
50-64	4	4.5	40	1	1	2	8	14	14	14
65+	6	11.3	84	1	1	12	16	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	10.3	91	1	3	7	14	25	34	41
20-34	18	8.9	66	2	2	7	8	22	29	33
35-49	7	17.9	254	6	6	18	20	45	51	51
50-64	10	7.8	30	1	1	7	12	16	19	19
65+	21	10.5	86	2	3	9	12	18	32	45
B. *Operated*										
0-19 YRS	26	15.4	202	2	3	9	19	37	50	52
20-34	59	12.6	68	2	3	12	17	23	31	36
35-49	47	15.1	194	2	3	12	19	35	46	66
50-64	34	15.6	277	3	3	11	21	27	29	97
65+	27	24.4	314	3	5	19	34	50	56	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	8.0	51	1	2	6	10	15	29	77
B. *Operated*	52	6.0	33	1	1	4	8	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	90	10.4	91	2	3	7	12	21	33	49
B. *Operated*	193	15.8	197	2	3	12	19	33	48	68
1. SINGLE DX	141	7.3	45	1	2	6	10	15	23	47
2. MULTIPLE DX	283	14.1	169	2	3	11	17	30	42	62
A. NOT OPERATED	179	9.2	72	1	2	7	11	19	31	49
B. OPERATED	245	13.7	178	2	2	10	17	29	41	66
TOTAL 0-19 YRS	138	9.5	93	1	2	7	11	19	33	50
20-34	106	10.0	65	2	2	8	15	19	27	35
35-49	65	14.3	184	2	3	10	18	35	46	64
50-64	56	12.5	196	1	2	10	17	25	28	93
65+	59	16.8	230	2	3	13	22	47	51	97
GRAND TOTAL	**424**	**11.8**	**138**	**2**	**2**	**8**	**15**	**26**	**35**	**56**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	8.8	35	1	2	7	13	17	21	23
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	38.0		38	38	38	38	38	38	38
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	11.0	54	1	2	12	14	22	25	29
20-34	6	6.5	6	4	4	6	7	11	11	11
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	2	12.5	145	4	4	12	21	21	21	21
B. *Operated*										
0-19 YRS	3	9.0	25	4	4	9	13	14	14	14
20-34	2	8.0	32	4	4	8	12	12	12	12
35-49	2	29.0	72	23	23	29	35	35	35	35
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	10.0	64	2	2	10	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	9.0	66	2	2	6	13	19	26	38
B. *Operated*	5	5.8	14	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	32	9.5	46	2	3	7	13	21	23	29
B. *Operated*	11	12.1	103	2	2	10	17	28	34	35
1. SINGLE DX	31	8.5	58	2	2	6	11	17	23	38
2. MULTIPLE DX	43	10.1	60	2	2	7	13	22	25	35
A. NOT OPERATED	58	9.2	54	2	2	7	13	21	23	37
B. OPERATED	16	10.1	81	2	2	8	13	22	31	35
TOTAL 0-19 YRS	45	9.6	43	2	2	9	13	20	23	29
20-34	14	5.8	8	2	3	5	7	11	12	12
35-49	6	14.0	156	4	4	9	23	34	35	35
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	6	15.5	178	2	2	14	21	36	38	38
GRAND TOTAL	**74**	**9.4**	**59**	**2**	**2**	**7**	**13**	**21**	**23**	**37**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	4.8	7	2	2	5	7	7	7	7
50-64	2	15.5	365	2	2	15	29	29	29	29
65+	6	4.3	11	1	1	3	8	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	29.0		29	29	29	29	29	29	29
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	28.0		28	28	28	28	28	28	28
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	11.9	209	1	1	7	15	37	42	42
20-34	13	5.4	26	<1	1	4	6	16	16	16
35-49	14	4.6	14	<1	<1	4	6	11	11	11
50-64	34	7.5	139	1	1	5	8	12	14	70
65+	89	13.4	135	2	3	10	17	32	37	57
B. *Operated*										
0-19 YRS	18	15.6	97	1	3	12	24	30	31	31
20-34	62	20.7	372	2	3	15	26	49	61	89
35-49	45	16.2	179	1	1	12	21	40	45	55
50-64	84	17.8	189	2	4	15	29	43	49	99+
65+	62	19.0	263	2	3	15	30	51	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.5	54	1	1	4	8	13	26	29
B. *Operated*	7	10.6	154	1	1	5	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	157	10.6	129	1	2	7	14	22	36	64
B. *Operated*	271	18.3	240	2	3	14	26	44	55	99+
1. SINGLE DX	20	7.9	87	1	1	4	8	28	29	29
2. MULTIPLE DX	428	15.5	212	1	2	11	21	37	49	99+
A. NOT OPERATED	170	10.3	124	1	2	7	13	22	34	61
B. OPERATED	278	18.1	238	2	3	14	26	43	55	99+
TOTAL 0-19 YRS	26	14.0	126	1	1	11	24	31	33	42
20-34	77	18.1	339	1	2	13	23	43	56	88
35-49	65	12.6	156	<1	1	10	18	31	41	54
50-64	121	14.9	194	1	2	10	21	37	48	99+
65+	159	15.1	191	2	3	11	21	36	50	99+
GRAND TOTAL	**448**	**15.1**	**209**	**1**	**2**	**11**	**21**	**36**	**48**	**99**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	3	3.0	3	1	1	4	4	4	4	4
65+	15	9.0	44	1	1	7	14	18	20	21
B. *Operated*										
0-19 YRS										
20-34	2	11.0	72	5	5	11	17	17	17	17
35-49	4	5.8	39	2	2	3	9	15	15	15
50-64	1	21.0		21	21	21	21	21	21	21
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	10.5	103	3	3	7	17	25	25	25
35-49	4	7.0	18	<1	<1	8	10	10	10	10
50-64	28	10.5	175	1	1	5	13	25	41	62
65+	90	13.9	103	3	5	11	18	30	35	47
B. *Operated*										
0-19 YRS										
20-34	5	19.2	168	8	8	15	25	41	41	41
35-49	7	30.1	188	12	14	31	46	86	99+	99+
50-64	24	17.1	299	4	4	12	18	33	54	86
65+	24	24.8	505	5	6	16	31	66	74	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.7	41	1	1	7	12	18	20	21
B. *Operated*	8	8.4	63	1	1	4	16	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	127	12.7	117	2	3	9	17	27	35	50
B. *Operated*	60	21.9	366	4	6	15	30	51	76	99
1. SINGLE DX	27	7.9	45	1	1	6	14	18	21	21
2. MULTIPLE DX	187	15.7	214	2	4	11	19	34	46	87
A. NOT OPERATED	146	12.1	110	1	2	9	16	25	34	48
B. OPERATED	68	20.3	348	2	4	15	25	48	69	98
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	13.6	125	3	3	11	18	30	39	41
35-49	15	17.5	244	1	2	13	31	52	86	99+
50-64	56	13.1	228	1	2	8	16	30	40	85
65+	130	15.3	190	2	4	11	19	33	45	72
GRAND TOTAL	**214**	**14.7**	**199**	**2**	**3**	**11**	**19**	**33**	**44**	**86**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.1	4	2	2	4	5	7	8	10
20-34	98	3.9	3	2	2	4	5	7	8	10
35-49	29	4.5	4	2	2	4	6	6	8	11
50-64	15	6.2	20	2	3	5	7	11	18	20
65+	22	10.2	89	2	4	7	13	21	31	45
B. *Operated*										
0-19 YRS										
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	3	7.3	5	6	6	6	9	10	10	10
50-64										
65+	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.1	9	2	2	4	6	8	13	16
20-34	118	5.2	8	2	3	5	7	9	10	19
35-49	34	5.4	10	1	2	5	6	11	12	14
50-64	45	9.0	63	3	3	7	10	18	27	41
65+	68	10.0	52	3	4	8	12	19	23	42
B. *Operated*										
0-19 YRS	11	7.3	11	4	4	7	8	12	16	16
20-34	11	10.4	69	4	4	8	11	24	31	32
35-49	8	11.1	77	3	3	8	14	26	30	30
50-64	8	21.6	444	11	11	12	22	59	71	71
65+	9	23.1	334	5	7	18	28	52	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	4.7	15	2	2	4	5	8	9	20
B. *Operated*	7	8.3	4	6	6	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	331	6.7	29	2	3	5	8	12	17	28
B. *Operated*	47	14.1	197	4	4	9	16	30	37	71
1. SINGLE DX	268	4.8	15	2	2	4	6	8	10	20
2. MULTIPLE DX	378	7.6	56	2	3	5	9	14	19	39
A. NOT OPERATED	592	5.8	24	2	2	5	7	10	14	25
B. OPERATED	54	13.4	175	4	5	9	15	29	32	71
TOTAL 0-19 YRS	174	4.7	7	2	2	4	6	8	9	15
20-34	229	4.9	11	2	2	4	6	8	10	19
35-49	74	5.7	17	2	2	5	6	11	12	27
50-64	68	9.9	112	3	3	7	11	19	31	66
65+	101	11.2	94	3	4	8	14	22	27	56
GRAND TOTAL	**646**	**6.4**	**40**	**2**	**2**	**5**	**7**	**11**	**17**	**32**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	4.2	4	2	2	4	5	7	8	10
20-34	194	4.2	5	1	2	4	5	7	8	12
35-49	60	4.8	9	1	1	4	6	9	10	16
50-64	47	4.9	5	2	3	5	6	8	8	11
65+	31	8.0	34	2	2	6	10	17	22	24
B. *Operated*										
0-19 YRS	17	7.2	9	3	3	8	10	11	11	11
20-34	12	5.4	14	<1	1	5	7	10	13	14
35-49	7	6.6	21	<1	<1	6	8	14	15	15
50-64	6	8.2	21	4	4	6	14	14	14	14
65+	6	6.7	12	2	2	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	5.5	15	2	2	5	7	10	12	20
20-34	152	5.3	14	2	2	4	6	9	12	21
35-49	76	5.7	15	2	2	5	6	12	14	19
50-64	87	7.3	26	2	3	5	9	14	17	28
65+	139	10.2	60	3	4	8	13	20	28	39
B. *Operated*										
0-19 YRS	30	8.6	28	1	3	7	13	18	18	20
20-34	45	10.9	59	3	4	9	12	18	30	40
35-49	19	18.6	96	5	8	16	27	31	36	40
50-64	35	12.3	114	1	2	8	17	29	31	49
65+	38	24.7	476	4	6	17	30	63	74	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	4.5	8	1	2	4	6	8	9	14
B. *Operated*	48	6.7	13	1	2	6	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	579	6.9	31	2	3	5	8	13	17	30
B. *Operated*	167	14.8	197	3	4	11	18	30	40	76
1. SINGLE DX	578	4.7	8	1	2	4	6	8	10	15
2. MULTIPLE DX	746	8.6	79	2	3	6	10	17	26	47
A. NOT OPERATED	1109	5.8	21	2	2	5	7	10	14	27
B. OPERATED	215	13.0	167	2	3	9	15	28	33	72
TOTAL 0-19 YRS	370	5.1	11	2	2	4	6	9	11	18
20-34	403	5.4	19	1	2	4	7	9	12	25
35-49	162	6.9	40	1	2	5	8	14	18	32
50-64	175	7.7	44	2	3	5	9	14	22	31
65+	214	12.4	161	3	3	9	14	26	31	73
GRAND TOTAL	**1324**	**6.9**	**52**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.6	5	1	1	1	4	6	8	8
20-34	137	2.2	2	1	1	2	3	4	4	6
35-49	143	2.6	6	<1	1	2	3	5	6	11
50-64	83	2.9	6	1	1	2	3	7	8	11
65+	54	3.6	7	1	1	3	4	7	9	15
B. *Operated*										
0-19 YRS	7	8.4	26	<1	1	9	12	14	15	15
20-34	75	8.3	24	2	2	8	11	15	17	25
35-49	94	9.6	26	2	3	9	12	17	20	22
50-64	65	10.5	26	3	4	10	13	17	21	25
65+	35	10.9	34	2	4	10	14	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	15	<1	<1	3	9	10	10	10
20-34	58	4.1	17	1	1	3	5	8	16	19
35-49	76	4.8	30	1	1	3	6	9	18	28
50-64	77	3.7	12	1	1	3	5	7	9	22
65+	65	6.2	24	1	2	5	7	13	15	27
B. *Operated*										
0-19 YRS	7	8.3	15	2	3	9	11	13	13	13
20-34	58	10.9	29	2	3	10	14	19	22	23
35-49	79	12.6	120	2	5	10	15	23	29	72
50-64	104	11.7	40	3	4	11	14	19	26	31
65+	106	13.3	93	3	5	11	15	23	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	2.6	5	1	1	2	3	5	7	10
B. *Operated*	276	9.6	27	2	3	9	13	16	20	24
2. MULTIPLE DX										
A. *Not Operated*	283	4.7	21	1	1	3	6	9	15	27
B. *Operated*	354	12.2	72	2	4	11	14	21	27	47
1. SINGLE DX	706	5.3	25	1	1	3	8	13	15	22
2. MULTIPLE DX	637	8.9	63	1	2	7	12	18	23	41
A. NOT OPERATED	713	3.5	12	1	1	2	4	7	9	20
B. OPERATED	630	11.0	54	2	3	10	14	19	23	41
TOTAL 0-19 YRS	34	5.4	19	<1	1	4	9	12	13	15
20-34	328	5.5	26	1	1	3	8	13	16	22
35-49	392	6.7	54	1	1	4	9	14	20	29
50-64	329	7.4	38	1	1	6	11	15	18	29
65+	260	9.2	66	1	2	7	12	19	23	46
GRAND TOTAL	**1343**	**7.0**	**46**	**1**	**1**	**5**	**10**	**15**	**20**	**29**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.4	3	<1	1	2	3	5	6	8
20-34	273	2.4	3	1	1	2	3	5	5	9
35-49	289	2.3	2	1	1	2	3	4	5	8
50-64	217	2.5	2	1	1	2	3	5	5	7
65+	84	3.2	4	1	1	3	4	6	7	11
B. Operated										
0-19 YRS	30	6.6	20	2	2	6	10	12	15	18
20-34	281	6.4	16	1	2	6	9	12	14	17
35-49	380	7.1	19	2	2	6	9	13	15	22
50-64	296	7.7	34	1	2	6	10	15	19	30
65+	127	9.1	38	2	3	8	12	17	20	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.7	9	1	1	3	5	9	9	9
20-34	76	3.0	3	1	1	2	4	6	7	9
35-49	93	3.0	5	1	1	2	4	6	7	11
50-64	98	3.9	7	1	1	3	5	7	9	15
65+	71	3.5	4	1	1	3	5	6	7	11
B. Operated										
0-19 YRS	5	10.6	4	8	8	11	12	13	13	13
20-34	113	9.1	46	2	3	8	11	17	25	34
35-49	152	9.3	57	2	3	8	12	16	23	35
50-64	203	11.4	75	2	3	10	15	22	26	46
65+	156	12.5	94	2	4	10	15	25	32	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	888	2.5	3	1	1	2	3	5	6	8
B. Operated	1114	7.3	25	2	2	6	10	13	16	25
2. MULTIPLE DX										
A. Not Operated	344	3.4	5	1	1	3	5	6	7	11
B. Operated	629	10.7	71	2	3	9	13	21	26	46
1. SINGLE DX	2002	5.1	21	1	1	4	7	11	14	21
2. MULTIPLE DX	973	8.1	60	1	2	6	11	16	23	36
A. NOT OPERATED	1232	2.7	4	1	1	2	3	5	6	9
B. OPERATED	1743	8.5	44	2	2	7	11	15	21	33
TOTAL 0-19 YRS	66	5.0	17	1	1	3	8	12	12	18
20-34	743	5.0	20	1	1	3	7	11	13	24
35-49	914	5.5	26	1	1	4	8	12	15	23
50-64	814	6.8	44	1	1	4	9	15	20	30
65+	438	8.3	61	1	2	6	11	17	23	46
GRAND TOTAL	**2975**	**6.1**	**36**	**1**	**1**	**4**	**8**	**13**	**17**	**29**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.5	5	1	1	3	5	7	8	8
20-34	15	3.3	3	1	2	3	4	6	7	7
35-49	9	3.6	13	1	1	2	5	9	12	12
50-64	17	3.2	7	1	1	3	4	6	10	12
65+	16	9.0	54	1	1	8	13	19	24	26
B. Operated										
0-19 YRS	115	8.8	33	<1	1	9	11	15	18	28
20-34	53	9.9	28	1	3	10	13	15	20	27
35-49	36	9.0	48	1	1	9	12	19	24	26
50-64	55	7.5	90	<1	1	4	10	14	18	61
65+	32	7.6	37	<1	1	6	11	16	22	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.1	8	<1	<1	4	6	8	10	10
20-34	28	12.5	323	1	1	5	11	40	52	78
35-49	28	5.2	15	1	1	4	7	10	15	16
50-64	26	7.6	25	2	2	7	11	12	17	23
65+	66	10.2	61	2	3	8	14	23	28	33
B. Operated										
0-19 YRS	141	11.3	86	1	1	10	14	18	27	54
20-34	104	12.7	142	<1	2	10	16	26	31	68
35-49	109	10.5	49	2	2	10	14	20	23	32
50-64	119	13.1	118	2	2	11	18	24	33	57
65+	139	16.3	232	2	3	12	22	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	4.7	23	1	1	3	6	12	15	25
B. Operated	291	8.7	45	<1	1	9	12	15	19	28
2. MULTIPLE DX										
A. Not Operated	169	8.6	91	1	2	6	10	17	27	47
B. Operated	612	12.9	132	1	2	11	16	25	33	63
1. SINGLE DX	358	7.9	43	<1	1	8	11	15	19	27
2. MULTIPLE DX	781	12.0	126	1	2	10	15	24	32	58
A. NOT OPERATED	236	7.5	75	1	1	5	9	15	23	42
B. OPERATED	903	11.5	108	1	2	10	14	22	29	54
TOTAL 0-19 YRS	287	9.5	61	1	1	9	12	17	20	47
20-34	200	11.2	132	<1	2	9	14	22	30	65
35-49	182	9.0	46	1	2	8	13	19	22	30
50-64	217	10.2	102	1	2	7	14	22	28	55
65+	253	13.1	163	2	2	10	17	28	38	95
GRAND TOTAL	**1139**	**10.7**	**103**	**1**	**2**	**9**	**14**	**21**	**29**	**53**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	<1	<1	2	6	7	7	7
20-34	12	2.8	5	<1	<1	2	4	7	8	8
35-49	22	2.2	2	<1	1	2	3	4	5	5
50-64	13	3.5	12	<1	<1	2	5	8	12	13
65+	6	3.0	6	1	1	2	6	6	6	6
B. *Operated*										
0-19 YRS	4	4.5	15	1	1	3	7	10	10	10
20-34	12	6.2	23	1	2	5	8	13	18	19
35-49	15	5.1	16	1	1	4	8	12	13	14
50-64	21	5.2	18	1	2	4	6	11	16	19
65+	29	7.4	35	1	2	5	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	21	1	1	1	7	9	9	9
20-34	7	3.6	3	1	1	4	5	6	6	6
35-49	7	3.4	10	<1	<1	3	4	9	10	10
50-64	11	5.3	15	2	2	5	7	11	15	15
65+	12	5.1	17	1	1	5	8	11	13	13
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	6.0	8	3	3	5	8	11	11	11
35-49	16	4.2	7	<1	2	4	6	8	10	11
50-64	39	9.5	44	2	3	7	13	18	25	29
65+	82	12.3	192	2	3	9	15	22	32	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.8	6	<1	1	2	4	6	7	13
B. *Operated*	81	6.1	25	1	2	5	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	40	4.5	12	1	1	4	6	9	12	15
B. *Operated*	146	10.3	128	2	3	7	14	20	24	65
1. SINGLE DX	137	4.7	19	1	1	3	6	10	14	20
2. MULTIPLE DX	186	9.0	108	1	2	6	12	17	23	60
A. NOT OPERATED	96	3.5	9	<1	1	2	5	7	10	14
B. OPERATED	227	8.8	95	2	2	6	11	17	22	55
TOTAL 0-19 YRS	11	3.8	11	<1	<1	3	6	9	10	10
20-34	39	4.6	12	1	1	4	5	9	11	19
35-49	60	3.6	9	<1	1	3	5	8	10	14
50-64	84	6.9	34	1	2	5	9	15	18	29
65+	129	10.1	140	1	2	7	13	19	24	71
GRAND TOTAL	**323**	**7.2**	**75**	**1**	**1**	**5**	**9**	**15**	**20**	**41**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	5	1	1	3	5	7	8	11
20-34	41	3.2	6	1	1	3	4	6	8	14
35-49	19	3.0	2	1	2	3	4	5	6	6
50-64	22	3.8	4	<1	1	3	4	7	8	9
65+	44	6.0	12	2	2	5	8	11	14	17
B. *Operated*										
0-19 YRS	26	3.6	47	<1	<1	2	3	5	14	36
20-34	49	3.8	16	<1	<1	3	5	8	10	23
35-49	52	3.4	20	<1	<1	2	5	7	9	27
50-64	43	4.6	20	<1	<1	4	6	9	12	26
65+	55	3.8	8	<1	<1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.1	16	1	2	4	7	8	14	24
20-34	60	3.9	8	1	1	3	5	7	10	15
35-49	45	5.2	17	1	1	5	7	8	11	26
50-64	65	6.6	24	2	3	6	8	11	15	32
65+	182	9.4	90	2	3	7	12	17	24	61
B. *Operated*										
0-19 YRS	43	4.4	19	<1	<1	3	6	9	15	21
20-34	51	6.1	34	<1	<1	4	9	13	16	33
35-49	72	6.2	40	<1	<1	4	9	15	20	26
50-64	100	8.3	100	1	1	5	9	18	28	54
65+	207	9.5	96	1	1	6	12	21	33	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	4.0	8	1	1	3	5	7	10	14
B. *Operated*	225	3.8	19	<1	<1	3	5	8	10	26
2. MULTIPLE DX										
A. *Not Operated*	418	7.0	53	1	2	5	8	14	18	38
B. *Operated*	473	7.9	77	<1	1	5	10	17	25	50
1. SINGLE DX	414	3.9	14	<1	<1	3	5	8	10	19
2. MULTIPLE DX	891	7.5	66	<1	1	5	9	15	22	47
A. NOT OPERATED	607	6.1	41	1	2	4	7	12	15	32
B. OPERATED	698	6.6	62	<1	<1	4	8	15	22	44
TOTAL 0-19 YRS	198	4.3	17	<1	1	3	5	8	11	24
20-34	201	4.3	17	<1	<1	3	5	9	12	20
35-49	188	4.9	26	<1	<1	3	6	11	16	26
50-64	230	6.7	57	<1	1	4	8	12	19	42
65+	488	8.5	80	1	2	6	11	17	24	60
GRAND TOTAL	**1305**	**6.4**	**52**	**<1**	**1**	**4**	**8**	**14**	**18**	**41**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	90.0		90	90	90	90	90	90	90
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.7	5	2	2	6	6	6	6	6
50-64	5	5.8	5	2	2	7	7	7	7	7
65+	7	6.7	55	2	2	5	7	20	23	23
B. *Operated*										
0-19 YRS	126	2.4	8	<1	1	1	2	6	9	15
20-34	86	4.5	16	<1	1	3	5	9	14	19
35-49	55	4.8	24	<1	<1	3	6	10	17	22
50-64	71	5.8	30	<1	1	3	7	15	18	23
65+	139	6.0	36	<1	2	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49										
50-64	7	2.9	3	1	1	4	4	5	5	5
65+	29	6.8	22	1	1	7	9	13	18	18
B. *Operated*										
0-19 YRS	46	2.7	8	<1	1	1	3	6	10	12
20-34	40	7.5	65	<1	1	5	8	20	28	32
35-49	47	9.8	158	<1	<1	5	12	25	39	60
50-64	105	7.8	37	<1	2	6	10	18	20	26
65+	315	8.8	105	1	2	5	11	19	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	10.7	441	2	2	6	7	20	66	90
B. *Operated*	477	4.6	24	<1	1	3	6	10	15	20
2. MULTIPLE DX										
A. *Not Operated*	40	5.9	20	1	1	5	8	11	16	18
B. *Operated*	553	8.1	88	1	1	5	10	18	25	56
1. SINGLE DX	494	4.8	39	<1	1	3	6	10	16	22
2. MULTIPLE DX	593	7.9	84	1	1	5	10	18	24	55
A. NOT OPERATED	57	7.3	145	1	1	5	8	11	18	85
B. OPERATED	1030	6.5	62	<1	1	4	8	15	20	40
TOTAL 0-19 YRS	174	3.0	52	<1	1	1	2	6	9	18
20-34	130	5.4	33	<1	1	4	7	13	17	31
35-49	105	7.1	89	<1	<1	4	8	16	23	56
50-64	188	6.8	34	<1	1	5	9	16	19	25
65+	490	7.9	81	1	2	5	9	17	23	55
GRAND TOTAL	**1087**	**6.5**	**66**	**<1**	**1**	**4**	**8**	**15**	**19**	**45**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	438	3.6	6	1	1	3	5	7	8	12
20-34	163	3.0	3	1	1	3	4	5	6	9
35-49	70	3.8	5	1	1	3	5	7	8	10
50-64	64	4.3	9	1	1	4	5	9	11	15
65+	193	6.2	29	1	2	5	7	13	17	33
B. *Operated*										
0-19 YRS	99	3.8	19	<1	<1	2	4	10	14	20
20-34	133	3.3	10	<1	<1	2	4	9	9	12
35-49	103	4.3	24	<1	<1	3	5	11	15	26
50-64	144	4.5	33	<1	<1	3	5	10	15	38
65+	189	5.8	20	<1	1	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	532	5.1	12	1	2	4	7	9	12	18
20-34	264	4.7	26	1	1	3	6	9	12	19
35-49	147	5.5	24	1	2	4	7	10	12	24
50-64	237	7.0	33	1	2	6	9	14	17	20
65+	898	9.9	101	2	3	7	12	20	31	66
B. *Operated*										
0-19 YRS	137	5.1	35	<1	1	3	7	11	16	24
20-34	133	8.4	117	<1	<1	5	10	21	29	75
35-49	134	6.9	102	<1	<1	4	8	14	21	62
50-64	273	8.4	84	<1	1	6	10	20	27	48
65+	548	10.6	126	1	2	7	14	23	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	928	4.1	12	1	1	3	5	8	10	18
B. *Operated*	668	4.5	22	<1	<1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	2078	7.4	61	1	2	5	9	14	20	45
B. *Operated*	1225	8.9	106	<1	1	6	11	20	28	61
1. SINGLE DX	1596	4.3	15	<1	1	3	5	9	11	22
2. MULTIPLE DX	3303	7.9	78	1	2	5	9	16	23	52
A. NOT OPERATED	3006	6.4	48	1	2	4	8	12	17	36
B. OPERATED	1893	7.3	81	<1	<1	5	9	16	24	51
TOTAL 0-19 YRS	1206	4.4	14	1	1	3	6	9	11	18
20-34	693	4.7	39	<1	<1	3	6	9	14	32
35-49	454	5.4	45	<1	<1	4	7	10	14	44
50-64	718	6.8	52	<1	1	5	8	15	20	38
65+	1828	9.3	95	2	2	6	11	20	28	63
GRAND TOTAL	**4899**	**6.7**	**61**	**<1**	**1**	**5**	**8**	**14**	**20**	**45**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	12	4.1	13	1	1	3	5	9	13	14
65+	27	3.5	9	1	1	3	4	8	10	13
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	29	4.5	10	<1	<1	4	6	9	10	13
50-64	613	6.9	15	<1	2	7	9	12	14	19
65+	1127	8.4	24	2	3	8	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	5.3	9	1	1	6	8	8	8	8
50-64	35	5.2	126	1	1	3	4	7	13	68
65+	150	9.9	202	1	2	5	12	20	36	92
B. *Operated*										
0-19 YRS	3	33.3	1497	10	10	12	61	78	78	78
20-34	5	6.8	21	<1	<1	7	10	13	13	13
35-49	37	8.5	58	<1	<1	6	13	19	24	32
50-64	759	9.6	38	2	4	8	11	16	22	32
65+	2283	11.8	83	3	4	10	14	21	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.7	10	1	1	3	5	8	11	14
B. *Operated*	1772	7.8	21	1	2	7	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	192	8.9	184	1	1	5	10	19	29	88
B. *Operated*	3087	11.3	74	2	4	9	13	20	27	46
1. SINGLE DX	1813	7.7	21	1	2	7	10	13	15	23
2. MULTIPLE DX	3279	11.1	81	2	3	9	13	20	27	51
A. NOT OPERATED	233	8.0	157	1	1	4	9	16	26	84
B. OPERATED	4859	10.0	57	2	3	8	12	18	23	40
TOTAL 0-19 YRS	6	19.5	833	2	2	9	12	71	76	78
20-34	7	5.9	19	<1	<1	6	8	12	13	13
35-49	73	6.6	38	<1	<1	6	8	14	19	31
50-64	1419	8.3	32	1	2	7	10	14	18	29
65+	3587	10.6	72	2	3	9	13	19	25	46
GRAND TOTAL	**5092**	**9.9**	**62**	**2**	**3**	**8**	**12**	**18**	**23**	**41**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	12	2.9	5	<1	<1	3	4	7	8	8
35-49	12	4.2	2	1	2	4	5	6	7	7
50-64	9	3.4	4	1	1	3	5	6	6	6
65+	8	5.4	2	4	4	5	6	7	7	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	2.2	5	<1	<1	<1	3	6	8	9
35-49	22	3.7	13	<1	<1	2	5	10	11	12
50-64	25	4.4	19	1	1	3	5	7	12	23
65+	31	5.7	23	2	2	5	7	10	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	4.0	3	2	2	3	5	7	7	7
35-49	22	5.3	11	1	2	4	8	10	12	14
50-64	34	6.0	18	1	1	5	8	12	16	19
65+	46	6.9	26	3	3	5	8	12	14	33
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	4.3	10	<1	<1	4	6	9	11	11
35-49	19	4.7	15	<1	<1	3	7	11	13	14
50-64	59	7.0	28	<1	1	6	10	13	17	26
65+	80	8.4	43	1	2	7	11	18	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.9	4	1	1	4	5	6	7	8
B. *Operated*	98	4.2	17	<1	<1	3	6	9	11	24
2. MULTIPLE DX										
A. *Not Operated*	116	6.0	19	2	2	5	8	11	13	24
B. *Operated*	173	7.2	33	<1	1	6	10	13	20	27
1. SINGLE DX	141	4.1	13	<1	<1	3	5	8	10	23
2. MULTIPLE DX	289	6.7	28	<1	2	5	9	12	17	27
A. NOT OPERATED	159	5.4	15	1	2	5	7	10	12	19
B. OPERATED	271	6.1	29	<1	<1	5	8	12	17	26
TOTAL 0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	59	3.3	6	<1	<1	3	5	7	8	11
35-49	75	4.5	11	<1	<1	4	7	10	12	14
50-64	127	6.0	23	<1	1	5	7	12	17	24
65+	165	7.3	33	2	2	6	9	12	20	31
GRAND TOTAL	**430**	**5.8**	**24**	**<1**	**1**	**5**	**8**	**11**	**14**	**26**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	194	2.6	2	<1	1	2	3	4	6	7
20-34	57	3.6	3	2	2	3	4	6	7	12
35-49	57	3.7	3	1	2	3	5	6	8	9
50-64	92	3.7	3	1	2	3	5	6	6	9
65+	59	4.7	8	2	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	12.0	200	2	2	12	22	22	22	22
B. *Operated*										
0-19 YRS	111	2.9	7	<1	1	2	3	5	7	16
20-34	22	4.7	7	<1	1	5	7	8	9	10
35-49	34	4.3	4	2	3	4	5	7	9	10
50-64	85	5.3	13	2	2	4	6	11	12	19
65+	85	6.4	21	2	2	5	8	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*	459	3.4	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	19	2.8	24	<1	<1	1	2	6	15	22
B. *Operated*	337	4.7	13	1	1	4	6	8	11	20
1. SINGLE DX	470	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	356	4.6	16	1	1	3	6	8	11	22
A. NOT OPERATED	30	2.4	16	<1	<1	1	2	5	6	22
B. OPERATED	796	3.9	8	1	2	3	5	7	9	15
TOTAL 0-19 YRS	327	2.6	4	<1	1	2	3	5	6	8
20-34	80	3.9	5	1	2	3	5	7	8	11
35-49	91	3.9	4	2	2	3	5	7	8	10
50-64	180	4.4	8	1	2	4	5	7	10	17
65+	148	5.8	18	2	2	5	7	10	13	24
GRAND TOTAL	826	3.9	8	1	1	3	5	7	9	15

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.8	9	1	2	4	6	10	11	12
20-34	82	5.0	8	2	2	5	7	8	10	15
35-49	44	5.2	9	1	2	5	6	9	11	16
50-64	35	6.4	7	2	3	6	8	11	12	13
65+	27	8.3	41	2	3	8	10	14	20	34
B. *Operated*										
0-19 YRS	8	3.8	7	1	1	3	6	8	8	8
20-34	29	4.3	3	1	2	4	5	6	7	8
35-49	14	4.6	15	1	1	3	6	10	14	15
50-64	11	7.5	29	3	3	5	10	16	21	21
65+	8	5.4	4	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	5	<1	1	4	6	7	8	8
20-34	27	5.3	6	1	2	5	6	10	10	11
35-49	19	5.5	12	1	2	5	7	9	13	16
50-64	30	6.5	22	1	2	5	9	12	13	23
65+	54	10.2	70	4	4	8	12	17	32	98
B. *Operated*										
0-19 YRS	11	6.0	47	1	1	6	7	16	25	26
20-34	20	6.1	26	2	2	4	7	11	18	24
35-49	12	8.5	91	2	3	6	8	18	35	38
50-64	15	9.1	39	2	2	8	15	17	20	21
65+	24	13.1	165	2	3	8	15	30	43	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	5.6	13	2	2	5	7	10	11	16
B. *Operated*	70	4.9	11	1	2	4	6	9	10	20
2. MULTIPLE DX										
A. *Not Operated*	140	7.4	39	2	2	6	9	13	16	60
B. *Operated*	82	9.1	86	2	2	6	10	22	28	49
1. SINGLE DX	302	5.4	12	1	2	5	7	9	11	16
2. MULTIPLE DX	222	8.0	57	2	2	6	9	14	24	55
A. NOT OPERATED	372	6.3	24	2	2	5	8	11	13	32
B. OPERATED	152	7.2	55	2	2	5	8	14	24	38
TOTAL 0-19 YRS	73	4.9	14	1	2	4	6	9	11	23
20-34	158	5.1	9	2	2	5	6	9	10	16
35-49	89	5.6	22	1	2	5	7	10	12	29
50-64	91	7.0	20	2	3	6	9	12	17	22
65+	113	10.0	[illegible]	3	4	8	11	17	33	72
GRAND TOTAL	524	6.5	33	2	2	5	8	11	15	36

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	1.8	1	<1	<1	2	2	3	4	6
20-34	36	2.2	2	<1	<1	2	3	4	5	6
35-49	10	2.5	4	1	1	2	3	6	7	7
50-64	9	1.7	1	<1	<1	2	2	3	3	3
65+	15	3.3	10	<1	1	2	4	8	11	12
B. *Operated*										
0-19 YRS	358	1.8	2	<1	<1	1	2	3	3	7
20-34	51	1.6	1	<1	<1	1	2	3	4	4
35-49	27	2.3	4	<1	<1	2	3	3	5	11
50-64	20	3.0	5	<1	1	2	3	5	8	11
65+	16	4.4	27	1	1	2	5	15	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	1.7	2	<1	<1	1	2	3	5	7
20-34	10	3.1	7	1	1	2	4	7	10	10
35-49	7	3.1	7	<1	<1	2	4	8	9	9
50-64	10	2.7	2	1	1	2	3	5	5	5
65+	15	9.3	243	1	1	3	8	34	51	57
B. *Operated*										
0-19 YRS	64	2.4	3	<1	<1	2	3	4	6	8
20-34	19	2.6	2	<1	<1	3	4	4	5	6
35-49	18	3.6	12	1	1	2	4	9	12	14
50-64	21	6.0	23	1	1	4	10	14	14	15
65+	25	3.6	8	1	2	3	3	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.0	2	<1	<1	2	2	3	4	7
B. *Operated*	472	1.9	3	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	101	3.2	43	<1	<1	2	3	5	8	45
B. *Operated*	147	3.3	9	<1	<1	2	4	6	10	15
1. SINGLE DX	716	1.9	3	<1	<1	2	2	3	4	8
2. MULTIPLE DX	248	3.2	23	<1	<1	2	3	6	9	16
A. NOT OPERATED	345	2.3	14	<1	<1	2	2	4	5	10
B. OPERATED	619	2.2	5	<1	<1	2	2	4	6	14
TOTAL 0-19 YRS	655	1.8	2	<1	<1	2	2	3	4	7
20-34	116	2.1	2	<1	<1	2	3	4	4	8
35-49	62	2.8	7	<1	<1	2	3	5	9	14
50-64	60	3.8	13	1	1	2	4	10	13	15
65+	71	4.9	64	1	1	3	4	9	16	52
GRAND TOTAL	**964**	**2.3**	**8**	**<1**	**<1**	**2**	**2**	**4**	**5**	**13**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.1	4	<1	<1	1	2	4	7	10
20-34	31	2.9	4	1	1	2	3	5	8	11
35-49	16	3.6	17	<1	<1	2	5	10	14	16
50-64	7	1.9	1	<1	<1	2	3	3	3	3
65+	10	3.8	3	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	235	2.5	8	<1	1	2	3	4	5	13
20-34	166	3.0	7	<1	1	3	4	5	7	9
35-49	91	2.9	4	<1	1	3	4	5	7	11
50-64	91	3.9	10	<1	1	3	5	7	10	18
65+	38	4.6	10	1	2	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.6	2	<1	1	2	4	5	5	6
20-34	17	7.0	93	<1	<1	3	7	27	31	32
35-49	11	5.1	41	<1	<1	2	6	16	21	21
50-64	20	3.7	10	<1	1	3	4	8	11	14
65+	26	8.0	41	1	2	7	11	21	39	99+
B. *Operated*										
0-19 YRS	75	3.7	11	<1	1	3	4	7	10	18
20-34	106	4.4	15	<1	1	3	5	10	13	20
35-49	79	5.5	51	1	2	3	6	11	16	47
50-64	97	5.5	45	1	2	4	6	10	14	41
65+	64	6.5	30	2	2	5	8	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.6	6	<1	<1	2	3	5	8	12
B. *Operated*	621	3.0	8	<1	1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	116	4.9	33	<1	1	3	5	13	19	54
B. *Operated*	421	5.0	31	1	1	3	6	10	14	25
1. SINGLE DX	750	2.9	8	<1	1	2	3	5	7	16
2. MULTIPLE DX	537	5.0	31	1	1	3	6	10	14	30
A. NOT OPERATED	245	3.7	20	<1	1	2	4	8	13	30
B. OPERATED	1042	3.8	18	<1	1	3	4	7	10	21
TOTAL 0-19 YRS	417	2.7	8	<1	1	2	3	5	7	13
20-34	320	3.6	15	<1	1	3	4	7	10	23
35-49	197	4.1	27	<1	1	3	4	9	12	24
50-64	215	4.5	27	<1	1	3	5	9	13	20
65+	138	6.1	26	1	2	4	8	13	16	39
GRAND TOTAL	**1287**	**3.8**	**18**	**<1**	**1**	**3**	**4**	**8**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	29	1.9		<1	<1	2	2	3	3	4
20-34	192	2.4	4	<1	<1	2	3	4	6	12
35-49	431	2.5	3	<1	<1	2	3	4	5	12
50-64	177	2.6	3	<1	<1	2	3	5	7	9
65+	45	3.0	4	1	2	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	2	9.0	32	5	5	9	13	13	13	13
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	90	3.3	33	<1	<1	2	3	6	9	37
35-49	248	3.5	14	<1	<1	2	4	7	10	18
50-64	150	3.6	7	<1	<1	3	5	7	9	13
65+	71	4.4	16	1	2	3	5	9	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	18	1	1	1	8	10	10	10
B. *Operated*	874	2.5	3	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	8	3.9	17	<1	<1	3	5	11	13	13
B. *Operated*	561	3.6	16	<1	<1	2	4	7	10	18
1. SINGLE DX	879	2.5	3	<1	<1	2	3	4	6	11
2. MULTIPLE DX	569	3.6	16	<1	<1	2	4	7	10	18
A. NOT OPERATED	13	3.9	16	<1	<1	1	6	11	13	13
B. OPERATED	1435	2.9	8	<1	<1	2	3	6	8	13
TOTAL 0-19 YRS	32	1.9		<1	<1	2	2	3	3	4
20-34	284	2.7	13	<1	<1	2	3	5	7	12
35-49	684	2.9	8	<1	<1	2	3	5	8	14
50-64	330	3.1	6	<1	<1	2	3	7	8	13
65+	118	3.9	12	1	2	3	4	7	10	20
GRAND TOTAL	**1448**	**2.9**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**13**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.3	17	1	2	5	5	11	16	17
20-34	48	4.2	10	1	2	3	5	7	10	19
35-49	11	3.7	7	<1	<1	4	5	8	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+	5	4.6	9	1	1	6	7	8	8	8
B. *Operated*										
0-19 YRS	141	3.1	3	<1	1	3	4	5	7	8
20-34	406	3.4	5	<1	1	3	4	5	7	11
35-49	204	3.2	4	<1	1	3	4	6	7	11
50-64	113	3.1	3	<1	1	3	4	6	7	9
65+	51	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	6	1	1	5	6	8	8	8
20-34	16	3.5	4	<1	<1	3	4	7	7	7
35-49	13	2.5	6	<1	<1	1	3	7	8	8
50-64	5	2.6	4	<1	<1	2	4	6	6	6
65+	12	8.8	41	<1	1	7	13	17	22	23
B. *Operated*										
0-19 YRS	35	3.7	4	1	1	4	5	6	8	10
20-34	193	4.1	7	1	2	4	5	8	10	14
35-49	138	4.5	9	1	2	4	6	8	11	15
50-64	85	4.6	15	1	1	4	6	9	11	22
65+	48	5.7	24	<1	2	4	7	11	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.3	10	1	1	4	5	8	9	18
B. *Operated*	915	3.3	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	52	4.6	18	<1	1	3	6	9	14	23
B. *Operated*	499	4.4	11	1	2	4	5	8	11	18
1. SINGLE DX	992	3.3	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	551	4.5	11	1	1	4	6	8	11	18
A. NOT OPERATED	129	4.4	13	1	1	3	6	8	12	20
B. OPERATED	1414	3.7	7	<1	1	3	5	7	8	13
TOTAL 0-19 YRS	194	3.4	4	<1	1	3	4	6	7	10
20-34	663	3.7	6	<1	1	3	4	7	8	12
35-49	366	3.7	6	<1	1	3	5	7	8	12
50-64	204	3.8	9	<1	1	3	5	7	9	15
65+	116	4.8	18	1	2	3	6	9	14	23
GRAND TOTAL	**1543**	**3.7**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.7	2	<1	1	2	3	5	6	7
20-34	224	2.5	4	<1	1	2	3	5	6	11
35-49	43	2.3	2	<1	1	2	3	4	4	8
50-64	4	5.5	18	1	1	5	8	11	11	11
65+										
B. *Operated*										
0-19 YRS	180	4.3	5	1	2	4	6	7	9	12
20-34	563	4.6	6	1	2	5	6	8	9	13
35-49	184	5.7	7	1	2	6	7	9	10	14
50-64	28	7.4	4	4	5	7	9	10	11	12
65+	10	8.6	12	5	5	8	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	5	<1	1	2	4	5	9	10
20-34	109	3.1	5	<1	1	2	4	7	8	9
35-49	21	3.6	7	<1	<1	4	5	7	8	9
50-64	9	3.1	3	<1	<1	4	4	5	6	6
65+	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*										
0-19 YRS	69	5.2	12	1	2	5	7	8	10	19
20-34	622	6.1	11	1	2	6	8	10	12	18
35-49	273	7.5	20	2	4	7	9	11	13	20
50-64	35	8.9	30	4	5	8	9	13	20	33
65+	15	15.7	74	6	7	14	21	26	35	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	2.5	3	<1	1	2	3	5	6	11
B. *Operated*	965	4.9	7	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	177	3.2	5	<1	1	2	4	7	8	10
B. *Operated*	1014	6.6	17	2	2	6	8	10	13	21
1. SINGLE DX	1314	4.3	7	1	1	4	6	8	9	12
2. MULTIPLE DX	1191	6.1	17	1	2	6	8	10	13	20
A. NOT OPERATED	526	2.8	4	<1	1	2	4	5	7	10
B. OPERATED	1979	5.8	13	1	2	6	7	9	11	18
TOTAL 0-19 YRS	363	4.0	7	1	1	4	5	7	8	12
20-34	1518	4.8	9	1	1	5	7	8	10	14
35-49	521	6.3	16	1	2	6	8	10	12	18
50-64	76	7.5	19	2	4	7	9	11	13	30
65+	27	12.5	58	5	6	10	16	22	28	38
GRAND TOTAL	**2505**	**5.2**	**12**	**1**	**1**	**5**	**7**	**9**	**11**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	4.6	6	1	2	4	6	8	9	13
20-34	981	4.6	5	1	2	4	6	7	9	12
35-49	89	5.3	7	2	2	5	6	9	11	14
50-64	15	5.9	14	1	2	5	8	11	13	14
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	99	5.2	9	1	2	5	7	9	11	14
20-34	432	5.3	13	<1	1	5	7	9	11	17
35-49	111	5.8	14	<1	1	6	8	10	13	19
50-64	11	7.3	20	1	1	7	10	14	14	14
65+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	5.0	9	1	2	5	6	8	10	13
20-34	408	5.3	11	1	2	5	7	10	11	18
35-49	51	5.3	9	1	2	5	7	9	13	14
50-64	11	9.0	34	2	4	8	9	20	21	21
65+	2	10.5	61	5	5	16	79	99+	99+	99+
B. *Operated*										
0-19 YRS	141	6.7	24	2	2	6	8	10	12	31
20-34	920	6.0	14	1	2	6	7	10	12	18
35-49	289	7.4	17	2	2	7	9	12	15	22
50-64	27	8.7	23	4	5	7	10	14	20	26
65+	8	21.1	384	5	5	9	44	45	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1513	4.7	6	1	2	4	6	8	9	13
B. *Operated*	655	5.4	13	<1	1	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	638	5.3	11	1	2	5	7	9	11	19
B. *Operated*	1385	6.5	19	1	2	6	8	10	13	22
1. SINGLE DX	2168	4.9	8	1	2	5	6	8	10	14
2. MULTIPLE DX	2023	6.1	17	1	2	6	8	10	13	21
A. NOT OPERATED	2151	4.9	8	1	2	4	6	8	10	14
B. OPERATED	2040	6.1	17	1	2	6	8	10	13	21
TOTAL 0-19 YRS	832	5.1	11	1	2	5	7	9	10	14
20-34	2741	5.3	11	1	2	5	7	9	11	16
35-49	540	6.5	15	1	2	6	8	11	14	21
50-64	64	7.9	23	1	2	7	9	14	19	25
65+	14	15.2	267	2	4	9	37	46	86	99+
GRAND TOTAL	**4191**	**5.5**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	<1	<1	3	4	4	4	4
20-34	20	4.3	7	<1	1	4	6	7	10	12
35-49	6	3.8	2	2	2	4	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	13	2.9	5	<1	1	2	4	7	7	7
20-34	290	4.6	10	<1	<1	5	7	8	9	14
35-49	174	6.7	7	1	2	7	8	9	10	15
50-64	9	7.2	1	6	6	7	8	8	8	8
65+	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	21	3.8	7	<1	1	3	5	8	9	10
35-49	10	3.6	9	<1	<1	2	6	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	17	4.4	8	<1	1	5	7	8	9	9
20-34	663	6.4	13	1	2	6	8	9	11	19
35-49	740	7.4	7	2	5	7	8	10	12	17
50-64	88	8.5	18	5	6	7	9	11	15	32
65+	6	9.2	5	7	7	9	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.0	5	<1	1	4	5	6	7	12
B. *Operated*	488	5.3	10	<1	1	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	7	<1	<1	3	6	8	9	10
B. *Operated*	1514	7.0	11	1	3	7	8	10	12	18
1. SINGLE DX	520	5.2	10	<1	1	6	7	9	10	14
2. MULTIPLE DX	1547	6.9	11	1	2	7	8	10	12	18
A. NOT OPERATED	65	3.9	6	<1	<1	3	5	7	8	12
B. OPERATED	2002	6.6	11	1	2	7	8	9	11	17
TOTAL 0-19 YRS	37	3.6	6	<1	1	3	6	7	8	9
20-34	994	5.8	13	<1	1	6	7	9	10	17
35-49	930	7.2	8	2	4	7	8	10	12	16
50-64	98	8.4	17	5	6	7	9	11	15	30
65+	8	7.9	12	1	3	8	10	12	12	12
GRAND TOTAL	**2067**	**6.5**	**11**	**1**	**2**	**7**	**8**	**9**	**11**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	2.8	2	2	2	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	78	3.5	10	<1	<1	2	6	8	9	12
35-49	33	3.3	8	<1	<1	2	6	8	8	9
50-64	12	3.2	6	1	1	2	5	7	8	8
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	2.9	6	1	1	2	4	7	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	98	5.9	16	<1	1	6	8	11	13	20
35-49	109	6.5	13	<1	<1	7	8	10	12	18
50-64	21	6.3	24	1	1	7	8	11	16	22
65+	3	12.3	165	3	3	7	22	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.6	18	1	1	2	6	12	13	13
B. *Operated*	130	3.3	8	<1	<1	2	6	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	9	2.7	6	<1	<1	1	4	6	8	8
B. *Operated*	234	6.3	17	<1	1	7	8	10	13	22
1. SINGLE DX	137	3.4	9	<1	<1	2	6	8	9	12
2. MULTIPLE DX	243	6.1	17	<1	1	7	8	10	13	22
A. NOT OPERATED	16	3.5	11	<1	1	2	5	8	11	13
B. OPERATED	364	5.2	16	<1	<1	6	7	9	12	20
TOTAL 0-19 YRS	10	3.0	7	<1	<1	2	4	7	8	8
20-34	188	4.7	14	<1	<1	4	7	9	11	16
35-49	143	5.7	13	<1	<1	7	8	9	12	16
50-64	33	5.2	19	1	1	4	7	10	11	22
65+	6	9.5	90	1	1	6	13	26	27	27
GRAND TOTAL	**380**	**5.1**	**16**	**<1**	**<1**	**5**	**7**	**9**	**12**	**20**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.7	4	1	2	3	4	7	9	9
20-34	71	3.4	3	1	1	3	4	6	7	9
35-49	18	4.4	9	1	1	4	6	6	11	14
50-64	3	8.3	12	5	5	8	11	12	12	12
65+	3	9.0	43	3	3	8	14	16	16	16
B. Operated										
0-19 YRS	33	2.3	2	1	1	2	3	5	6	7
20-34	249	2.3	4	<1	1	2	3	5	5	9
35-49	129	2.5	4	<1	1	2	3	5	6	11
50-64	32	2.5	4	1	1	2	3	5	6	10
65+	4	3.8	5	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	4.1	10	1	1	3	5	9	11	14
20-34	79	4.5	9	1	2	4	6	8	9	18
35-49	19	5.2	7	1	2	5	6	9	11	11
50-64	15	5.9	14	<1	1	6	8	11	13	14
65+	16	8.9	91	2	3	6	10	15	34	42
B. Operated										
0-19 YRS	12	2.7	4	<1	<1	2	4	6	7	7
20-34	104	4.3	18	<1	1	3	6	9	12	24
35-49	66	5.2	35	<1	1	3	7	10	16	32
50-64	20	5.8	20	<1	<1	5	8	13	15	15
65+	14	18.2	850	1	2	7	15	75	93	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	3.9	6	1	1	3	5	7	8	14
B. Operated	447	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	156	5.1	19	1	2	4	7	9	11	19
B. Operated	216	5.5	84	<1	1	3	7	10	16	46
1. SINGLE DX	576	2.7	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	372	5.4	57	1	1	4	7	9	14	32
A. NOT OPERATED	285	4.5	14	1	1	4	6	8	10	16
B. OPERATED	663	3.4	32	<1	1	2	4	7	9	19
TOTAL 0-19 YRS	106	3.3	5	1	1	2	4	7	8	12
20-34	503	3.2	8	<1	1	2	4	7	8	15
35-49	232	3.6	15	<1	1	2	5	7	10	19
50-64	70	4.4	14	1	1	3	6	10	12	15
65+	37	11.9	375	1	2	6	9	18	61	98
GRAND TOTAL	**948**	**3.7**	**27**	**<1**	**1**	**2**	**5**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	2.2	5	<1	<1	1	3	6	6	6
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	6	8.7	31	3	3	7	15	16	16	16
B. Operated										
0-19 YRS										
20-34	91	7.4	8	3	4	7	9	11	13	16
35-49	243	8.0	11	4	5	7	9	12	13	19
50-64	332	8.1	11	4	5	7	9	12	15	18
65+	243	8.7	10	5	6	8	10	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	3.1	9	1	1	2	4	8	9	9
50-64	18	3.7	7	<1	<1	3	5	8	9	10
65+	34	5.1	22	1	1	4	6	12	15	22
B. Operated										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	229	9.0	31	3	5	7	10	16	21	32
35-49	616	9.6	23	5	6	8	11	16	20	28
50-64	668	9.9	24	5	6	9	11	16	19	29
65+	576	10.9	30	6	7	9	13	16	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.8	22	<1	<1	3	6	14	16	16
B. Operated	909	8.1	11	4	5	7	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	64	4.3	16	<1	1	3	6	8	12	21
B. Operated	2091	10.0	26	5	6	9	11	16	21	30
1. SINGLE DX	925	8.1	11	4	5	7	9	12	14	19
2. MULTIPLE DX	2155	9.8	27	4	6	8	11	16	20	30
A. NOT OPERATED	80	4.4	17	<1	1	3	6	9	14	20
B. OPERATED	3000	9.4	22	5	6	8	11	15	18	27
TOTAL 0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	323	8.5	25	3	4	7	9	14	19	27
35-49	874	9.0	21	4	5	8	10	14	17	28
50-64	1022	9.2	21	4	5	8	10	14	17	26
65+	859	10.0	26	5	6	9	12	16	19	28
GRAND TOTAL	**3080**	**9.3**	**23**	**4**	**5**	**8**	**11**	**15**	**18**	**27**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	14	1.9	2	<1	1	2	2	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	58	1.8	3	<1	<1	1	2	3	7	8
35-49	45	1.6	1	<1	<1	1	2	2	3	7
50-64	7	2.3	1	<1	<1	2	3	4	4	4
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	4	1.8		1	1	2	2	2	2	2
35-49	8	2.5	7	1	1	2	2	7	9	9
50-64										
65+										
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	45	4.5	24	<1	<1	2	7	9	12	27
35-49	70	3.4	10	<1	<1	2	6	9	10	12
50-64	11	4.8	16	1	1	4	8	11	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.3	2	<1	1	2	3	4	5	5
B. Operated	112	1.8	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. Not Operated	15	2.3	4	1	1	2	2	4	8	9
B. Operated	129	3.9	15	<1	<1	2	7	9	10	17
1. SINGLE DX	132	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	144	3.7	14	<1	<1	2	6	[illegible]	10	15
A. NOT OPERATED	35	2.3	3	1	1	2	3	4	5	9
B. OPERATED	241	2.9	10	<1	<1	1	3	8	9	12
TOTAL 0-19 YRS	10	2.2	1	1	1	2	3	4	4	4
20-34	121	2.8	12	<1	<1	1	3	7	9	10
35-49	125	2.7	7	<1	<1	2	3	7	9	12
50-64	20	3.8	10	<1	1	3	5	9	11	12
65+										
GRAND TOTAL	**276**	**2.8**	**9**	**<1**	**<1**	**2**	**3**	**7**	**9**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.3	2	1	1	2	3	5	6	7
20-34	198	1.9	1	<1	1	2	2	3	4	6
35-49	59	2.1	3	<1	<1	2	2	4	6	10
50-64	8	1.9	2	<1	<1	1	2	4	5	5
65+										
B. Operated										
0-19 YRS	66	1.7	1	<1	<1	1	2	3	4	7
20-34	1153	2.6	6	<1	<1	1	3	7	8	10
35-49	1207	2.9	8	<1	<1	2	5	7	8	10
50-64	133	2.3	6	<1	<1	1	2	7	8	12
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.6	2	1	1	2	3	5	5	7
20-34	154	2.8	6	<1	<1	2	3	6	8	12
35-49	84	2.6	4	<1	1	2	3	5	8	9
50-64	12	5.8	58	1	1	3	5	19	26	27
65+										
B. Operated										
0-19 YRS	53	3.1	5	<1	<1	2	5	7	7	9
20-34	1468	5.3	13	<1	1	6	7	9	10	16
35-49	2156	5.8	15	<1	1	6	8	10	12	19
50-64	234	4.9	16	<1	<1	4	6	10	12	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	328	2.0	2	<1	1	2	3	4	5	7
B. Operated	2559	2.7	7	<1	<1	1	3	7	8	10
2. MULTIPLE DX										
A. Not Operated	297	2.8	7	<1	1	2	3	6	8	13
B. Operated	3911	5.5	14	<1	1	6	8	9	11	18
1. SINGLE DX	2887	2.6	6	<1	<1	2	3	7	8	10
2. MULTIPLE DX	4208	5.3	14	<1	1	6	8	9	11	17
A. NOT OPERATED	625	2.4	5	<1	1	2	3	5	6	10
B. OPERATED	6470	4.4	13	<1	<1	3	7	9	10	15
TOTAL 0-19 YRS	229	2.4	3	<1	1	2	3	5	7	8
20-34	2973	3.9	11	<1	<1	2	7	8	9	14
35-49	3506	4.7	14	<1	<1	4	7	9	10	16
50-64	387	4.0	15	<1	<1	2	7	9	12	16
65+										
GRAND TOTAL	**7095**	**4.2**	**13**	**<1**	**<1**	**2**	**7**	**8**	**10**	**15**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64	9	2.9	2	<1	1	3	3	5	6	6
65+	14	3.4	9	1	1	2	5	8	10	11
B. *Operated*										
0-19 YRS										
20-34	4	4.8	17	<1	<1	4	8	10	10	10
35-49	113	1.8	3	<1	<1	1	2	3	6	9
50-64	347	1.7	2	<1	<1	1	2	2	3	8
65+	100	2.2	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	5.1	9	2	2	5	7	9	10	10
50-64	22	3.9	25	<1	<1	2	3	15	16	17
65+	25	4.5	13	<1	1	3	6	10	12	14
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	3.2	5	1	1	2	5	6	6	6
35-49	112	2.9	9	<1	<1	2	3	8	10	14
50-64	416	3.1	16	<1	<1	2	3	8	10	18
65+	184	4.4	24	<1	1	2	5	11	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.8	15	1	1	3	4	7	11	21
B. *Operated*	564	1.8	2	<1	<1	2	2	2	5	9
2. MULTIPLE DX										
A. *Not Operated*	55	4.3	17	<1	<1	2	6	10	15	17
B. *Operated*	718	3.4	17	<1	<1	2	3	8	11	21
1. SINGLE DX	596	1.9	3	<1	<1	2	2	3	5	10
2. MULTIPLE DX	773	3.5	17	<1	<1	2	3	8	11	21
A. NOT OPERATED	87	4.1	16	<1	<1	3	6	9	14	20
B. OPERATED	1282	2.7	11	<1	<1	2	2	7	9	17
TOTAL 0-19 YRS	2	11.0	200	<1	<1	10	21	21	21	21
20-34	10	3.7	9	<1	<1	2	6	8	10	10
35-49	240	2.5	6	<1	<1	2	2	6	9	12
50-64	794	2.5	10	<1	<1	2	2	6	8	15
65+	323	3.7	17	<1	1	2	4	8	12	21
GRAND TOTAL	**1369**	**2.8**	**12**	**<1**	**<1**	**2**	**2**	**7**	**9**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	5	<1	<1	2	3	7	8	10
20-34	62	2.6	6	<1	<1	2	3	6	8	13
35-49	18	2.7	3	<1	<1	2	4	5	6	6
50-64	5	6.4	44	1	1	3	13	15	15	15
65+	6	5.0	14	1	1	5	9	9	9	9
B. *Operated*										
0-19 YRS	42	3.4	7	<1	1	3	5	7	10	11
20-34	529	4.0	11	<1	1	3	6	8	9	19
35-49	303	3.5	9	<1	<1	2	6	8	9	14
50-64	199	3.0	7	<1	<1	2	4	8	8	11
65+	43	4.1	59	<1	1	2	4	7	10	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	3	<1	<1	2	3	5	7	7
20-34	64	2.9	8	<1	1	2	4	5	10	14
35-49	16	3.5	15	<1	1	2	5	11	13	13
50-64	7	7.1	114	1	1	2	9	26	30	30
65+	13	5.5	22	2	2	5	6	11	17	19
B. *Operated*										
0-19 YRS	31	4.2	9	1	1	4	7	8	9	12
20-34	653	5.7	19	<1	1	6	7	9	11	25
35-49	624	5.8	18	<1	1	6	8	9	12	20
50-64	303	5.4	26	<1	1	4	8	11	14	27
65+	122	7.3	90	1	1	4	9	17	22	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	2.9	8	<1	<1	2	4	7	10	14
B. *Operated*	1116	3.7	12	<1	<1	2	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	113	3.5	17	<1	1	2	4	7	11	23
B. *Operated*	1733	5.8	25	<1	1	6	8	10	13	25
1. SINGLE DX	1232	3.6	11	<1	<1	2	5	8	9	16
2. MULTIPLE DX	1846	5.6	25	<1	1	5	8	9	13	25
A. NOT OPERATED	229	3.2	12	<1	<1	2	4	7	10	16
B. OPERATED	2849	4.9	21	<1	1	4	7	9	11	22
TOTAL 0-19 YRS	111	3.3	7	<1	1	2	5	7	9	12
20-34	1308	4.7	16	<1	1	4	7	8	10	20
35-49	961	5.0	16	<1	1	5	7	9	12	18
50-64	514	4.5	21	<1	<1	2	7	9	12	24
65+	184	6.3	77	1	1	3	8	15	20	50
GRAND TOTAL	**3078**	**4.8**	**20**	**<1**	**1**	**4**	**7**	**9**	**11**	**21**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	182	2.1	2	<1	1	2	3	4	5	8
20-34	191	2.3	4	<1	1	2	3	4	6	11
35-49	38	2.3	2	1	1	2	3	5	5	6
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	4	2.5	1	1	1	3	3	3	3	3
B. Operated										
0-19 YRS	74	2.4	5	<1	<1	2	2	4	8	11
20-34	684	2.9	7	<1	<1	2	3	7	8	12
35-49	322	6.7	18	<1	1	7	9	12	14	18
50-64	172	8.3	19	1	2	8	10	13	17	23
65+	76	10.1	80	2	3	9	12	16	22	62
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	2.3	3	<1	1	2	3	4	6	9
20-34	145	3.3	8	<1	<1	2	4	7	9	14
35-49	30	3.3	8	<1	1	2	5	7	8	13
50-64	7	8.0	122	<1	<1	5	8	27	32	32
65+	12	7.2	156	1	1	3	5	21	42	46
B. Operated										
0-19 YRS	45	3.8	9	<1	1	2	6	8	9	13
20-34	1295	4.3	11	<1	<1	3	7	8	10	16
35-49	527	7.8	19	1	2	7	10	13	15	23
50-64	243	11.1	39	2	5	10	13	17	23	31
65+	127	14.6	74	4	6	12	21	28	31	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	2.2	3	<1	1	2	3	4	5	8
B. Operated	1328	4.9	22	<1	<1	3	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	255	3.4	18	<1	1	2	4	7	9	19
B. Operated	2237	6.4	29	<1	1	6	8	12	16	27
1. SINGLE DX	1747	4.2	18	<1	<1	2	7	9	12	18
2. MULTIPLE DX	2492	6.1	29	<1	1	6	8	12	16	27
A. NOT OPERATED	674	2.7	9	<1	1	2	3	5	7	12
B. OPERATED	3565	5.8	27	<1	1	6	8	12	15	24
TOTAL 0-19 YRS	362	2.4	4	<1	1	2	3	5	7	10
20-34	2315	3.6	10	<1	<1	2	6	8	9	15
35-49	917	7.0	19	<1	1	7	9	12	15	20
50-64	426	9.8	34	1	3	9	12	16	22	29
65+	219	12.4	85	2	3	10	16	26	30	41
GRAND TOTAL	**4239**	**5.3**	**25**	**<1**	**1**	**4**	**8**	**11**	**14**	**23**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	2	1	1	2	3	5	5	5
20-34	18	1.8	1	<1	1	2	2	3	4	5
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	24	5.8	5	2	3	6	7	8	9	12
20-34	498	5.2	3	3	3	5	6	7	8	11
35-49	46	5.7	14	2	3	5	7	8	9	28
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	10	2.3	2	<1	<1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	16	5.7	7	3	3	5	7	9	12	13
20-34	364	5.7	4	3	4	5	7	8	9	13
35-49	66	6.6	27	3	4	6	7	9	12	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.1	2	<1	1	2	2	5	5	6
B. Operated	568	5.3	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	13	2.2	2	<1	<1	2	3	4	5	5
B. Operated	446	5.8	8	3	4	5	7	8	9	14
1. SINGLE DX	593	5.2	4	2	3	5	6	7	8	12
2. MULTIPLE DX	459	5.7	8	3	3	5	7	8	9	14
A. NOT OPERATED	38	2.2	2	<1	<1	2	3	5	5	6
B. OPERATED	1014	5.5	6	3	3	5	6	8	9	13
TOTAL 0-19 YRS	47	5.3	6	2	2	5	7	8	10	13
20-34	890	5.3	4	3	3	5	6	7	9	12
35-49	115	6.1	22	2	3	5	7	8	11	32
50-64										
65+										
GRAND TOTAL	**1052**	**5.4**	**6**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	1	1	1	2	3	4	4	4
20-34	10	2.6	5	<1	<1	1	4	6	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	689	1.2		<1	<1	<1	1	2	2	4
20-34	1465	1.2		<1	<1	<1	1	2	2	4
35-49	66	1.2	1	<1	<1	<1	1	2	2	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	5.3	16	3	3	3	8	10	10	10
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	366	1.6	2	<1	<1	1	2	2	4	8
20-34	1163	1.9	4	<1	<1	1	2	3	5	9
35-49	226	2.4	3	<1	<1	2	3	4	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.5	3	<1	1	2	4	5	6	7
B. *Operated*	2220	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	6	3.7	11	1	1	3	4	9	10	10
B. *Operated*	1755	1.9	3	<1	<1	1	2	4	5	8
1. SINGLE DX	2239	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	1761	1.9	3	<1	<1	1	2	4	5	9
A. NOT OPERATED	25	2.8	5	<1	1	2	4	5	8	10
B. OPERATED	3975	1.5	2	<1	<1	<1	2	3	4	7
TOTAL 0-19 YRS	1064	1.4	1	<1	<1	1	1	2	3	5
20-34	2641	1.5	2	<1	<1	<1	2	3	4	7
35-49	295	2.1	3	<1	<1	2	3	4	6	8
50-64										
65+										
GRAND TOTAL	**4000**	**1.5**	**2**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. NOT OPERATED	2	4.5	1	4	4	4	5	5	5	5
B. OPERATED										
TOTAL 0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.4	9	<1	1	2	3	4	5	19
20-34	682	2.0	3	<1	1	1	2	4	5	10
35-49	50	1.9	3	<1	<1	1	2	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	398	1.9	2	<1	1	1	2	4	5	7
20-34	3613	1.8	3	<1	<1	1	2	3	4	8
35-49	395	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.9	3	<1	1	3	3	6	6	6
20-34	92	2.6	5	1	1	2	3	5	8	11
35-49	8	3.4	12	1	1	2	4	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	32	2.4	3	<1	<1	2	3	5	6	9
20-34	526	2.5	8	<1	1	2	3	5	6	12
35-49	92	2.8	7	<1	1	2	4	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	2.1	4	<1	1	1	2	4	5	10
B. *Operated*	4406	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	112	2.7	5	1	1	2	3	6	8	11
B. *Operated*	650	2.5	8	<1	1	2	3	5	7	13
1. SINGLE DX	5237	1.8	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	762	2.6	8	<1	1	2	3	5	7	12
A. NOT OPERATED	943	2.1	4	<1	1	2	2	4	5	11
B. OPERATED	5056	1.9	3	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	541	2.0	3	<1	1	1	2	4	5	8
20-34	4913	1.9	3	<1	<1	1	2	4	5	9
35-49	545	1.8	2	<1	1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**5999**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.7	11	1	1	3	4	6	8	23
20-34	167	2.9	4	<1	1	3	4	5	6	9
35-49	10	2.9	5	1	1	2	4	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	63	2.1	2	<1	1	2	3	4	5	7
20-34	632	2.0	2	<1	1	2	2	4	5	9
35-49	50	1.8	2	<1	<1	1	2	3	5	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	7	1	1	3	4	6	9	12
20-34	47	3.6	12	<1	1	3	4	7	8	22
35-49	4	4.3	9	1	1	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.8	6	<1	1	2	4	7	8	9
20-34	158	2.9	9	<1	1	2	3	6	10	19
35-49	25	2.8	7	<1	1	2	3	8	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.1	6	1	1	3	4	5	6	11
B. *Operated*	745	2.0	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	71	3.6	10	1	1	3	5	7	8	20
B. *Operated*	211	2.9	8	<1	1	2	3	6	9	15
1. SINGLE DX	971	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	282	3.1	9	<1	1	2	4	6	9	17
A. NOT OPERATED	297	3.2	7	1	1	3	4	6	7	15
B. OPERATED	956	2.2	4	<1	1	2	2	4	6	10
TOTAL 0-19 YRS	160	2.9	6	1	1	2	4	6	7	12
20-34	1004	2.4	4	<1	1	2	3	5	6	10
35-49	89	2.3	4	<1	1	2	2	5	8	10
50-64										
65+										
GRAND TOTAL	**1253**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.7	3	<1	1	2	3	5	6	9
20-34	1187	3.1	5	1	1	3	4	5	7	12
35-49	48	3.5	6	1	1	3	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	27	3.1	6	1	1	3	3	6	10	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.4	8	<1	1	3	4	6	8	16
20-34	203	4.1	14	1	1	3	5	9	11	22
35-49	12	4.3	5	2	2	4	6	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	8	4.4	8	1	1	4	5	9	10	10
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1400	3.1	5	1	1	3	4	5	7	11
B. *Operated*	31	2.9	6	1	1	2	3	5	10	11
2. MULTIPLE DX										
A. *Not Operated*	246	4.0	13	1	1	3	5	8	10	21
B. *Operated*	11	4.6	10	1	1	4	6	10	10	10
1. SINGLE DX	1431	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX	257	4.1	13	1	1	3	5	8	10	21
A. NOT OPERATED	1646	3.2	6	1	1	3	4	6	8	14
B. OPERATED	42	3.4	7	1	1	3	4	7	10	11
TOTAL 0-19 YRS	201	2.8	4	<1	1	2	3	5	6	10
20-34	1425	3.2	7	1	1	3	4	6	8	14
35-49	62	3.8	7	1	1	3	6	7	9	10
50-64										
65+										
GRAND TOTAL	**1688**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	5	1	1	2	3	6	8	8
20-34	45	2.8	5	1	1	2	3	5	9	11
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	2.7	2	<1	1	2	3	5	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.7	5	1	1	2	3	5	9	11
B. *Operated*	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	16	2.7	2	<1	1	2	3	5	6	6
B. *Operated*	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX	59	2.7	5	1	1	2	3	5	9	11
2. MULTIPLE DX	17	3.2	6	<1	1	2	4	6	9	11
A. NOT OPERATED	73	2.7	4	1	1	2	3	5	8	11
B. OPERATED	3	6.0	19	3	3	4	9	11	11	11
TOTAL 0-19 YRS	11	2.6	4	1	1	2	3	6	8	8
20-34	62	3.0	5	1	1	2	4	5	9	11
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
GRAND TOTAL	**76**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**9**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.4	11	1	1	3	5	9	12	17
20-34	523	4.4	14	1	2	3	6	8	10	19
35-49	23	4.1	8	1	1	3	5	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	15	4.9	15	2	2	4	6	9	15	17
20-34	117	4.3	8	1	2	4	5	8	11	15
35-49	6	3.5	6	1	1	3	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	6	2	2	3	4	8	10	10
20-34	136	5.2	19	1	2	4	6	9	13	24
35-49	14	7.2	36	1	1	6	10	17	18	18
50-64										
65+										
B. *Operated*										
0-19 YRS	12	7.1	34	2	2	6	8	16	22	23
20-34	93	4.3	14	<1	<1	3	6	9	13	17
35-49	2	22.0	162	13	13	22	31	31	31	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	623	4.4	13	1	2	3	6	8	10	16
B. *Operated*	138	4.3	9	1	2	4	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	161	5.3	19	1	2	4	6	10	14	23
B. *Operated*	107	5.0	24	<1	<1	3	6	11	14	26
1. SINGLE DX	761	4.4	13	1	2	3	5	8	10	17
2. MULTIPLE DX	268	5.2	21	<1	1	4	6	10	14	23
A. NOT OPERATED	784	4.6	15	1	2	4	6	8	11	20
B. OPERATED	245	4.6	15	<1	1	3	6	9	13	18
TOTAL 0-19 YRS	115	4.7	14	1	2	4	5	9	13	20
20-34	869	4.5	14	1	1	4	6	8	11	18
35-49	45	5.8	33	1	1	4	7	13	17	31
50-64										
65+										
GRAND TOTAL	**1029**	**4.6**	**15**	**1**	**1**	**4**	**6**	**8**	**12**	**19**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	3.9	8	1	2	3	5	7	9	16
20-34	587	5.2	16	2	2	4	7	9	11	24
35-49	22	6.3	29	1	1	5	8	14	20	20
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	3	6.3	10	4	4	5	9	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.5	5	1	1	3	4	7	7	11
20-34	182	5.3	17	1	2	4	6	10	12	22
35-49	8	8.3	76	3	3	5	8	23	29	29
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	11	7.5	58	1	2	5	10	18	27	28
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	692	5.1	16	1	2	4	6	9	11	23
B. *Operated*	6	4.8	11	1	1	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	221	5.1	18	1	2	4	6	10	12	24
B. *Operated*	13	6.7	52	1	2	5	7	15	26	28
1. SINGLE DX	698	5.1	16	1	2	4	6	9	11	23
2. MULTIPLE DX	234	5.2	20	1	2	4	6	10	12	28
A. NOT OPERATED	913	5.1	16	1	2	4	6	9	11	23
B. OPERATED	19	6.1	39	1	1	5	7	12	21	28
TOTAL 0-19 YRS	119	3.8	7	1	1	3	5	7	9	15
20-34	783	5.2	17	1	2	4	7	10	12	24
35-49	30	6.8	40	1	2	5	8	15	20	29
50-64										
65+										
GRAND TOTAL	**932**	**5.1**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**24**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	1.3	1	<1	<1	1	1	2	3	6
20-34	3022	1.3	1	<1	<1	1	1	2	3	6
35-49	109	1.3	5	<1	<1	1	1	2	2	12
50-64										
65+										
B. *Operated*										
0-19 YRS	93	1.4	1	<1	<1	1	1	2	3	7
20-34	527	1.5	3	<1	<1	1	1	2	3	8
35-49	20	1.2		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	1.9	2	<1	<1	1	2	4	5	7
20-34	255	1.9	4	<1	<1	1	2	4	5	11
35-49	15	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	25	1.9	2	<1	<1	1	2	3	5	7
20-34	124	2.5	24	<1	<1	1	2	4	8	29
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3754	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	640	1.4	3	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	338	1.9	4	<1	<1	1	2	4	5	10
B. *Operated*	154	2.4	19	<1	<1	1	2	4	8	21
1. SINGLE DX	4394	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	492	2.0	9	<1	<1	1	2	4	6	11
A. NOT OPERATED	4092	1.4	1	<1	<1	1	1	2	3	7
B. OPERATED	794	1.6	6	<1	<1	1	1	3	4	9
TOTAL 0-19 YRS	809	1.4	1	<1	<1	1	1	2	3	6
20-34	3928	1.4	2	<1	<1	1	1	2	3	7
35-49	149	1.3	4	<1	<1	1	1	2	2	6
50-64										
65+										
GRAND TOTAL	**4886**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.6	14	1	1	3	7	9	13	14
20-34	132	4.4	25	1	1	3	5	8	14	28
35-49	8	5.4	17	2	2	4	6	13	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	26	9.3	143	<1	1	4	13	28	36	50
35-49	4	11.8	285	2	2	4	21	37	37	37
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	5.9	41	<1	<1	4	6	17	23	24
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	13.4	66	1	3	14	19	25	33	35
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	4.5	24	1	1	3	5	9	14	26
B. *Operated*	32	9.5	145	<1	1	4	13	30	36	50
2. MULTIPLE DX										
A. *Not Operated*	21	5.7	39	<1	1	4	6	16	23	24
B. *Operated*	14	12.6	89	1	2	11	19	24	33	35
1. SINGLE DX	186	5.4	47	1	1	3	5	12	18	38
2. MULTIPLE DX	35	8.5	69	<1	1	5	13	22	24	35
A. NOT OPERATED	175	4.7	25	1	1	3	5	9	14	25
B. OPERATED	46	10.4	128	1	1	6	15	28	35	50
TOTAL 0-19 YRS	17	4.9	16	1	1	3	7	12	14	14
20-34	191	5.9	53	1	1	4	6	14	22	37
35-49	13	7.2	93	2	2	4	6	19	34	37
50-64										
65+										
GRAND TOTAL	**221**	**5.9**	**52**	**1**	**1**	**4**	**6**	**14**	**21**	**38**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.4	5	<1	<1	2	3	5	6	14
20-34	444	3.1	11	<1	<1	2	4	6	8	14
35-49	22	2.9	6	<1	1	2	3	6	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.8	30	<1	1	3	4	5	14	28
20-34	153	3.1	6	<1	<1	2	4	6	8	12
35-49	11	2.6	5	<1	<1	2	3	6	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	2	1	2	3	4	5	6	6
20-34	105	3.4	8	1	1	3	5	7	9	15
35-49	4	4.3	8	1	1	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.6	4	1	1	2	3	6	7	7
20-34	63	4.0	12	1	1	3	5	8	12	17
35-49	7	3.7	7	1	1	2	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	3.0	10	<1	<1	2	4	6	8	14
B. *Operated*	187	3.1	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	126	3.4	7	1	1	3	4	6	9	14
B. *Operated*	80	3.8	11	1	1	3	5	8	10	16
1. SINGLE DX	729	3.0	10	<1	<1	2	4	6	8	14
2. MULTIPLE DX	206	3.6	8	1	1	3	5	7	9	16
A. NOT OPERATED	668	3.0	10	<1	1	2	4	6	8	14
B. OPERATED	267	3.3	10	<1	1	2	4	7	8	16
TOTAL 0-19 YRS	126	2.8	9	<1	<1	2	3	5	6	19
20-34	765	3.2	10	<1	1	2	4	7	8	15
35-49	44	3.1	6	<1	1	2	4	6	8	12
50-64										
65+										
GRAND TOTAL	**935**	**3.1**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.1	3	1	1	3	4	5	6	10
20-34	299	3.2	4	<1	1	3	4	6	7	10
35-49	7	2.7	3	<1	<1	2	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.2	2	<1	1	2	3	4	5	5
20-34	31	4.1	8	<1	1	3	6	9	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.7	7	<1	1	3	5	7	8	14
20-34	219	4.1	8	1	1	4	6	8	9	17
35-49	6	2.5	2	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.2	15	<1	<1	2	6	9	13	16
20-34	77	4.2	36	<1	<1	3	5	8	10	41
35-49	3	6.0	7	4	4	5	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	3.1	4	1	1	3	4	5	7	10
B. *Operated*	47	3.5	6	<1	1	3	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	320	4.0	8	1	1	3	5	7	9	16
B. *Operated*	99	4.2	31	<1	<1	3	5	8	10	33
1. SINGLE DX	451	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	419	4.0	13	<1	1	3	5	8	9	16
A. NOT OPERATED	724	3.5	6	1	1	3	5	6	8	11
B. OPERATED	146	4.0	23	<1	<1	3	5	8	9	17
TOTAL 0-19 YRS	227	3.4	6	<1	1	3	5	6	7	13
20-34	626	3.7	10	<1	1	3	5	7	8	12
35-49	17	3.2	4	<1	1	3	4	6	8	9
50-64										
65+										
GRAND TOTAL	**870**	**3.6**	**9**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.2	13	1	1	3	5	9	14	16
20-34	180	5.0	21	<1	1	4	6	10	12	23
35-49	23	5.5	11	2	2	5	7	9	13	16
50-64										
65+										
B. *Operated*										
0-19 YRS	8	7.9	38	2	2	6	12	18	19	19
20-34	58	4.9	17	1	1	4	6	11	16	17
35-49	4	5.5	14	1	1	6	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	2.6	5	<1	1	2	3	5	7	15
20-34	594	4.3	39	<1	<1	2	5	8	15	39
35-49	29	5.6	39	1	1	3	7	12	22	28
50-64										
65+										
B. *Operated*										
0-19 YRS	51	2.6	6	<1	<1	2	4	5	7	14
20-34	265	3.6	19	<1	<1	2	4	8	10	28
35-49	7	8.7	59	2	2	7	9	22	25	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.9	19	1	1	4	6	9	12	23
B. *Operated*	70	5.3	19	1	1	4	7	12	16	19
2. MULTIPLE DX										
A. *Not Operated*	699	4.2	36	<1	1	2	5	8	14	36
B. *Operated*	323	3.5	18	<1	<1	2	4	8	10	26
1. SINGLE DX	310	5.0	19	1	1	4	6	10	15	21
2. MULTIPLE DX	1022	4.0	30	<1	<1	2	4	8	12	34
A. NOT OPERATED	939	4.4	32	<1	1	3	5	9	13	34
B. OPERATED	393	3.8	19	<1	<1	2	5	8	11	22
TOTAL 0-19 YRS	172	3.2	10	<1	<1	2	4	6	9	17
20-34	1097	4.3	30	<1	<1	3	5	9	12	35
35-49	63	5.9	29	1	1	5	7	11	18	28
50-64										
65+										
GRAND TOTAL	**1332**	**4.2**	**28**	**<1**	**<1**	**3**	**5**	**8**	**12**	**32**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	2.5	10	<1	<1	1	3	5	8	14
20-34	1392	3.1	21	<1	<1	2	3	7	10	20
35-49	52	2.3	4	<1	<1	1	3	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	142	3.4	18	<1	<1	2	4	7	12	22
20-34	1161	3.4	28	<1	<1	2	4	7	11	29
35-49	68	3.3	33	<1	<1	2	3	5	6	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.7	27	<1	1	2	4	7	10	35
20-34	601	4.3	39	<1	<1	2	5	9	13	33
35-49	42	4.8	18	<1	1	4	7	10	15	20
50-64										
65+										
B. *Operated*										
0-19 YRS	99	3.7	14	<1	<1	2	5	10	12	17
20-34	609	4.2	36	<1	<1	2	5	10	16	29
35-49	27	5.9	87	<1	<1	3	5	16	31	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1664	3.0	19	<1	<1	2	3	6	10	19
B. *Operated*	1371	3.4	27	<1	<1	2	4	7	11	29
2. MULTIPLE DX										
A. *Not Operated*	760	4.2	36	<1	1	2	5	9	13	33
B. *Operated*	735	4.2	35	<1	<1	2	5	10	15	29
1. SINGLE DX	3035	3.2	23	<1	<1	2	3	7	10	24
2. MULTIPLE DX	1495	4.2	36	<1	<1	2	5	9	14	32
A. NOT OPERATED	2424	3.4	25	<1	<1	2	4	7	11	27
B. OPERATED	2106	3.7	30	<1	<1	2	4	8	12	29
TOTAL 0-19 YRS	578	3.2	16	<1	<1	2	3	7	10	18
20-34	3763	3.6	29	<1	<1	2	4	8	12	29
35-49	189	3.7	30	<1	<1	2	4	7	10	36
50-64										
65+										
GRAND TOTAL	**4530**	**3.5**	**27**	**<1**	**<1**	**2**	**4**	**7**	**11**	**29**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	2	2	3	5	5	6	6	6
20-34	95	5.1	15	3	3	5	5	7	9	26
35-49	5	18.8	1250	1	1	4	24	82	82	82
50-64										
65+										
B. *Operated*										
0-19 YRS	11	6.7	9	3	3	5	9	11	12	12
20-34	81	7.1	37	3	3	5	7	14	17	38
35-49	6	5.7	13	3	3	4	5	12	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.2	3	3	3	5	7	8	9	9
20-34	129	5.5	39	3	3	4	5	7	11	35
35-49	12	3.8	1	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	19	8.9	79	1	3	6	8	21	33	38
20-34	393	10.6	127	3	4	6	10	26	34	66
35-49	35	10.7	189	3	4	6	11	16	32	81
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.6	66	3	3	5	5	7	9	55
B. *Operated*	98	7.0	32	3	3	5	7	13	17	36
2. MULTIPLE DX										
A. *Not Operated*	158	5.3	33	3	3	4	5	7	10	26
B. *Operated*	447	10.5	130	3	4	6	10	25	34	73
1. SINGLE DX	211	6.3	50	3	3	5	6	9	13	41
2. MULTIPLE DX	605	9.2	109	3	3	6	8	19	30	60
A. NOT OPERATED	271	5.4	46	3	3	4	5	7	9	36
B. OPERATED	545	9.9	114	3	4	6	10	22	33	57
TOTAL 0-19 YRS	60	6.5	30	3	3	5	7	10	12	37
20-34	698	8.5	91	3	3	5	8	17	28	54
35-49	58	9.4	219	3	3	5	9	15	29	82
50-64										
65+										
GRAND TOTAL	**816**	**8.4**	**96**	**3**	**3**	**5**	**8**	**16**	**27**	**55**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1657	4.3	2	2	3	4	5	6	7	9
20-34	12959	4.1	2	2	3	4	5	6	6	8
35-49	477	4.1	2	2	3	4	5	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	323	4.7	3	3	3	4	5	6	8	13
20-34	2535	4.5	2	3	3	4	5	6	7	9
35-49	106	4.8	12	3	3	4	5	6	9	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	4.7	6	2	3	4	6	7	8	16
20-34	1030	4.5	6	2	3	4	5	6	7	11
35-49	47	4.6	4	3	3	4	5	7	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	64	4.8	2	2	3	5	6	7	8	9
20-34	1800	4.9	3	3	3	5	6	7	8	10
35-49	199	5.1	3	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15093	4.1	2	2	3	4	5	6	6	8
B. *Operated*	2964	4.6	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1181	4.5	6	2	3	4	5	6	8	11
B. *Operated*	2063	4.9	3	3	3	5	6	7	8	10
1. SINGLE DX	18057	4.2	2	2	3	4	5	6	6	9
2. MULTIPLE DX	3244	4.8	4	3	3	4	5	7	8	10
A. NOT OPERATED	16274	4.2	2	2	3	4	5	6	6	8
B. OPERATED	5027	4.7	3	3	3	4	5	6	7	10
TOTAL 0-19 YRS	2148	4.4	2	2	3	4	5	6	7	9
20-34	18324	4.3	2	2	3	4	5	6	7	9
35-49	829	4.5	4	2	3	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**21301**	**4.3**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	3.8	1	<1	2	4	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.7		5	5	6	6	6	6	6
20-34	31	16.4	204	5	5	10	22	38	53	55
35-49	6	11.8	46	5	5	12	18	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	19.5	659	5	5	6	32	57	57	57
20-34	87	15.9	260	4	5	9	20	35	49	83
35-49	14	15.7	228	5	5	8	22	47	49	49
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.9	1	<1	2	4	4	5	5	5
B. *Operated*	40	14.9	173	5	5	8	20	34	46	55
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*	105	16.0	262	4	5	9	20	37	50	82
1. SINGLE DX	51	12.5	156	4	4	6	17	30	39	55
2. MULTIPLE DX	109	15.5	259	4	5	9	20	36	49	82
A. NOT OPERATED	15	3.7	1	<1	2	4	4	5	5	5
B. OPERATED	145	15.7	237	5	5	9	20	37	50	80
TOTAL 0-19 YRS	9	11.2	295	5	5	6	6	37	57	57
20-34	131	14.8	233	4	4	9	20	34	48	81
35-49	20	14.6	171	5	5	8	18	36	48	49
50-64										
65+										
GRAND TOTAL	**160**	**14.6**	**227**	**4**	**4**	**8**	**18**	**34**	**48**	**79**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	1	1	2	4	5	5	5
20-34	96	3.5	4	1	1	3	4	6	6	13
35-49	6	5.3	47	1	1	3	5	18	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.6	30	2	2	5	8	16	19	19
20-34	74	5.3	5	3	3	5	6	8	9	13
35-49	5	7.4	25	3	3	6	9	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	13	3	3	5	7	12	13	13
20-34	74	4.6	10	1	1	4	6	8	8	20
35-49	7	8.6	149	1	1	5	6	30	36	36
50-64										
65+										
B. *Operated*										
0-19 YRS	24	6.7	13	2	3	6	8	9	15	19
20-34	279	7.3	64	3	3	5	7	11	17	46
35-49	25	6.1	8	3	4	6	7	9	13	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	3.6	6	1	1	3	4	6	6	16
B. *Operated*	87	5.6	8	3	3	5	7	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	87	5.0	21	1	1	4	6	8	9	31
B. *Operated*	328	7.2	56	3	3	5	7	11	16	43
1. SINGLE DX	196	4.5	8	1	2	4	6	7	9	17
2. MULTIPLE DX	415	6.7	49	2	3	5	7	10	15	41
A. NOT OPERATED	196	4.2	13	1	1	4	5	7	8	21
B. OPERATED	415	6.8	46	3	3	5	7	10	15	41
TOTAL 0-19 YRS	45	6.0	15	2	2	5	7	9	15	19
20-34	523	5.9	39	1	2	5	6	9	12	39
35-49	43	6.6	35	1	2	5	7	13	17	36
50-64										
65+										
GRAND TOTAL	**611**	**6.0**	**37**	**1**	**2**	**5**	**7**	**9**	**13**	**37**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3		4	4	4	5	5	5	5
20-34	45	4.1	2	1	2	4	5	5	6	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.8	1	2	3	3	5	5	6	6
20-34	243	4.3	3	2	2	4	5	6	7	9
35-49	16	3.7	4	1	1	3	5	6	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	1	4	4	5	6	6	6	6
20-34	19	4.2	1	3	3	4	5	6	6	6
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.1	6	2	2	5	6	9	11	11
20-34	210	5.0	9	2	3	5	6	7	8	17
35-49	12	4.3	3	2	2	4	5	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.1	2	1	2	4	5	5	6	7
B. *Operated*	276	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	25	4.4	1	3	3	4	5	6	6	6
B. *Operated*	234	5.0	9	2	3	5	6	7	8	16
1. SINGLE DX	326	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX	259	4.9	8	2	3	5	6	7	8	15
A. NOT OPERATED	75	4.2	1	2	3	4	5	6	6	7
B. OPERATED	510	4.6	6	2	3	4	5	7	8	13
TOTAL 0-19 YRS	37	4.4	3	2	3	4	5	6	8	11
20-34	517	4.6	5	2	3	4	5	6	7	13
35-49	31	3.9	3	1	2	4	5	6	8	9
50-64										
65+										
GRAND TOTAL	**585**	**4.5**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**13**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.6	1	3	3	4	5	6	6	6
20-34	189	4.3	2	2	3	4	5	6	7	9
35-49	11	4.3		3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	16	5.3	5	3	4	5	6	8	11	12
20-34	90	4.6	2	3	3	4	6	6	7	10
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.3	2	2	3	4	5	6	8	8
20-34	108	4.7	3	3	3	4	6	7	7	11
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	5.2	2	3	4	5	6	8	8	8
20-34	121	5.1	4	3	3	5	6	7	8	14
35-49	10	6.8	4	4	4	7	8	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	4.3	2	2	3	4	5	6	7	9
B. *Operated*	108	4.7	3	3	3	4	6	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	124	4.7	3	2	3	4	6	7	7	10
B. *Operated*	146	5.2	4	3	3	5	6	7	8	13
1. SINGLE DX	335	4.5	2	3	3	4	5	6	7	10
2. MULTIPLE DX	270	5.0	3	3	3	5	6	7	8	13
A. NOT OPERATED	351	4.5	2	2	3	4	5	6	7	9
B. OPERATED	254	5.0	3	3	3	5	6	7	8	12
TOTAL 0-19 YRS	71	4.8	2	3	3	5	5	6	8	11
20-34	508	4.6	3	2	3	4	5	6	7	10
35-49	26	5.3	3	3	4	5	6	8	9	10
50-64										
65+										
GRAND TOTAL	**605**	**4.7**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	6.7	36	2	3	5	7	12	25	27
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	17.0	162	8	8	17	26	26	26	26
20-34	18	7.6	39	4	5	6	8	9	23	32
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	41	6.0	32	3	3	5	6	9	11	39
35-49	3	7.0	7	4	4	8	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	11	8.3	42	3	3	7	8	16	26	27
20-34	289	11.4	125	4	4	7	12	25	38	54
35-49	23	15.7	351	4	5	8	15	38	66	80
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.5	35	3	3	4	7	11	24	27
B. *Operated*	20	8.6	52	4	5	6	8	18	29	32
2. MULTIPLE DX										
A. *Not Operated*	46	6.1	29	3	3	5	6	9	10	39
B. *Operated*	323	11.6	138	4	4	7	12	26	38	63
1. SINGLE DX	47	7.4	42	3	3	5	8	11	26	32
2. MULTIPLE DX	369	10.9	128	3	4	7	10	23	37	58
A. NOT OPERATED	73	6.3	31	3	3	5	6	9	12	36
B. OPERATED	343	11.4	134	4	4	7	11	26	38	59
TOTAL 0-19 YRS	15	9.2	52	3	3	7	8	26	27	27
20-34	374	10.3	108	3	4	7	10	22	34	50
35-49	27	14.3	310	4	4	8	13	32	61	80
50-64										
65+										
GRAND TOTAL	**416**	**10.5**	**119**	**3**	**4**	**7**	**10**	**22**	**34**	**57**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	4	3	3	5	6	8	8	8
20-34	88	4.7	3	3	3	4	6	7	7	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	45	5.8	4	2	4	6	7	9	10	12
20-34	448	5.8	3	3	4	6	7	8	8	11
35-49	14	5.3	3	2	3	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	1	2	2	4	5	5	5	5
20-34	47	5.2	7	3	3	5	6	8	9	19
35-49	5	4.8	7	2	2	4	6	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	62	6.5	6	2	4	6	8	10	11	13
20-34	916	6.9	27	3	4	6	7	9	12	30
35-49	62	7.7	57	3	4	6	8	9	15	54
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.8	3	3	3	4	6	7	8	12
B. *Operated*	507	5.8	3	3	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	60	5.0	6	2	3	5	6	8	9	18
B. *Operated*	1040	6.9	28	3	4	6	7	9	11	30
1. SINGLE DX	601	5.6	3	3	3	6	7	8	8	11
2. MULTIPLE DX	1100	6.8	27	3	4	6	7	9	11	30
A. NOT OPERATED	154	4.9	4	3	3	4	6	7	8	14
B. OPERATED	1547	6.5	20	3	4	6	7	9	10	24
TOTAL 0-19 YRS	120	6.0	6	2	3	6	7	9	10	12
20-34	1499	6.4	18	3	4	6	7	8	10	22
35-49	82	7.1	45	3	4	6	8	9	10	48
50-64										
65+										
GRAND TOTAL	**1701**	**6.4**	**19**	**3**	**4**	**6**	**7**	**9**	**10**	**22**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.6	3	1	2	3	4	6	7	7
20-34	221	4.3	2	3	3	4	5	6	7	9
35-49	7	3.9	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	71	5.2	2	4	4	5	6	7	8	9
20-34	576	5.0	3	3	3	5	6	7	8	10
35-49	21	5.1	3	2	3	5	6	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.3	2	1	3	4	5	6	7	7
20-34	174	4.2	1	3	3	4	5	6	6	8
35-49	7	4.3	2	3	3	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	158	6.2	12	3	4	6	7	9	11	16
20-34	1823	5.8	7	3	4	5	7	8	10	14
35-49	109	6.6	8	3	4	6	8	9	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	4.3	2	2	3	4	5	6	7	8
B. *Operated*	668	5.1	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	196	4.2	2	3	3	4	5	6	7	8
B. *Operated*	2090	5.9	8	3	4	5	7	8	10	15
1. SINGLE DX	909	4.8	3	3	3	5	6	7	8	10
2. MULTIPLE DX	2286	5.8	7	3	3	5	7	8	10	14
A. NOT OPERATED	437	4.2	2	3	3	4	5	6	7	8
B. OPERATED	2758	5.7	7	3	3	5	7	8	9	14
TOTAL 0-19 YRS	257	5.7	8	3	3	5	6	8	10	12
20-34	2794	5.5	6	3	3	5	6	8	9	13
35-49	144	6.1	7	3	3	6	7	9	10	18
50-64										
65+										
GRAND TOTAL	**3195**	**5.5**	**6**	**3**	**3**	**5**	**6**	**8**	**9**	**14**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	18	4.2	2	1	3	4	5	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	83	7.0	5	5	5	7	7	9	12	17
20-34	619	6.6	3	4	5	6	7	8	9	12
35-49	15	6.9	1	5	6	7	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	5.3	6	3	3	5	6	9	12	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	166	7.7	12	5	5	7	8	10	12	25
20-34	1345	7.2	9	4	5	7	8	10	11	19
35-49	71	7.6	9	5	5	7	8	10	13	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.2	2	1	3	4	5	6	6	6
B. *Operated*	717	6.7	3	4	5	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	13	5.2	6	3	3	5	6	8	11	12
B. *Operated*	1582	7.3	10	4	5	7	8	10	11	21
1. SINGLE DX	737	6.6	3	4	5	6	7	8	9	12
2. MULTIPLE DX	1595	7.2	10	4	5	7	8	10	11	21
A. NOT OPERATED	33	4.6	3	3	3	4	5	6	7	12
B. OPERATED	2299	7.1	8	4	5	7	8	9	11	18
TOTAL 0-19 YRS	252	7.4	10	5	5	7	8	10	12	21
20-34	1993	7.0	7	4	5	7	8	9	11	17
35-49	87	7.4	8	5	5	7	8	9	13	21
50-64										
65+										
GRAND TOTAL	**2332**	**7.0**	**8**	**4**	**5**	**7**	**8**	**9**	**11**	**18**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	5.0	4	3	4	5	6	6	7	16
20-34	288	4.5	2	3	3	4	5	6	6	8
35-49	10	3.5	2	1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	126	5.2	10	2	3	5	6	7	8	17
20-34	737	5.1	3	3	3	5	6	7	8	10
35-49	15	5.7	2	4	4	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.9	2	3	3	5	6	7	8	10
20-34	252	5.2	12	3	3	5	6	7	8	22
35-49	9	5.6	5	4	4	5	6	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	179	5.9	6	3	4	5	7	8	11	15
20-34	1734	5.7	7	3	4	5	7	8	10	16
35-49	74	6.8	14	3	4	6	7	10	17	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	4.5	2	3	3	4	5	6	7	8
B. *Operated*	878	5.1	4	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	304	5.1	11	3	3	5	6	7	8	17
B. *Operated*	1987	5.8	7	3	4	5	7	8	10	16
1. SINGLE DX	1225	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX	2291	5.7	8	3	4	5	6	8	10	16
A. NOT OPERATED	651	4.8	6	3	3	5	5	6	7	11
B. OPERATED	2865	5.6	6	3	4	5	6	8	9	15
TOTAL 0-19 YRS	397	5.5	7	3	3	5	6	8	9	15
20-34	3011	5.4	6	3	3	5	6	7	9	14
35-49	108	6.2	11	3	4	6	7	9	15	20
50-64										
65+										
GRAND TOTAL	**3516**	**5.4**	**6**	**3**	**3**	**5**	**6**	**8**	**9**	**15**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	38	4.6	3	2	3	4	5	7	8	12
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	13	5.3	4	3	3	5	6	8	10	10
20-34	163	5.5	14	3	3	5	7	8	9	11
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	24	4.5	3	2	2	4	6	7	8	8
35-49	3	5.3	4	3	3	6	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	21	6.3	4	3	4	6	8	8	10	12
20-34	361	6.8	18	3	4	6	8	10	13	32
35-49	28	6.9	9	3	3	7	9	11	12	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.6	3	2	3	4	5	6	8	12
B. *Operated*	179	5.5	13	3	3	5	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	30	4.6	3	2	2	4	6	7	8	8
B. *Operated*	410	6.8	16	3	4	6	8	10	12	29
1. SINGLE DX	222	5.3	11	3	3	5	6	8	9	11
2. MULTIPLE DX	440	6.6	16	3	4	6	8	10	12	28
A. NOT OPERATED	73	4.6	3	2	3	4	5	7	8	11
B. OPERATED	589	6.4	16	3	4	6	7	9	11	26
TOTAL 0-19 YRS	40	5.8	4	3	4	5	7	8	9	12
20-34	586	6.2	16	3	3	5	7	9	11	26
35-49	36	6.4	8	3	3	6	8	11	11	14
50-64										
65+										
GRAND TOTAL	**662**	**6.2**	**15**	**3**	**3**	**5**	**7**	**9**	**11**	**25**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	9	3.6	2	1	1	4	4	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	55	6.9	7	4	5	6	7	9	11	21
20-34	1780	6.6	2	5	5	6	7	8	9	11
35-49	76	7.0	2	5	5	7	8	9	10	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.2	1	3	3	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	43	6.9	9	4	5	6	8	10	11	22
20-34	2302	7.2	10	5	5	7	8	9	10	20
35-49	258	7.4	12	5	5	7	8	9	11	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.7	2	1	2	4	5	5	6	6
B. *Operated*	1911	6.6	2	5	5	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	1	3	3	4	5	5	5	5
B. *Operated*	2603	7.2	11	5	5	7	8	9	10	20
1. SINGLE DX	1923	6.6	2	5	5	6	7	8	9	11
2. MULTIPLE DX	2608	7.2	11	5	5	7	8	9	10	20
A. NOT OPERATED	17	3.8	2	1	2	4	5	5	6	6
B. OPERATED	4514	6.9	7	5	5	7	7	8	10	15
TOTAL 0-19 YRS	100	6.8	8	4	5	6	7	9	11	22
20-34	4096	6.9	7	5	5	7	7	8	10	14
35-49	335	7.3	10	5	5	7	8	9	10	22
50-64										
65+										
GRAND TOTAL	**4531**	**6.9**	**7**	**5**	**5**	**7**	**7**	**8**	**10**	**15**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.5	3	2	2	4	5	7	8	9
20-34	512	4.4	4	3	3	4	5	6	7	10
35-49	25	4.6	3	2	3	4	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	49	4.6	4	2	3	4	5	8	9	13
20-34	455	4.9	3	3	3	5	6	7	8	10
35-49	17	4.4	2	2	3	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.9	4	3	3	4	7	8	8	10
20-34	310	4.7	4	3	3	4	5	7	8	13
35-49	16	5.0	13	3	3	4	5	6	14	18
50-64										
65+										
B. *Operated*										
0-19 YRS	100	6.5	27	3	4	6	7	9	12	33
20-34	1290	5.9	12	3	3	5	7	8	11	21
35-49	87	5.9	7	3	3	6	7	9	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	4.4	4	3	3	4	5	6	7	10
B. *Operated*	521	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	367	4.7	4	3	3	4	5	7	8	13
B. *Operated*	1477	5.9	13	3	3	5	7	8	11	19
1. SINGLE DX	1126	4.6	4	3	3	4	5	7	8	10
2. MULTIPLE DX	1844	5.7	11	3	3	5	6	8	10	18
A. NOT OPERATED	972	4.5	4	3	3	4	5	7	7	12
B. OPERATED	1998	5.6	11	3	3	5	6	8	10	18
TOTAL 0-19 YRS	258	5.3	13	3	3	5	6	8	9	14
20-34	2567	5.2	8	3	3	5	6	8	9	17
35-49	145	5.4	7	3	3	5	6	8	10	17
50-64										
65+										
GRAND TOTAL	**2970**	**5.3**	**9**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	4.3	1	2	3	4	5	6	6	6
20-34	724	4.1	1	2	3	4	5	6	6	8
35-49	23	3.9	1	2	3	4	5	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	29	4.6	1	3	4	4	5	6	7	7
20-34	264	4.9	3	3	3	5	6	7	7	11
35-49	9	5.9	10	2	3	5	7	11	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.4	1	3	3	4	5	6	6	7
20-34	225	4.3	2	2	3	4	5	6	6	8
35-49	11	3.9	1	2	2	4	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	34	5.2	8	2	3	5	6	7	9	18
20-34	472	5.2	6	3	3	5	6	7	9	17
35-49	35	5.8	6	2	3	5	7	9	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	4.1	1	2	3	4	5	6	6	8
B. *Operated*	302	4.9	3	3	3	5	6	7	7	12
2. MULTIPLE DX										
A. *Not Operated*	265	4.3	2	2	3	4	5	6	6	8
B. *Operated*	541	5.2	6	3	3	5	6	7	9	17
1. SINGLE DX	1122	4.3	2	3	3	4	5	6	7	8
2. MULTIPLE DX	806	4.9	5	3	3	5	5	7	8	15
A. NOT OPERATED	1085	4.2	1	2	3	4	5	6	6	8
B. OPERATED	843	5.1	5	3	3	5	6	7	8	15
TOTAL 0-19 YRS	165	4.5	3	2	3	4	5	6	7	9
20-34	1685	4.6	3	3	3	4	5	6	7	10
35-49	78	5.0	5	2	3	5	6	8	9	14
50-64										
65+										
GRAND TOTAL	**1928**	**4.6**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.4	2	3	3	4	5	6	7	7
20-34	457	4.0	2	2	3	4	5	5	6	8
35-49	21	4.2	2	2	3	4	5	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	296	4.3	2	2	3	4	5	6	7	9
20-34	4015	4.0	2	2	3	4	5	6	6	8
35-49	211	4.2	2	2	3	4	5	6	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	2	1	3	5	5	6	7	7
20-34	124	4.3	2	2	3	4	5	6	7	9
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	126	4.7	4	3	3	4	5	6	8	12
20-34	2222	4.8	6	3	3	4	5	7	8	11
35-49	201	5.1	10	3	3	4	6	7	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.0	2	2	3	4	5	6	6	8
B. *Operated*	4522	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	141	4.4	2	2	3	4	5	6	7	9
B. *Operated*	2549	4.8	6	3	3	4	5	7	8	12
1. SINGLE DX	5037	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX	2690	4.8	6	3	3	4	5	7	8	12
A. NOT OPERATED	656	4.1	2	2	3	4	5	6	7	8
B. OPERATED	7071	4.3	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	473	4.4	3	2	3	4	5	6	7	9
20-34	6818	4.3	3	2	3	4	5	6	7	9
35-49	436	4.6	6	2	3	4	5	6	8	14
50-64										
65+										
GRAND TOTAL	**7727**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.0	1	4	4	5	6	6	6	6
20-34	65	4.6	2	3	3	4	5	6	7	11
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	60	5.0	10	3	3	4	5	6	12	19
20-34	526	4.5	2	3	3	4	5	6	7	9
35-49	16	4.0	3	1	3	4	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.6	1	4	4	6	6	7	7	7
20-34	31	4.8	3	3	3	4	6	7	10	10
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. Operated										
0-19 YRS	67	5.9	16	3	3	5	6	8	10	29
20-34	479	4.9	6	3	3	5	5	7	8	15
35-49	19	5.4	5	2	3	5	7	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	4.6	2	3	3	4	5	6	7	11
B. Operated	602	4.5	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	37	5.0	3	3	3	5	6	7	9	10
B. Operated	565	5.0	7	3	3	5	6	7	8	17
1. SINGLE DX	675	4.5	3	3	3	4	5	6	7	10
2. MULTIPLE DX	602	5.0	7	3	3	5	6	7	8	16
A. NOT OPERATED	110	4.7	3	3	3	4	5	7	7	11
B. OPERATED	1167	4.8	5	3	3	4	5	6	7	14
TOTAL 0-19 YRS	140	5.4	12	3	3	5	6	7	9	21
20-34	1101	4.7	4	3	3	4	5	6	7	11
35-49	36	4.9	5	2	3	4	6	8	9	10
50-64										
65+										
GRAND TOTAL	**1277**	**4.8**	**5**	**3**	**3**	**4**	**5**	**6**	**7**	**13**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	35	4.3	3	2	3	4	5	6	8	10
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	19	3.8	3	1	2	3	4	6	8	9
20-34	184	4.3	2	2	3	4	5	6	7	9
35-49	5	5.8	8	3	3	5	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	16	4.6	5	2	3	4	5	6	10	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	19	6.0	23	3	3	4	6	10	18	24
20-34	151	4.8	3	3	3	5	6	6	8	9
35-49	11	5.0	3	2	3	5	6	7	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.3	3	2	3	4	5	6	7	10
B. Operated	208	4.3	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	19	4.6	5	2	2	4	5	6	9	12
B. Operated	181	5.0	5	3	3	5	6	7	8	15
1. SINGLE DX	248	4.3	2	2	3	4	5	6	7	10
2. MULTIPLE DX	200	4.9	5	3	3	5	6	7	8	14
A. NOT OPERATED	59	4.4	3	2	3	4	5	6	8	12
B. OPERATED	389	4.6	4	3	3	4	5	6	8	10
TOTAL 0-19 YRS	42	4.8	13	2	3	4	5	7	10	24
20-34	386	4.5	3	3	3	4	5	6	8	10
35-49	20	5.2	4	2	3	5	6	8	9	10
50-64										
65+										
GRAND TOTAL	**448**	**4.6**	**4**	**3**	**3**	**4**	**5**	**6**	**8**	**10**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	4.5	8	1	2	4	5	7	8	18
20-34	2256	4.4	5	2	3	4	5	6	7	11
35-49	93	4.5	3	2	3	4	5	6	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	421	5.3	9	3	3	5	6	8	10	17
20-34	3271	5.1	7	3	3	4	6	7	9	16
35-49	146	5.2	5	3	3	5	6	8	9	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.8	10	2	2	4	5	7	9	13
20-34	1517	4.6	8	2	2	4	5	7	8	16
35-49	90	4.7	6	2	2	4	5	7	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	724	6.3	21	3	3	5	7	10	14	28
20-34	7405	6.1	20	3	3	5	7	9	13	25
35-49	520	7.0	28	3	3	5	8	12	17	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2624	4.4	5	2	3	4	5	6	8	11
B. *Operated*	3838	5.1	7	3	3	5	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1798	4.7	8	2	2	4	5	7	8	15
B. *Operated*	8649	6.1	21	3	3	5	7	9	13	26
1. SINGLE DX	6462	4.8	7	3	3	4	5	7	9	14
2. MULTIPLE DX	10447	5.9	19	3	3	5	6	9	12	24
A. NOT OPERATED	4422	4.5	6	2	3	4	5	7	8	13
B. OPERATED	12487	5.8	17	3	3	5	6	9	12	23
TOTAL 0-19 YRS	1611	5.5	15	2	3	5	6	9	11	21
20-34	14449	5.4	14	3	3	5	6	8	10	21
35-49	849	6.1	20	3	3	5	7	10	13	25
50-64										
65+										
GRAND TOTAL	**16909**	**5.5**	**14**	**3**	**3**	**5**	**6**	**8**	**11**	**21**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	2	1	1	3	4	5	5	5
20-34	74	4.2	4	1	2	4	5	7	9	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	11	4.6	12	1	1	5	8	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	12	3	3	8	10	12	12	12
20-34	38	4.8	6	1	2	5	7	8	9	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	17	6.6	35	1	1	5	10	13	20	24
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	4.0	4	1	2	4	5	7	8	10
B. *Operated*	13	4.4	11	1	1	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	44	5.2	7	2	2	5	7	9	10	12
B. *Operated*	23	5.7	28	1	1	4	8	11	17	24
1. SINGLE DX	96	4.1	5	1	1	4	5	8	9	10
2. MULTIPLE DX	67	5.3	14	1	2	5	7	10	11	22
A. NOT OPERATED	127	4.4	6	1	2	4	6	8	9	11
B. OPERATED	36	5.2	22	1	1	4	8	10	12	24
TOTAL 0-19 YRS	19	4.3	9	1	1	3	5	9	11	12
20-34	140	4.7	9	1	1	4	6	9	10	14
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**163**	**4.6**	**9**	**1**	**1**	**4**	**6**	**9**	**10**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	1	<1	1	2	2	3	4	4
20-34	110	2.0	1	1	1	2	2	4	4	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	2.0	3	<1	<1	1	2	5	6	9
20-34	335	1.8	1	<1	1	1	2	3	4	6
35-49	20	2.9	6	<1	<1	2	4	6	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	3	3	3	3	3
20-34	39	2.7	2	1	1	3	3	5	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.5	13	1	1	2	4	8	13	15
20-34	171	2.7	6	<1	1	2	3	6	7	14
35-49	7	3.1	16	<1	<1	2	3	10	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.0	1	1	1	2	2	4	5	6
B. *Operated*	395	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	44	2.7	2	1	1	3	3	4	6	6
B. *Operated*	195	2.8	7	<1	1	2	3	6	8	14
1. SINGLE DX	520	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	239	2.8	6	<1	1	2	3	6	7	14
A. NOT OPERATED	169	2.2	2	1	1	2	3	4	5	6
B. OPERATED	590	2.2	4	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	76	2.3	5	<1	1	2	3	5	6	13
20-34	655	2.1	3	<1	1	2	3	4	5	8
35-49	28	3.0	8	<1	<1	2	4	7	10	12
50-64										
65+										
GRAND TOTAL	**759**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	2	2	2	4	4	5	7	7
20-34	87	4.5	10	2	2	4	5	8	11	18
35-49	3	6.3	6	4	4	6	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	5	6.4	11	2	2	7	8	11	11	11
20-34	69	5.1	17	<1	1	4	6	11	16	18
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.8	15	1	2	5	9	11	13	13
20-34	50	6.0	22	1	2	5	8	12	16	22
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	30	6.2	21	1	1	5	9	12	13	21
35-49	3	6.7	25	2	2	6	10	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.5	9	2	2	4	5	8	11	17
B. *Operated*	75	5.1	17	<1	1	4	7	11	15	18
2. MULTIPLE DX										
A. *Not Operated*	62	6.0	20	1	2	5	8	12	16	22
B. *Operated*	34	6.1	21	1	1	5	9	12	13	21
1. SINGLE DX	176	4.8	12	1	2	4	6	9	12	18
2. MULTIPLE DX	96	6.0	20	1	1	5	8	12	15	22
A. NOT OPERATED	163	5.1	14	1	2	4	6	10	12	21
B. OPERATED	109	5.4	18	<1	1	4	7	11	14	19
TOTAL 0-19 YRS	28	4.9	10	1	2	4	7	10	11	13
20-34	236	5.2	16	1	1	4	7	11	13	21
35-49	8	6.0	10	2	3	5	8	11	12	12
50-64										
65+										
GRAND TOTAL	**272**	**5.2**	**15**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	4.2	6	1	2	4	6	7	9	12
20-34	283	4.3	11	1	2	4	5	7	8	20
35-49	144	5.4	17	1	2	5	6	10	12	27
50-64	111	6.4	18	2	3	6	8	11	14	23
65+	105	10.3	104	2	3	7	13	20	27	56
B. *Operated*										
0-19 YRS	118	5.0	15	1	1	4	7	10	13	20
20-34	90	6.4	49	1	1	4	7	15	20	39
35-49	67	8.0	105	1	1	5	8	18	30	54
50-64	42	7.5	30	1	2	6	9	15	20	24
65+	25	9.4	47	1	1	9	11	19	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	5.7	19	2	2	5	7	9	14	23
20-34	188	5.8	20	2	2	4	6	11	14	26
35-49	156	7.6	42	2	3	6	9	14	19	38
50-64	211	8.3	53	2	3	7	10	15	20	30
65+	339	11.8	92	3	4	9	15	23	29	64
B. *Operated*										
0-19 YRS	85	7.8	53	2	2	6	9	14	22	44
20-34	87	11.2	182	1	2	7	12	25	47	67
35-49	51	11.3	144	2	3	8	11	25	48	53
50-64	74	14.4	229	2	3	11	19	27	88	99+
65+	104	18.1	258	3	4	14	22	41	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	919	5.4	25	1	2	4	6	9	13	27
B. *Operated*	342	6.6	47	1	1	5	8	13	20	34
2. MULTIPLE DX										
A. *Not Operated*	1084	8.4	58	2	3	6	10	17	22	41
B. *Operated*	401	12.9	190	2	3	9	16	29	48	99+
1. SINGLE DX	1261	5.7	31	1	2	4	7	10	15	27
2. MULTIPLE DX	1485	9.6	98	2	3	7	11	20	27	65
A. NOT OPERATED	2003	7.0	45	2	2	5	8	14	19	35
B. OPERATED	743	10.0	134	1	2	6	12	22	33	86
TOTAL 0-19 YRS	669	5.2	18	1	2	4	6	9	12	22
20-34	648	5.9	46	1	2	4	6	11	16	37
35-49	418	7.3	59	2	2	5	8	14	20	49
50-64	438	8.8	78	2	3	7	11	17	23	86
65+	573	12.6	129	3	4	9	16	26	36	69
GRAND TOTAL	**2746**	**7.8**	**71**	**1**	**2**	**5**	**9**	**16**	**22**	**49**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	5.2	10	1	2	5	7	9	12	15
20-34	57	5.1	14	2	2	4	6	10	13	19
35-49	26	6.1	33	1	1	4	8	16	20	24
50-64	24	6.3	13	2	2	6	8	11	14	16
65+	42	11.6	74	2	3	9	17	25	32	99+
B. *Operated*										
0-19 YRS	51	3.8	8	<1	1	3	6	8	10	11
20-34	35	4.8	32	<1	<1	3	5	8	17	30
35-49	31	4.1	15	<1	<1	3	6	9	11	19
50-64	16	8.8	117	1	1	6	9	27	37	40
65+	16	9.4	56	1	2	9	15	18	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	6.2	19	2	2	5	8	11	14	31
20-34	69	5.7	23	2	2	4	7	12	16	26
35-49	35	7.9	44	2	2	6	10	21	27	99+
50-64	53	9.7	61	3	3	7	12	20	31	35
65+	91	14.1	192	2	4	8	17	35	47	62
B. *Operated*										
0-19 YRS	37	5.7	13	1	1	5	8	10	13	15
20-34	32	5.8	24	<1	1	4	7	14	15	21
35-49	19	19.0	525	1	2	8	31	58	69	73
50-64	38	11.7	134	3	3	7	14	33	42	46
65+	41	16.3	252	3	4	11	21	30	46	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	6.1	25	1	2	5	7	12	16	25
B. *Operated*	149	5.3	35	<1	1	3	7	11	17	30
2. MULTIPLE DX										
A. *Not Operated*	453	8.3	71	2	2	6	9	17	26	55
B. *Operated*	167	11.2	181	1	2	7	13	25	41	71
1. SINGLE DX	491	5.9	28	1	1	4	7	12	17	29
2. MULTIPLE DX	620	9.1	102	2	2	6	10	18	29	62
A. NOT OPERATED	795	7.3	52	2	2	5	8	14	21	46
B. OPERATED	316	8.4	120	1	1	5	9	18	29	62
TOTAL 0-19 YRS	486	5.5	15	1	2	5	7	10	13	19
20-34	193	5.4	22	1	2	4	6	11	16	25
35-49	111	8.4	137	1	1	5	8	19	36	83
50-64	131	9.5	82	2	3	7	11	19	34	44
65+	190	13.6	169	2	3	9	17	28	44	77
GRAND TOTAL	**1111**	**7.6**	**71**	**1**	**2**	**5**	**9**	**15**	**23**	**51**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	2	<1	1	4	5	6	6	6
20-34	10	2.4	6	<1	<1	1	4	6	8	8
35-49	3	10.7	64	3	3	10	17	19	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	357	4.2	7	1	2	4	5	7	8	15
20-34	730	4.3	9	1	2	4	5	7	9	16
35-49	92	4.0	5	1	2	4	5	7	9	12
50-64	18	5.5	18	2	2	4	6	13	15	16
65+	3	4.7		4	4	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	6	<1	<1	4	6	7	7	7
20-34	10	3.8	5	<1	<1	4	6	7	7	7
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64										
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	48	4.6	10	1	2	4	5	9	12	15
20-34	121	5.9	24	1	2	5	7	12	17	24
35-49	22	4.9	11	1	2	3	7	10	11	13
50-64	11	8.7	72	2	2	4	11	23	28	29
65+	4	13.5	123	3	3	11	22	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.0	16	<1	<1	3	5	8	13	19
B. *Operated*	1200	4.2	9	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	19	4.3	11	<1	<1	4	6	7	12	15
B. *Operated*	206	5.8	25	1	2	4	7	11	16	27
1. SINGLE DX	1224	4.2	9	1	2	4	5	7	9	16
2. MULTIPLE DX	225	5.7	24	1	2	4	7	11	16	26
A. NOT OPERATED	43	4.1	14	<1	<1	4	6	7	12	19
B. OPERATED	1406	4.5	11	1	2	4	5	8	10	18
TOTAL 0-19 YRS	422	4.2	8	1	2	4	5	7	9	15
20-34	871	4.5	12	1	2	4	5	8	10	19
35-49	119	4.3	9	1	2	3	5	8	10	15
50-64	29	6.7	39	2	2	4	9	15	19	29
65+	8	10.4	75	3	3	6	15	24	28	28
GRAND TOTAL	**1449**	**4.5**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	38	1.8	2	<1	<1	1	2	4	6	7
20-34	54	1.8	2	<1	<1	<1	2	4	5	9
35-49	42	1.5	1	<1	<1	1	2	3	3	4
50-64	29	3.1	5	<1	<1	2	4	7	7	8
65+	10	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	4	4
20-34	17	2.5	3	<1	<1	2	3	6	7	7
35-49	7	7.3	51	<1	<1	5	14	18	18	18
50-64	10	2.9	1	<1	1	3	4	5	5	5
65+	12	4.2	11	<1	1	3	6	9	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.3	33	1	1	5	11	13	13	13
B. *Operated*	173	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	6	<1	<1	3	5	7	7	7
B. *Operated*	58	3.3	12	<1	<1	2	4	7	10	18
1. SINGLE DX	177	2.1	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX	64	3.3	11	<1	<1	2	4	7	9	18
A. NOT OPERATED	10	4.6	16	<1	<1	3	7	11	13	13
B. OPERATED	231	2.3	5	<1	<1	1	3	5	7	13
TOTAL 0-19 YRS	53	1.8	3	<1	<1	1	2	4	6	9
20-34	74	2.0	3	<1	<1	1	3	4	5	9
35-49	50	2.4	11	<1	<1	1	2	4	5	18
50-64	39	3.0	4	<1	<1	2	4	6	7	8
65+	25	3.8	11	<1	<1	3	4	8	12	13
GRAND TOTAL	**241**	**2.4**	**6**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	5.2	24	1	1	4	7	11	14	23
20-34	177	6.2	37	1	1	4	8	13	19	33
35-49	94	8.4	55	1	1	6	12	21	25	31
50-64	120	9.8	78	1	2	7	14	22	29	38
65+	133	11.8	119	2	3	8	16	27	36	99+
B. *Operated*										
0-19 YRS	242	2.9	9	<1	<1	2	3	7	9	15
20-34	336	4.3	33	<1	<1	2	5	9	15	26
35-49	188	5.1	40	<1	<1	3	6	11	18	32
50-64	177	5.6	73	<1	1	3	6	12	18	47
65+	129	7.8	82	1	1	4	10	21	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	395	6.8	40	1	1	5	9	13	17	34
20-34	145	7.4	59	1	1	5	9	17	23	50
35-49	146	10.5	130	2	2	7	13	24	30	47
50-64	213	12.3	118	2	3	9	16	24	35	56
65+	450	16.8	229	2	4	12	23	38	51	99+
B. *Operated*										
0-19 YRS	88	7.5	119	<1	1	3	10	21	29	90
20-34	212	12.2	256	<1	<1	6	17	42	55	99+
35-49	177	14.3	306	1	2	7	20	37	56	93
50-64	261	13.3	256	1	2	7	18	35	51	99
65+	293	20.9	421	2	2	15	32	60	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	954	7.2	55	1	1	5	9	16	22	36
B. *Operated*	1072	4.8	43	<1	<1	3	5	10	17	33
2. MULTIPLE DX										
A. *Not Operated*	1349	11.5	145	1	2	8	14	27	36	74
B. *Operated*	1031	14.9	316	1	2	8	21	43	62	99+
1. SINGLE DX	2026	5.9	50	<1	1	3	7	13	20	35
2. MULTIPLE DX	2380	13.0	222	1	2	8	17	33	48	99+
A. NOT OPERATED	2303	9.7	112	1	2	6	12	22	32	59
B. OPERATED	2103	9.7	203	<1	1	4	11	28	44	97
TOTAL 0-19 YRS	1155	5.4	36	<1	1	4	7	12	16	32
20-34	870	7.1	102	<1	<1	4	8	18	28	86
35-49	605	9.6	154	<1	1	5	11	24	33	70
50-64	771	10.7	156	1	2	6	14	25	37	77
65+	1005	16.2	269	1	2	11	23	40	60	99+
GRAND TOTAL	**4406**	**9.7**	**155**	**<1**	**1**	**5**	**12**	**25**	**36**	**86**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	9.2	42	2	3	8	12	20	24	25
20-34	20	6.3	20	1	1	5	9	11	15	19
35-49	14	6.7	41	<1	1	5	8	16	22	24
50-64	15	8.1	17	3	5	7	10	15	17	18
65+	15	7.1	22	1	2	6	10	14	16	17
B. *Operated*										
0-19 YRS	5	6.4	32	1	1	4	12	13	13	13
20-34	6	11.0	82	2	2	9	14	26	27	27
35-49	2	12.5	41	8	8	12	17	17	17	17
50-64	4	21.0	377	5	5	15	35	48	48	48
65+	3	14.7	374	3	3	4	29	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	11.7	399	2	3	7	10	15	55	95
20-34	62	12.6	162	2	3	9	14	28	35	69
35-49	39	10.5	82	2	2	8	14	22	30	42
50-64	56	15.4	169	3	4	13	19	34	40	73
65+	38	13.1	104	2	3	10	23	34	68	99+
B. *Operated*										
0-19 YRS	6	19.2	417	5	5	13	16	56	60	60
20-34	29	20.4	320	2	5	16	22	52	62	77
35-49	34	18.4	252	5	6	14	24	32	46	87
50-64	21	19.4	445	2	3	14	32	98	99+	99+
65+	20	30.5	356	7	10	28	43	53	69	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.5	28	1	2	6	9	15	18	25
B. *Operated*	20	12.6	156	1	2	8	15	32	42	48
2. MULTIPLE DX										
A. *Not Operated*	215	13.0	161	2	3	9	16	29	38	97
B. *Operated*	110	21.4	340	4	6	15	28	49	75	99+
1. SINGLE DX	101	8.5	56	1	2	7	10	17	23	42
2. MULTIPLE DX	325	15.8	236	2	3	11	21	35	50	99+
A. NOT OPERATED	296	11.5	130	2	2	8	14	24	34	85
B. OPERATED	130	20.0	321	2	5	15	26	48	61	99+
TOTAL 0-19 YRS	48	11.2	235	1	3	7	12	16	28	95
20-34	117	13.4	191	2	2	9	16	26	41	72
35-49	89	13.0	157	1	2	9	17	26	32	72
50-64	96	15.4	219	3	4	11	20	35	46	99+
65+	76	16.6	231	2	3	11	25	40	54	99+
GRAND TOTAL	**426**	**14.1**	**203**	**2**	**3**	**10**	**18**	**32**	**43**	**98**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	9.4	76	2	2	8	11	17	28	51
20-34	57	9.8	52	2	3	8	14	21	26	28
35-49	93	10.3	59	2	2	9	16	20	22	38
50-64	142	13.8	74	2	3	12	19	25	29	38
65+	123	13.0	99	2	2	10	19	26	30	52
B. *Operated*										
0-19 YRS	12	5.3	28	<1	1	3	8	14	17	17
20-34	16	12.0	75	2	3	9	18	26	29	30
35-49	50	9.3	60	1	2	8	14	20	22	38
50-64	103	11.5	142	1	2	8	15	26	40	57
65+	65	14.0	178	2	2	10	19	28	36	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	14.0	364	1	2	9	15	28	49	95
20-34	44	12.7	80	3	4	10	18	24	28	44
35-49	91	12.0	74	2	3	10	17	25	29	34
50-64	244	15.4	137	2	4	14	20	27	33	71
65+	333	16.7	174	3	4	14	23	34	45	99+
B. *Operated*										
0-19 YRS	6	20.5	100	9	9	22	29	31	31	31
20-34	18	20.8	167	3	5	19	26	39	46	50
35-49	73	18.3	261	2	3	15	24	38	53	81
50-64	150	19.3	251	2	4	17	27	44	65	99+
65+	139	22.9	303	3	5	20	29	52	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	11.9	77	2	2	10	18	24	28	40
B. *Operated*	246	11.5	128	1	2	8	16	24	31	52
2. MULTIPLE DX										
A. *Not Operated*	737	15.4	152	2	4	13	20	29	38	86
B. *Operated*	386	20.5	267	3	4	18	27	42	62	99+
1. SINGLE DX	711	11.8	95	2	2	10	16	24	28	51
2. MULTIPLE DX	1123	17.1	197	2	4	14	23	34	48	99+
A. NOT OPERATED	1202	14.0	126	2	3	11	19	27	34	66
B. OPERATED	632	17.0	232	2	3	13	24	37	52	99+
TOTAL 0-19 YRS	93	10.8	158	2	2	8	12	26	30	76
20-34	135	12.5	89	2	3	10	18	24	29	45
35-49	307	12.5	121	2	2	10	17	25	32	56
50-64	639	15.3	156	2	3	13	21	30	40	86
65+	660	17.0	198	2	4	14	24	35	48	99
GRAND TOTAL	**1834**	**15.0**	**164**	**2**	**3**	**12**	**21**	**30**	**40**	**85**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	162	3	3	12	21	21	21	21
20-34	9	7.0	49	1	2	4	8	18	24	24
35-49	13	4.6	16	1	1	3	8	11	13	13
50-64	56	8.1	52	2	2	6	11	17	21	36
65+	199	9.5	108	2	2	7	11	20	28	54
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	53	5.0	21	1	2	3	6	11	16	21
35-49	130	7.2	40	2	2	6	9	15	17	30
50-64	418	10.8	58	2	3	10	15	19	24	33
65+	541	14.2	64	2	5	14	19	24	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	61	10	10	15	21	21	21	21
20-34	6	8.7	104	1	1	5	7	27	29	29
35-49	30	7.5	60	1	1	5	11	15	17	39
50-64	152	9.4	46	3	3	8	12	17	21	41
65+	693	12.3	142	2	3	9	15	25	38	99
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	48	8.3	76	1	2	5	10	18	28	43
35-49	117	9.8	86	1	2	7	14	20	27	52
50-64	381	14.9	151	2	3	13	19	29	35	65
65+	666	19.2	173	4	6	17	24	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	9.0	91	1	2	6	11	18	25	50
B. *Operated*	1145	11.7	65	2	3	11	16	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	883	11.6	124	2	3	9	15	23	32	90
B. *Operated*	1214	16.5	165	2	3	15	21	32	42	82
1. SINGLE DX	1424	11.2	71	2	2	9	15	21	26	40
2. MULTIPLE DX	2097	14.5	154	2	3	12	19	29	39	84
A. NOT OPERATED	1162	11.0	117	2	3	8	14	22	30	79
B. OPERATED	2359	14.2	122	2	3	13	19	27	34	63
TOTAL 0-19 YRS	9	9.2	59	2	2	5	16	21	21	21
20-34	116	6.7	51	1	2	4	8	16	23	36
35-49	290	8.2	61	1	2	6	11	17	21	45
50-64	1007	12.0	96	2	3	10	16	22	29	45
65+	2099	14.7	140	2	4	13	19	28	38	81
GRAND TOTAL	**3521**	**13.1**	**123**	**2**	**3**	**11**	**17**	**25**	**33**	**71**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	8.2	53	1	2	5	10	20	26	29
20-34	60	7.4	28	2	3	6	9	12	13	30
35-49	47	6.9	31	1	2	5	9	12	17	31
50-64	47	7.3	37	1	2	6	9	13	17	38
65+	107	9.7	72	2	3	7	12	22	28	41
B. *Operated*										
0-19 YRS	12	16.3	153	3	3	14	22	36	41	42
20-34	40	5.0	13	1	1	4	6	10	13	15
35-49	38	5.7	23	1	1	4	7	11	15	24
50-64	39	10.3	53	1	2	9	15	20	23	35
65+	24	12.7	86	2	6	10	17	35	53	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	9.2	53	2	2	7	13	18	23	33
20-34	39	6.9	18	2	2	6	9	13	16	19
35-49	40	10.4	82	2	3	6	15	22	28	43
50-64	88	8.8	46	2	3	7	12	17	20	39
65+	262	12.2	146	2	3	8	15	24	39	73
B. *Operated*										
0-19 YRS	7	20.3	99	4	6	20	26	33	35	35
20-34	32	8.0	56	1	2	5	10	21	24	32
35-49	24	14.3	241	2	2	8	17	33	53	66
50-64	57	14.0	207	1	2	8	19	30	52	62
65+	60	23.0	251	4	6	22	34	59	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	8.2	50	2	2	6	10	16	25	35
B. *Operated*	153	8.6	60	1	2	6	12	17	25	42
2. MULTIPLE DX										
A. *Not Operated*	459	10.7	107	2	3	7	13	21	30	67
B. *Operated*	180	16.2	221	2	3	11	23	38	60	99+
1. SINGLE DX	475	8.4	53	1	2	6	11	17	25	37
2. MULTIPLE DX	639	12.3	145	2	3	8	16	26	38	77
A. NOT OPERATED	781	9.7	85	2	3	7	12	20	27	57
B. OPERATED	333	12.7	161	1	2	8	18	32	41	99+
TOTAL 0-19 YRS	110	10.1	77	2	2	7	14	25	29	38
20-34	171	6.9	28	1	2	6	9	13	17	30
35-49	149	8.7	83	1	2	6	10	19	27	47
50-64	231	10.0	90	1	2	7	12	20	25	60
65+	453	13.0	154	2	3	9	18	30	43	99+
GRAND TOTAL	**1114**	**10.6**	**109**	**2**	**2**	**7**	**13**	**23**	**33**	**66**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	5	1	1	3	4	7	8	8
20-34	12	3.7	43	<1	<1	1	3	11	22	24
35-49	5	2.4	2	1	1	3	3	4	4	4
50-64	6	4.0	7	<1	<1	4	5	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	354	3.6	3	1	2	3	4	6	7	9
20-34	977	3.6	3	1	2	3	4	6	6	10
35-49	467	3.8	4	1	1	3	5	6	7	10
50-64	208	4.3	6	1	2	4	5	7	8	13
65+	51	5.1	11	1	1	5	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	19	<1	<1	1	4	11	14	14
20-34	14	2.7	5	<1	<1	2	4	6	7	8
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	8	3.8	19	<1	<1	1	6	11	13	13
65+	4	24.3	1106	5	5	9	42	74	74	74
B. *Operated*										
0-19 YRS	150	4.0	6	<1	1	4	5	7	8	10
20-34	540	4.1	10	<1	1	4	5	7	9	15
35-49	225	4.2	11	1	1	3	5	7	9	20
50-64	180	4.9	14	1	2	4	6	8	11	23
65+	49	5.8	21	1	2	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.4	16	<1	1	2	4	6	8	24
B. *Operated*	2057	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	39	5.1	140	<1	<1	2	5	10	14	74
B. *Operated*	1144	4.3	11	1	1	4	5	7	9	18
1. SINGLE DX	2093	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	1183	4.3	15	1	1	4	5	7	9	19
A. NOT OPERATED	75	4.3	80	<1	<1	2	5	8	12	61
B. OPERATED	3201	3.9	7	1	2	4	5	6	8	13
TOTAL 0-19 YRS	525	3.7	4	1	1	3	5	6	8	10
20-34	1543	3.8	6	1	2	3	5	6	7	11
35-49	701	3.9	6	1	1	3	5	6	8	14
50-64	402	4.6	10	1	2	4	5	8	9	19
65+	105	6.2	60	1	2	5	7	11	14	46
GRAND TOTAL	**3276**	**3.9**	**8**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	20	1	1	3	5	9	12	24
20-34	52	3.6	13	<1	<1	2	4	8	11	20
35-49	35	4.3	16	<1	1	3	6	9	10	22
50-64	30	6.5	26	1	2	5	8	14	17	23
65+	31	6.5	30	<1	1	4	10	16	18	19
B. *Operated*										
0-19 YRS	415	4.0	4	1	2	4	5	6	7	12
20-34	831	3.9	5	1	2	3	5	6	8	11
35-49	168	4.0	10	2	2	3	4	6	9	18
50-64	69	4.6	16	1	2	3	5	9	10	25
65+	32	9.6	95	1	1	6	16	25	37	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.2	24	1	1	3	7	10	14	28
20-34	49	5.0	36	<1	1	4	6	9	14	39
35-49	44	8.7	173	<1	1	5	10	18	29	79
50-64	52	7.7	58	2	2	6	9	15	22	46
65+	113	11.4	160	2	2	7	14	26	40	85
B. *Operated*										
0-19 YRS	138	5.4	17	2	2	4	6	10	12	27
20-34	249	5.8	43	1	2	4	6	11	20	43
35-49	87	5.9	98	1	2	3	6	12	13	66
50-64	59	9.5	113	1	2	4	14	23	34	52
65+	44	14.7	321	2	3	8	20	26	50	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	4.8	20	1	1	3	6	10	14	23
B. *Operated*	1515	4.1	9	1	2	3	5	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	331	8.2	103	1	1	5	9	17	26	73
B. *Operated*	577	6.8	79	1	2	4	7	14	22	46
1. SINGLE DX	1787	4.2	10	1	2	3	5	7	9	20
2. MULTIPLE DX	908	7.3	88	1	2	4	8	14	24	52
A. NOT OPERATED	603	6.6	69	1	1	4	8	14	20	45
B. OPERATED	2092	4.8	29	1	2	4	5	8	11	29
TOTAL 0-19 YRS	750	4.5	11	1	2	4	5	8	10	20
20-34	1181	4.3	15	1	2	3	5	7	9	22
35-49	334	5.1	57	1	2	3	5	10	13	32
50-64	210	7.0	58	1	2	4	9	15	22	41
65+	220	11.1	168	1	2	7	14	25	36	93
GRAND TOTAL	**2695**	**5.2**	**39**	**1**	**2**	**4**	**5**	**9**	**14**	**32**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	10.3	35	<1	1	10	15	17	17	17
35-49	7	11.1	43	4	4	10	14	22	24	24
50-64	3	10.3	24	7	7	8	14	16	16	16
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	5	6.0	35	2	2	2	10	15	15	15
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	9.3	20	5	5	8	13	16	16	16
35-49	8	12.3	57	3	3	13	17	22	24	24
50-64	6	12.2	24	6	6	13	14	19	19	19
65+	6	6.0	4	4	4	5	6	10	10	10
B. *Operated*										
0-19 YRS										
20-34	7	26.0	896	2	3	11	34	78	88	88
35-49	5	7.0	25	1	1	6	11	13	13	13
50-64	7	16.6	177	3	3	16	32	83	99+	99+
65+	2	13.5	1	13	13	13	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	9.9	36	1	3	8	14	17	21	24
B. *Operated*	9	8.2	33	2	2	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	26	10.1	32	3	4	8	14	18	20	24
B. *Operated*	21	17.1	331	2	3	12	23	56	93	99+
1. SINGLE DX	29	9.4	35	2	2	8	15	16	18	24
2. MULTIPLE DX	47	13.3	196	3	3	11	15	27	47	99+
A. NOT OPERATED	46	10.0	33	3	4	8	14	17	20	24
B. OPERATED	30	14.5	289	2	2	11	16	38	86	99+
TOTAL 0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	23	14.8	320	1	4	11	16	30	54	88
35-49	25	9.6	46	1	2	9	15	19	24	24
50-64	17	13.5	85	3	5	13	17	36	77	99+
65+	9	7.2	17	2	3	6	11	14	14	14
GRAND TOTAL	**76**	**11.8**	**137**	**2**	**3**	**10**	**15**	**22**	**33**	**97**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	4.0	5	2	2	3	5	8	9	9
35-49	21	5.3	8	1	1	5	7	9	11	11
50-64	52	6.3	19	2	2	5	8	11	16	24
65+	88	8.5	60	2	2	6	11	19	21	39
B. *Operated*										
0-19 YRS	3	10.0	4	8	8	10	11	12	12	12
20-34	18	6.8	18	1	2	7	10	13	14	14
35-49	55	8.3	23	1	1	8	12	14	17	19
50-64	74	8.2	60	1	1	6	14	18	23	33
65+	20	10.6	74	1	1	10	13	20	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	8	4.8	14	<1	1	3	7	11	12	12
35-49	42	8.3	54	2	2	6	10	19	26	36
50-64	113	8.3	46	2	3	7	10	14	21	39
65+	355	11.9	138	2	3	9	15	24	33	87
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	7.2	21	1	2	7	11	13	15	15
35-49	39	11.5	85	2	2	9	15	21	32	46
50-64	84	11.9	104	1	1	10	16	26	36	82
65+	53	17.8	191	2	4	14	27	39	44	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	7.1	39	1	2	5	8	14	20	36
B. *Operated*	170	8.4	44	1	1	7	12	17	19	33
2. MULTIPLE DX										
A. *Not Operated*	520	10.7	112	2	3	8	13	22	30	78
B. *Operated*	189	13.1	127	1	2	10	18	31	41	52
1. SINGLE DX	344	7.7	42	1	1	6	11	17	19	36
2. MULTIPLE DX	709	11.3	117	2	3	8	14	24	33	62
A. NOT OPERATED	694	9.8	96	2	2	7	12	19	27	51
B. OPERATED	359	10.9	93	1	1	9	14	23	33	49
TOTAL 0-19 YRS	8	5.5	19	1	1	5	9	11	12	12
20-34	49	5.9	16	1	2	4	9	12	13	15
35-49	157	8.7	47	1	2	7	11	16	20	36
50-64	323	8.9	63	1	1	7	11	18	26	49
65+	516	11.9	133	2	3	8	15	25	36	79
GRAND TOTAL	**1053**	**10.2**	**95**	**1**	**2**	**8**	**13**	**20**	**30**	**50**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	8.6	95	2	3	7	8	12	33	45
20-34	268	7.0	24	1	2	6	9	13	17	24
35-49	366	7.3	30	1	2	6	9	14	18	27
50-64	225	7.7	20	2	3	7	10	13	16	24
65+	93	9.5	61	2	3	7	11	19	24	45
B. *Operated*										
0-19 YRS	51	7.9	48	1	1	7	11	15	19	40
20-34	847	8.3	39	1	2	7	11	16	20	33
35-49	1168	8.6	37	1	2	8	12	16	20	28
50-64	505	9.4	53	1	1	9	13	18	23	31
65+	92	8.7	55	1	1	8	13	18	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	26	2	2	6	10	14	14	14
20-34	92	7.1	35	2	2	6	8	13	18	34
35-49	206	8.8	40	1	2	7	12	17	24	28
50-64	217	10.1	47	2	4	8	13	19	25	35
65+	175	13.4	172	2	4	9	16	25	36	82
B. *Operated*										
0-19 YRS	11	11.3	25	2	5	11	15	18	19	19
20-34	290	10.9	50	2	3	10	14	19	25	33
35-49	558	12.5	84	2	3	11	16	24	29	43
50-64	405	14.2	113	2	3	12	18	27	33	56
65+	127	17.6	131	3	5	16	23	32	43	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	7.6	30	2	2	6	10	14	18	27
B. *Operated*	2663	8.7	41	1	2	8	12	16	21	30
2. MULTIPLE DX										
A. *Not Operated*	694	10.1	79	2	3	8	13	19	26	38
B. *Operated*	1391	13.1	92	2	3	11	17	25	31	47
1. SINGLE DX	3632	8.4	39	1	2	7	11	16	20	30
2. MULTIPLE DX	2085	12.1	90	2	3	10	16	24	30	46
A. NOT OPERATED	1663	8.6	52	2	2	7	11	16	22	35
B. OPERATED	4054	10.2	63	1	2	9	14	19	25	39
TOTAL 0-19 YRS	83	8.4	53	1	2	7	11	15	19	43
20-34	1497	8.5	40	1	2	7	11	16	20	32
35-49	2298	9.4	50	1	2	8	13	18	23	33
50-64	1352	10.7	70	1	2	9	14	20	26	40
65+	487	12.9	128	2	3	10	17	25	34	55
GRAND TOTAL	**5717**	**9.7**	**61**	**1**	**2**	**8**	**13**	**19**	**24**	**37**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	35	7.5	32	2	3	6	9	14	19	30
35-49	62	6.0	21	1	2	5	8	13	15	24
50-64	44	7.0	24	1	2	6	10	14	16	23
65+	20	9.7	52	4	6	8	9	19	27	35
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	39	7.6	43	1	1	6	11	17	20	26
35-49	116	8.2	36	1	1	8	11	15	17	31
50-64	69	7.2	25	1	1	6	10	15	17	18
65+	8	3.8	8	1	1	3	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	15	8.4	41	1	1	7	13	18	21	22
35-49	41	8.2	38	2	3	7	10	15	21	32
50-64	60	9.5	58	2	3	8	10	19	21	39
65+	70	11.7	147	1	2	8	15	21	35	73
B. *Operated*										
0-19 YRS										
20-34	18	9.2	18	2	3	9	11	16	17	17
35-49	81	13.1	115	3	4	11	16	24	31	64
50-64	82	11.4	76	2	3	10	14	23	28	45
65+	16	11.1	95	1	2	8	13	26	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	7.1	29	1	2	6	9	14	18	29
B. *Operated*	233	7.6	33	1	1	7	11	15	17	26
2. MULTIPLE DX										
A. *Not Operated*	187	9.9	86	2	3	7	13	19	24	43
B. *Operated*	197	11.9	89	2	3	10	15	23	28	46
1. SINGLE DX	395	7.4	32	1	1	6	10	15	18	26
2. MULTIPLE DX	384	10.9	88	2	3	9	14	21	26	43
A. NOT OPERATED	349	8.6	62	1	2	7	11	18	20	39
B. OPERATED	430	9.6	63	1	2	8	13	18	23	42
TOTAL 0-19 YRS	3	11.3	12	8	8	11	14	15	15	15
20-34	107	7.9	34	1	1	7	11	17	19	28
35-49	300	9.1	61	1	2	7	12	17	23	42
50-64	255	9.0	52	1	2	8	12	18	22	38
65+	114	10.7	116	1	3	7	14	20	33	57
GRAND TOTAL	**779**	**9.2**	**62**	**1**	**2**	**7**	**12**	**18**	**23**	**41**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	9	1	1	2	5	8	10	10
20-34	28	5.4	14	1	2	5	7	9	14	17
35-49	41	5.7	15	1	2	5	8	12	14	16
50-64	23	7.4	80	2	2	5	8	13	29	44
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	3	5.3	26	1	1	4	9	11	11	11
20-34	42	9.0	66	1	1	7	10	25	25	36
35-49	32	7.2	30	1	1	6	12	15	18	19
50-64	10	6.9	45	1	1	3	12	17	20	20
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	24	7.7	59	1	2	6	8	12	22	40
35-49	22	8.0	40	1	2	6	10	18	22	23
50-64	22	9.4	41	2	3	8	12	21	22	22
65+	26	11.4	192	2	3	9	13	19	34	74
B. *Operated*										
0-19 YRS										
20-34	21	7.5	25	2	2	6	10	14	19	20
35-49	20	13.6	27	7	9	13	16	24	60	99+
50-64	11	13.0	111	2	2	11	23	28	31	31
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.8	29	1	2	5	7	11	14	32
B. *Operated*	88	7.9	49	1	1	6	11	17	25	32
2. MULTIPLE DX										
A. *Not Operated*	96	9.2	85	2	2	7	11	19	22	58
B. *Operated*	53	10.9	49	2	2	10	14	22	28	97
1. SINGLE DX	191	6.8	39	1	1	5	8	14	19	32
2. MULTIPLE DX	149	9.8	73	2	2	8	12	20	24	74
A. NOT OPERATED	199	7.4	59	1	2	6	9	14	20	42
B. OPERATED	141	9.0	51	1	2	8	12	20	25	41
TOTAL 0-19 YRS	14	5.0	14	1	1	4	10	10	11	11
20-34	115	7.6	45	1	2	6	9	15	24	37
35-49	115	7.9	33	1	2	7	11	16	20	52
50-64	66	8.9	68	2	2	6	12	21	26	42
65+	30	10.5	171	2	2	8	11	17	24	74
GRAND TOTAL	**340**	**8.1**	**56**	**1**	**2**	**6**	**10**	**16**	**22**	**40**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	49	6.2	29	1	2	5	7	14	21	24
35-49	53	6.3	11	1	3	5	8	10	12	16
50-64	30	8.0	25	2	2	7	9	16	19	21
65+	26	7.3	11	2	3	7	9	13	14	15
B. *Operated*										
0-19 YRS	2	12.5	1	12	12	12	13	13	13	13
20-34	32	4.8	15	1	1	4	7	9	12	18
35-49	44	3.8	13	<1	1	2	5	10	12	13
50-64	24	3.7	9	1	1	2	6	8	9	10
65+	2	11.0	128	3	3	11	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	5.0	6	1	1	5	6	9	9	10
35-49	47	9.6	55	2	4	8	12	16	19	49
50-64	51	8.2	28	3	3	7	10	14	20	29
65+	70	12.2	98	2	4	10	16	24	32	55
B. *Operated*										
0-19 YRS										
20-34	19	6.2	19	1	1	6	9	13	14	14
35-49	19	8.1	190	1	1	3	7	18	42	61
50-64	11	13.0	117	2	2	10	24	28	28	28
65+	10	14.4	129	1	1	15	21	29	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.7	20	2	2	6	8	13	16	22
B. *Operated*	104	4.4	16	1	1	3	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	190	9.6	63	2	3	7	12	18	24	43
B. *Operated*	59	9.5	115	1	1	6	14	22	28	59
1. SINGLE DX	265	5.8	19	1	1	5	8	12	15	21
2. MULTIPLE DX	249	9.6	75	1	2	7	12	19	25	49
A. NOT OPERATED	351	8.3	45	2	2	6	10	16	21	34
B. OPERATED	163	6.2	57	1	1	3	8	14	20	36
TOTAL 0-19 YRS	6	6.3	27	2	2	5	12	13	13	13
20-34	121	5.6	20	1	1	5	8	11	15	23
35-49	163	6.8	49	1	1	5	9	12	16	45
50-64	116	7.6	37	1	2	6	9	15	22	29
65+	108	11.2	83	2	3	9	15	23	27	47
GRAND TOTAL	**514**	**7.6**	**50**	**1**	**1**	**6**	**10**	**16**	**21**	**34**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.6	22	<1	1	2	4	7	10	29
20-34	359	5.7	40	1	1	4	7	12	16	39
35-49	378	6.5	44	1	1	5	8	12	18	40
50-64	201	6.7	45	1	1	5	8	14	19	39
65+	118	7.8	46	1	2	6	10	15	16	39
B. *Operated*										
0-19 YRS	30	4.8	9	1	2	4	6	10	11	11
20-34	266	4.9	17	1	1	3	6	10	11	20
35-49	312	6.1	42	1	1	5	8	13	15	25
50-64	211	7.1	27	1	1	7	10	14	18	24
65+	61	9.3	44	1	1	8	14	18	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.3	11	<1	1	3	6	8	11	15
20-34	234	6.5	56	1	1	5	8	13	16	43
35-49	320	7.9	66	1	2	5	10	16	22	42
50-64	277	9.0	62	2	2	7	11	18	26	40
65+	302	11.9	142	2	3	8	16	25	32	70
B. *Operated*										
0-19 YRS	13	9.9	116	2	2	7	10	20	39	44
20-34	187	7.6	40	1	2	6	11	15	19	31
35-49	255	8.6	50	1	2	7	11	17	21	39
50-64	269	11.1	100	2	2	9	14	21	27	61
65+	179	15.6	134	2	3	13	20	30	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1155	6.2	42	1	1	4	8	12	17	39
B. *Operated*	880	6.1	31	1	1	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1178	8.8	85	1	2	6	11	18	26	48
B. *Operated*	903	10.5	88	2	2	9	14	21	27	52
1. SINGLE DX	2035	6.2	37	1	1	4	8	12	17	32
2. MULTIPLE DX	2081	9.5	87	1	2	7	12	20	26	50
A. NOT OPERATED	2333	7.5	65	1	1	5	9	16	22	40
B. OPERATED	1783	8.4	65	1	2	6	11	17	22	41
TOTAL 0-19 YRS	187	4.4	26	1	1	3	6	9	11	31
20-34	1046	6.0	38	1	1	4	8	12	16	34
35-49	1265	7.2	51	1	1	5	9	14	20	40
50-64	958	8.7	64	1	2	7	11	18	23	40
65+	660	11.9	121	2	2	9	16	24	31	61
GRAND TOTAL	**4116**	**7.9**	**65**	**1**	**1**	**6**	**10**	**16**	**22**	**41**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.5	11	1	2	4	6	8	12	17
20-34	54	4.7	18	1	1	4	5	9	13	26
35-49	47	6.7	121	1	2	4	6	9	29	66
50-64	64	5.7	26	1	1	4	8	12	14	27
65+	37	5.6	12	2	3	4	7	12	14	15
B. *Operated*										
0-19 YRS	108	3.2	7	<1	1	3	4	6	6	15
20-34	217	3.3	9	<1	1	2	4	6	9	17
35-49	243	3.7	22	<1	1	3	4	7	9	14
50-64	202	3.3	10	<1	<1	2	4	6	8	15
65+	61	2.8	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.7	18	1	2	4	9	11	15	19
20-34	39	5.5	13	1	2	4	8	11	12	16
35-49	46	6.5	12	1	2	6	9	10	12	16
50-64	75	7.7	50	<1	1	6	9	18	22	38
65+	94	9.2	71	1	2	7	11	17	25	51
B. *Operated*										
0-19 YRS	37	2.9	5	<1	<1	2	3	5	8	12
20-34	100	3.6	10	<1	1	3	4	6	9	20
35-49	118	5.0	28	1	1	3	5	13	17	26
50-64	145	5.2	31	1	1	3	6	11	16	30
65+	61	7.9	117	1	1	4	9	15	29	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	5.3	35	1	2	4	6	10	13	28
B. *Operated*	831	3.4	12	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	285	7.5	44	1	2	6	9	15	19	36
B. *Operated*	461	5.0	36	1	1	3	5	11	16	31
1. SINGLE DX	1109	3.8	19	<1	1	3	5	7	9	19
2. MULTIPLE DX	746	5.9	41	1	1	4	7	12	17	31
A. NOT OPERATED	563	6.4	40	1	2	5	8	13	17	28
B. OPERATED	1292	3.9	22	<1	1	3	4	7	11	23
TOTAL 0-19 YRS	252	3.9	10	1	1	3	5	7	10	17
20-34	410	3.8	11	1	1	3	4	8	9	18
35-49	454	4.6	34	1	1	3	5	9	12	27
50-64	486	4.8	27	<1	1	3	6	10	14	28
65+	253	6.8	64	<1	1	5	8	14	18	46
GRAND TOTAL	**1855**	**4.7**	**29**	**<1**	**1**	**3**	**6**	**9**	**13**	**26**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	109	3.6	4	1	2	3	5	6	7	11
20-34	231	3.9	3	1	2	4	5	6	7	10
35-49	197	4.1	6	1	2	4	5	7	9	12
50-64	322	4.5	5	2	2	4	6	7	9	12
65+	157	4.1	10	1	1	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	4	2.3	6	1	1	1	4	6	6	6
50-64	9	2.3	2	<1	<1	2	3	5	6	6
65+	5	2.8	4	<1	<1	3	4	6	6	6
B. *Operated*										
0-19 YRS	74	4.1	2	2	2	4	5	6	6	8
20-34	148	4.6	9	1	2	4	6	7	8	20
35-49	195	4.8	6	2	3	4	6	7	9	13
50-64	415	5.3	9	2	2	5	6	8	10	17
65+	286	6.0	20	1	2	5	7	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	1016	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	22	2.3	3	<1	<1	2	3	6	6	6
B. *Operated*	1118	5.2	11	2	2	5	6	8	10	20
1. SINGLE DX	1019	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX	1140	5.1	11	2	2	4	6	8	10	20
A. NOT OPERATED	25	2.2	3	<1	<1	2	3	6	6	6
B. OPERATED	2134	4.7	9	1	2	4	6	8	9	16
TOTAL 0-19 YRS	185	3.7	3	1	2	3	5	6	6	8
20-34	382	4.2	5	1	2	4	5	6	7	10
35-49	396	4.4	6	1	2	4	6	7	9	12
50-64	748	4.9	8	2	2	4	6	8	10	13
65+	448	5.3	18	1	2	4	6	9	13	23
GRAND TOTAL	**2159**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**9**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	145	1.7	1	<1	<1	1	2	3	4	5
20-34	235	1.7	1	<1	<1	1	2	3	4	6
35-49	102	2.1	3	<1	<1	1	2	4	6	9
50-64	80	2.7	5	<1	<1	2	3	5	6	13
65+	29	3.9	36	<1	1	2	3	7	9	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	6	6.5	44	<1	<1	4	14	15	15	15
50-64	7	3.7	11	<1	<1	3	5	9	10	10
65+	6	5.8	23	1	1	5	11	11	11	11
B. *Operated*										
0-19 YRS	13	1.5		<1	<1	1	2	3	3	3
20-34	46	1.9	1	<1	<1	2	2	3	4	5
35-49	32	3.0	12	<1	<1	2	4	6	8	19
50-64	41	3.0	6	<1	1	2	4	5	6	15
65+	24	4.7	8	1	2	4	7	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	1	3	5	5	5
B. *Operated*	591	2.0	4	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	20	<1	<1	2	7	11	14	15
B. *Operated*	156	2.8	6	<1	<1	2	3	5	7	15
1. SINGLE DX	598	2.0	4	<1	<1	1	2	4	5	8
2. MULTIPLE DX	182	3.0	8	<1	<1	2	4	6	9	15
A. NOT OPERATED	33	3.8	17	<1	<1	1	5	11	14	15
B. OPERATED	747	2.2	5	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	164	1.7	1	<1	<1	1	2	3	4	5
20-34	285	1.7	1	<1	<1	1	2	3	4	6
35-49	142	2.5	7	<1	<1	2	3	5	7	15
50-64	130	2.8	5	<1	<1	2	4	5	6	15
65+	59	4.4	23	1	1	3	6	8	11	32
GRAND TOTAL	**780**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	15.3	102	2	4	14	21	31	35	42
20-34	31	12.1	136	2	2	7	18	32	39	42
35-49	20	12.4	191	1	2	9	18	22	43	63
50-64	15	15.8	177	2	4	12	23	37	45	48
65+	11	13.0	247	1	3	6	13	37	55	57
B. *Operated*										
0-19 YRS	24	15.1	174	1	2	11	23	34	44	47
20-34	35	15.2	167	2	3	10	22	39	43	44
35-49	20	19.9	311	3	5	14	32	49	51	53
50-64	29	16.4	228	2	4	13	22	35	51	69
65+	13	28.2	458	5	6	24	42	65	67	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	17.8	132	2	4	14	27	32	36	39
20-34	15	13.2	87	3	4	9	20	29	32	33
35-49	12	13.3	63	1	4	13	16	27	28	28
50-64	29	22.6	455	2	2	16	32	50	58	97
65+	25	17.2	56	7	7	18	21	27	29	34
B. *Operated*										
0-19 YRS	18	28.2	590	3	8	21	48	92	99+	99+
20-34	43	23.9	434	2	4	17	44	58	83	99+
35-49	29	27.6	233	8	11	26	41	49	63	99+
50-64	42	27.0	445	2	5	22	40	49	73	99
65+	31	27.1	445	1	3	22	38	60	62	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	13.8	145	2	3	10	19	31	38	59
B. *Operated*	121	17.7	245	2	3	13	24	43	49	68
2. MULTIPLE DX										
A. *Not Operated*	100	17.8	198	2	4	15	25	32	41	76
B. *Operated*	163	26.4	412	2	5	22	42	60	83	99+
1. SINGLE DX	240	15.8	199	2	3	11	22	37	47	65
2. MULTIPLE DX	263	23.2	347	2	4	19	32	51	66	99+
A. NOT OPERATED	219	15.6	172	2	3	12	22	32	39	59
B. OPERATED	284	22.7	359	2	3	17	35	50	66	99+
TOTAL 0-19 YRS	103	18.0	225	2	3	15	26	35	50	99+
20-34	124	17.2	263	2	3	10	26	44	55	99+
35-49	81	19.8	251	2	3	15	28	48	51	88
50-64	115	21.8	372	2	3	16	30	47	55	98
65+	80	22.2	322	3	5	18	28	53	62	80
GRAND TOTAL	**503**	**19.6**	**289**	**2**	**3**	**15**	**27**	**44**	**57**	**99**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	9.6	58	1	2	7	14	20	26	32
20-34	29	3.8	8	<1	1	3	5	8	10	12
35-49	37	5.4	54	1	1	3	6	14	18	40
50-64	34	5.9	44	1	1	4	9	13	16	35
65+	82	8.5	65	1	2	6	12	18	27	80
B. *Operated*										
0-19 YRS	275	4.9	30	1	1	4	5	9	15	27
20-34	390	5.0	16	2	2	4	6	10	13	22
35-49	144	7.5	80	1	2	5	8	14	21	55
50-64	94	7.3	27	2	2	6	9	16	18	24
65+	55	12.2	66	2	2	10	19	24	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	9.7	72	<1	2	7	15	24	27	34
20-34	33	4.8	17	<1	<1	3	7	12	14	15
35-49	43	6.3	114	1	1	3	6	12	18	69
50-64	118	8.6	77	1	1	7	11	17	23	77
65+	444	16.5	202	3	4	13	22	33	47	99+
B. *Operated*										
0-19 YRS	95	7.7	99	1	1	4	9	20	25	53
20-34	190	8.1	95	2	2	5	9	15	26	57
35-49	116	13.4	214	1	2	7	19	38	52	73
50-64	151	15.7	178	2	3	13	22	32	45	99
65+	156	23.2	325	3	4	19	35	52	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	7.5	56	1	1	5	10	17	23	40
B. *Operated*	958	6.0	37	1	2	4	7	12	18	27
2. MULTIPLE DX										
A. *Not Operated*	671	13.5	177	1	2	10	17	30	41	93
B. *Operated*	708	13.9	217	2	2	8	19	36	49	85
1. SINGLE DX	1211	6.3	41	1	2	4	8	14	19	32
2. MULTIPLE DX	1379	13.7	197	2	2	9	18	32	46	91
A. NOT OPERATED	924	11.9	151	1	2	8	16	27	38	90
B. OPERATED	1666	9.3	128	1	2	5	11	22	33	63
TOTAL 0-19 YRS	474	6.5	55	1	1	4	7	16	21	36
20-34	642	5.8	41	1	2	4	7	11	15	36
35-49	340	9.1	136	1	2	5	9	22	35	61
50-64	397	10.7	116	1	2	8	14	24	32	78
65+	737	16.7	220	2	3	13	22	38	50	99+
GRAND TOTAL	**2590**	**10.2**	**138**	**1**	**2**	**6**	**13**	**24**	**35**	**70**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	54	5.6	41	2	2	4	5	11	14	44
20-34	34	4.0	8	1	2	3	5	9	10	13
35-49	19	4.6	8	1	2	4	7	9	10	11
50-64	17	6.2	31	1	1	3	9	15	17	18
65+	10	5.3	64	2	2	3	4	16	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	1	18.0		18	18	18	18	18	18	18
65+	9	14.1	99	<1	2	13	18	29	35	35
B. *Operated*										
0-19 YRS	60	5.4	9	2	2	5	7	10	12	15
20-34	56	4.9	20	<1	<1	4	6	9	14	25
35-49	30	9.1	270	<1	1	5	8	18	30	89
50-64	32	6.0	9	2	3	6	7	9	13	14
65+	20	8.8	59	<1	1	6	13	20	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	9	2	2	2	5	8	8	8
B. *Operated*	134	5.1	28	1	2	4	6	10	13	31
2. MULTIPLE DX										
A. *Not Operated*	16	10.4	88	<1	<1	10	16	20	30	35
B. *Operated*	198	6.2	58	<1	2	5	7	11	16	29
1. SINGLE DX	138	5.1	28	1	2	4	6	10	13	30
2. MULTIPLE DX	214	6.6	61	<1	2	5	8	12	18	32
A. NOT OPERATED	20	9.0	79	<1	<1	6	14	19	27	35
B. OPERATED	332	5.8	46	1	2	4	7	10	15	29
TOTAL 0-19 YRS	120	5.4	24	2	2	4	6	10	13	25
20-34	92	4.5	15	<1	<1	3	6	9	12	22
35-49	51	7.3	165	<1	1	4	8	10	24	88
50-64	50	6.3	19	1	2	6	8	13	16	18
65+	39	9.1	75	1	2	5	14	20	28	35
GRAND TOTAL	**352**	**6.0**	**48**	**1**	**2**	**4**	**7**	**11**	**17**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	4	2	2	5	6	7	7	7
35-49	6	5.3	13	<1	<1	5	9	10	10	10
50-64	6	8.0	58	2	2	6	7	21	23	23
65+	7	9.0	34	3	3	7	14	18	18	18
B. *Operated*										
0-19 YRS										
20-34	10	5.0	8	2	2	4	7	9	10	10
35-49	5	10.4	159	1	1	7	15	32	32	32
50-64	5	10.0	58	2	2	11	15	20	20	20
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	12.0	147	5	5	5	21	26	26	26
35-49	9	8.3	61	3	3	5	9	21	28	28
50-64	9	20.0	344	5	6	15	22	51	65	65
65+	20	7.5	20	2	2	7	9	13	17	20
B. *Operated*										
0-19 YRS										
20-34	3	10.0	19	5	5	12	13	13	13	13
35-49	4	11.3	91	3	3	8	17	25	25	25
50-64	5	10.2	23	4	4	11	14	16	16	16
65+	2	17.5	265	6	6	17	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.0	29	1	2	5	8	16	20	23
B. *Operated*	21	7.3	56	1	1	5	10	16	25	32
2. MULTIPLE DX										
A. *Not Operated*	42	10.5	123	2	3	7	12	22	29	65
B. *Operated*	14	11.5	58	3	4	10	13	25	28	29
1. SINGLE DX	44	7.2	41	1	2	5	9	16	21	32
2. MULTIPLE DX	56	10.8	106	2	3	8	13	24	29	63
A. NOT OPERATED	65	9.3	52	2	2	7	10	19	26	60
B. OPERATED	35	9.0	59	1	2	7	12	20	28	32
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	6.8	30	2	2	5	8	12	19	26
35-49	24	8.5	68	1	2	6	9	25	29	32
50-64	25	13.2	168	2	3	11	16	23	39	65
65+	30	8.3	37	2	2	7	9	17	20	29
GRAND TOTAL	**100**	**9.2**	**80**	**2**	**2**	**7**	**11**	**19**	**27**	**48**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.5	12	1	1	3	4	6	8	22
20-34	98	4.3	22	1	1	3	4	10	12	28
35-49	89	4.9	43	1	1	3	5	8	18	36
50-64	78	5.4	44	1	1	3	6	10	14	42
65+	88	7.8	57	1	1	6	10	17	21	41
B. *Operated*										
0-19 YRS	170	5.1	32	<1	1	3	5	13	18	26
20-34	316	4.0	19	<1	1	3	4	10	13	19
35-49	174	4.3	21	<1	1	3	4	10	13	28
50-64	209	3.5	12	<1	<1	2	4	8	11	19
65+	128	3.3	8	<1	1	3	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.7	11	1	1	3	5	7	9	20
20-34	104	4.6	18	1	1	3	6	9	12	22
35-49	107	7.1	55	1	2	5	8	14	18	40
50-64	118	8.2	121	1	1	5	10	14	24	61
65+	213	10.0	81	2	2	7	13	23	29	38
B. *Operated*										
0-19 YRS	173	6.0	64	<1	1	3	5	15	24	50
20-34	372	4.5	33	<1	<1	3	4	10	14	32
35-49	207	5.6	39	<1	1	3	7	12	18	32
50-64	235	6.8	71	1	1	4	8	16	22	56
65+	163	7.9	82	1	2	4	11	18	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	431	5.2	38	1	1	3	6	11	17	35
B. *Operated*	997	4.0	19	<1	1	3	4	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	597	7.6	72	1	1	5	9	15	24	39
B. *Operated*	1150	5.9	55	<1	1	3	7	14	20	44
1. SINGLE DX	1428	4.4	25	<1	1	3	5	10	14	28
2. MULTIPLE DX	1747	6.5	61	1	1	3	8	14	21	40
A. NOT OPERATED	1028	6.6	59	1	1	4	8	14	20	38
B. OPERATED	2147	5.0	39	<1	1	3	5	12	17	32
TOTAL 0-19 YRS	476	5.0	39	<1	1	3	5	12	18	37
20-34	890	4.3	25	<1	1	3	4	10	13	29
35-49	577	5.4	38	<1	1	3	6	11	17	34
50-64	640	5.8	60	<1	1	3	7	13	18	42
65+	592	7.7	68	1	2	5	10	17	24	43
GRAND TOTAL	**3175**	**5.5**	**46**	**<1**	**1**	**3**	**6**	**13**	**18**	**35**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	9.5	113	2	2	9	17	17	17	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	7.0	75	2	2	2	13	17	17	17
1. SINGLE DX	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX	4	6.0	54	2	2	3	10	17	17	17
A. NOT OPERATED	3	2.7	2	1	1	3	4	4	4	4
B. OPERATED	3	7.0	75	2	2	2	13	17	17	17
TOTAL 0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	2	9.5	113	2	2	9	17	17	17	17
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**6**	**4.8**	**37**	**1**	**1**	**3**	**4**	**16**	**17**	**17**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	14	1	1	5	7	11	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	12	10.5	51	1	3	8	16	20	24	25
20-34	1	28.0		28	28	28	28	28	28	28
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	7.2	71	1	1	4	9	17	27	93
20-34	5	18.2	380	5	5	14	52	95	99+	99+
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	15.5	421	1	1	15	30	30	30	30
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	24	11.2	68	2	3	8	15	24	30	30
20-34	6	15.5	48	8	8	13	22	26	26	26
35-49	4	14.8	71	5	5	17	44	99+	99+	99+
50-64	2	40.5	61	35	35	40	46	46	46	46
65+	2	15.5	13	13	13	15	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.7	13	1	1	4	7	10	12	13
B. *Operated*	13	11.8	70	1	3	9	17	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	72	8.2	99	1	1	5	11	20	48	99+
B. *Operated*	38	14.0	100	3	4	12	21	30	41	99+
1. SINGLE DX	28	8.0	51	1	1	6	11	18	25	28
2. MULTIPLE DX	110	10.2	107	1	2	7	15	27	44	99+
A. NOT OPERATED	87	7.6	86	1	1	5	9	18	31	99+
B. OPERATED	51	13.5	92	2	4	12	19	29	35	99
TOTAL 0-19 YRS	112	8.2	65	1	2	5	10	19	26	70
20-34	13	16.4	179	2	4	13	26	57	90	99+
35-49	5	12.6	76	4	4	14	25	92	99+	99+
50-64	5	23.2	392	1	1	30	38	46	46	46
65+	3	13.0	25	8	8	13	17	18	18	18
GRAND TOTAL	**138**	**9.7**	**96**	**1**	**2**	**6**	**14**	**25**	**32**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.1		<1	<1	1	1	1	2	3
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	264	2.3	3	<1	<1	2	2	4	5	12
20-34	95	2.7	4	<1	<1	2	3	5	7	10
35-49	36	3.1	2	<1	<1	3	4	5	6	6
50-64	21	3.5	5	1	1	3	5	7	8	9
65+	20	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.7	2	<1	<1	1	2	3	5	6
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	56	3.4	23	<1	<1	2	4	6	9	34
20-34	25	4.0	7	<1	1	3	5	7	9	13
35-49	11	5.4	16	2	2	3	9	11	12	12
50-64	15	6.4	30	1	2	4	9	16	19	20
65+	7	6.3	56	2	2	3	5	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.1		<1	<1	1	1	1	2	3
B. *Operated*	436	2.5	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	17	2.2	6	<1	<1	1	2	5	9	10
B. *Operated*	114	4.3	22	<1	1	3	5	9	12	28
1. SINGLE DX	487	2.4	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	131	4.0	21	<1	1	3	5	8	11	25
A. NOT OPERATED	68	1.4	2	<1	<1	1	1	2	3	9
B. OPERATED	550	2.9	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	386	2.3	6	<1	<1	2	2	4	5	12
20-34	120	3.0	5	<1	<1	2	4	6	8	11
35-49	49	3.7	7	<1	1	3	4	7	10	12
50-64	36	4.7	17	1	2	3	6	9	14	20
65+	27	3.9	16	2	2	3	4	5	9	23
GRAND TOTAL	**618**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.3	22	<1	<1	2	4	5	13	24
20-34	9	4.9	15	<1	<1	3	8	10	11	11
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64	4	4.3	4	2	2	4	6	6	6	6
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	199	5.4	22	2	2	2	9	11	14	18
20-34	50	6.9	105	<1	<1	3	9	13	20	63
35-49	17	6.1	19	1	2	3	10	13	14	14
50-64	13	5.5	12	2	2	4	8	11	12	12
65+	6	6.8	68	1	1	5	6	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.9	33	1	1	4	8	13	17	31
20-34	19	5.3	21	1	1	3	7	13	16	16
35-49	12	6.8	23	2	3	5	8	16	16	16
50-64	6	11.3	93	3	3	8	17	27	28	28
65+	10	11.3	26	4	6	10	13	20	20	20
B. *Operated*										
0-19 YRS	225	7.7	107	2	2	2	10	17	31	74
20-34	52	7.8	27	1	2	8	11	15	19	20
35-49	24	7.7	71	<1	1	6	10	16	23	40
50-64	27	11.1	79	1	1	11	14	24	29	38
65+	19	12.2	89	<1	2	11	18	22	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.2	21	<1	<1	2	5	10	13	24
B. *Operated*	285	5.8	36	1	2	3	9	12	14	29
2. MULTIPLE DX										
A. *Not Operated*	144	6.5	35	1	1	4	9	14	18	29
B. *Operated*	347	8.2	90	1	2	4	11	18	29	58
1. SINGLE DX	328	5.6	35	<1	1	3	9	12	14	26
2. MULTIPLE DX	491	7.7	74	1	2	4	11	16	23	54
A. NOT OPERATED	187	6.0	32	<1	1	4	8	14	17	27
B. OPERATED	632	7.1	67	1	2	3	10	15	20	53
TOTAL 0-19 YRS	547	6.4	60	1	2	3	9	14	18	53
20-34	130	6.9	55	<1	1	4	10	14	16	41
35-49	55	7.1	43	1	1	6	10	16	16	39
50-64	50	9.1	63	1	2	7	12	18	28	38
65+	37	10.8	65	1	2	10	14	20	23	40
GRAND TOTAL	**819**	**6.9**	**59**	**1**	**2**	**4**	**10**	**15**	**19**	**44**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	115	5.9	4	3	3	6	7	8	9	11
20-34	6	5.3	12	2	2	4	6	11	12	12
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.1	48	1	1	4	8	16	24	24
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	88	6.6	13	3	3	6	8	11	14	20
20-34	9	4.9	5	3	3	4	6	9	9	9
35-49	3	9.3	49	2	2	10	14	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	3	1	1	2	4	5	5	5
B. *Operated*	124	5.8	4	2	3	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	12	5.3	43	<1	<1	3	7	13	22	24
B. *Operated*	100	6.5	13	2	3	6	8	11	14	20
1. SINGLE DX	128	5.7	4	2	3	6	7	8	9	12
2. MULTIPLE DX	112	6.4	16	2	3	6	8	11	15	23
A. NOT OPERATED	16	4.6	33	<1	1	2	6	9	19	24
B. OPERATED	224	6.1	8	2	3	6	7	9	11	17
TOTAL 0-19 YRS	217	6.1	9	2	3	6	7	9	11	19
20-34	17	4.6	8	1	2	4	5	9	11	12
35-49	4	7.8	43	2	2	6	13	16	16	16
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**240**	**6.0**	**10**	**2**	**3**	**6**	**7**	**9**	**11**	**18**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.3	6	1	1	3	4	7	9	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	94	6.7	20	3	4	6	8	10	15	29
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.8	246	3	3	7	23	37	37	37
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	29	10.6	59	4	4	8	15	22	25	35
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	6	1	1	3	4	7	9	10
B. *Operated*	94	6.7	20	3	4	6	8	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	4	13.8	246	3	3	7	23	37	37	37
B. *Operated*	29	10.6	59	4	4	8	15	22	25	35
1. SINGLE DX	115	6.1	19	1	2	5	8	10	14	28
2. MULTIPLE DX	33	11.0	75	3	4	8	15	24	33	37
A. NOT OPERATED	25	5.0	51	1	1	3	5	9	17	37
B. OPERATED	123	7.7	31	3	4	6	9	15	18	33
TOTAL 0-19 YRS	148	7.2	35	2	3	5	8	14	17	35
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**148**	**7.2**	**35**	**2**	**3**	**5**	**8**	**14**	**17**	**35**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.6	8	<1	<1	1	3	6	8	16
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65+	5	5.0	18	1	1	6	7	11	11	11
B. *Operated*										
0-19 YRS	74	4.5	20	<1	<1	2	6	9	13	25
20-34	41	4.5	25	<1	<1	3	5	10	16	25
35-49	9	4.4	13	<1	<1	3	6	10	12	12
50-64	9	4.8	4	2	2	5	6	8	9	9
65+	5	10.0	63	2	2	10	16	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	6.7	53	<1	1	4	8	16	23	34
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	7	6.3	17	2	2	5	10	12	12	12
65+	9	6.3	7	2	3	7	8	10	11	11
B. *Operated*										
0-19 YRS	82	11.1	102	1	2	8	16	24	29	52
20-34	48	6.4	37	<1	1	4	9	17	19	27
35-49	19	10.4	86	1	2	7	12	29	31	32
50-64	13	11.0	92	1	2	8	13	28	30	30
65+	8	9.8	38	3	3	8	14	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.9	9	<1	<1	2	4	7	9	15
B. *Operated*	138	4.7	22	<1	<1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	62	6.5	40	<1	1	5	8	13	21	33
B. *Operated*	170	9.6	81	1	2	7	12	22	28	4,
1. SINGLE DX	203	4.1	18	<1	<1	2	6	9	13	23
2. MULTIPLE DX	232	8.8	72	1	1	6	11	21	27	37
A. NOT OPERATED	127	4.7	27	<1	<1	3	6	11	14	27
B. OPERATED	308	7.4	60	<1	1	5	9	18	25	31
TOTAL 0-19 YRS	256	6.5	60	<1	<1	4	8	16	23	34
20-34	91	5.5	31	<1	1	3	7	14	18	26
35-49	31	8.1	65	<1	1	6	11	19	30	32
50-64	30	7.9	51	2	2	6	9	18	27	30
65+	27	7.8	29	1	2	7	11	16	20	21
GRAND TOTAL	**435**	**6.6**	**52**	**<1**	**1**	**4**	**8**	**16**	**22**	**31**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	406	3.3	4	<1	2	3	4	6	8	10
20-34	35	3.5	6	<1	2	3	4	7	8	11
35-49	8	3.1	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4	1	<1	<1	1	1	3	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	237	3.6	4	1	2	3	4	6	8	11
20-34	31	4.2	9	<1	2	4	5	8	11	15
35-49	12	4.7	8	2	2	4	5	8	12	13
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	449	3.3	4	<1	2	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	11	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	281	3.7	5	1	2	3	4	6	8	12
1. SINGLE DX	455	3.3	4	<1	2	3	4	6	8	10
2. MULTIPLE DX	292	3.6	5	1	2	3	4	6	8	12
A. NOT OPERATED	17	1.4	1	<1	<1	<1	1	3	4	4
B. OPERATED	730	3.5	4	<1	2	3	4	6	8	11
TOTAL 0-19 YRS	659	3.3	4	<1	2	3	4	6	8	10
20-34	67	3.8	7	<1	2	3	5	8	9	14
35-49	20	4.1	6	2	2	3	5	6	9	13
50-64	1	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	**747**	**3.4**	**4**	**<1**	**2**	**3**	**4**	**6**	**8**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6		<1	<1	2	2	2	2	2
20-34	6	8.8	207	1	1	4	5	35	38	38
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	10.0	148	2	2	4	19	24	24	24
B. *Operated*										
0-19 YRS	180	6.9	27	1	1	5	11	15	17	19
20-34	62	5.4	26	<1	1	5	7	9	13	34
35-49	23	4.0	8	<1	1	3	6	8	10	11
50-64	15	5.3	20	<1	1	4	8	12	15	16
65+	6	3.7	2	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.4	1	<1	<1	2	3	4	5	5
20-34	7	4.0	10	<1	<1	3	5	9	10	10
35-49	13	6.4	37	2	2	5	7	14	22	24
50-64	7	7.1	10	4	4	7	7	13	14	14
65+	8	4.9	9	1	1	5	6	10	11	11
B. *Operated*										
0-19 YRS	121	9.1	50	<1	1	8	13	17	23	33
20-34	59	7.9	39	1	2	6	9	16	18	35
35-49	56	9.4	55	2	2	7	12	19	23	34
50-64	33	12.9	111	1	4	10	16	24	42	46
65+	13	10.8	51	<1	2	12	16	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.1	81	<1	1	2	4	13	30	38
B. *Operated*	286	6.2	25	1	1	5	9	14	16	19
2. MULTIPLE DX										
A. *Not Operated*	57	4.4	15	<1	1	4	5	9	12	23
B. *Operated*	282	9.4	57	1	2	7	13	18	23	37
1. SINGLE DX	307	6.1	29	1	1	5	8	14	16	22
2. MULTIPLE DX	339	8.6	53	1	2	6	12	17	23	36
A. NOT OPERATED	78	4.6	32	<1	1	3	5	9	13	34
B. OPERATED	568	7.8	44	1	1	6	11	16	19	34
TOTAL 0-19 YRS	330	7.3	37	<1	1	5	11	15	18	28
20-34	134	6.6	39	<1	1	5	7	15	17	37
35-49	95	7.5	45	1	2	6	10	17	22	34
50-64	57	9.8	83	1	1	7	14	20	26	46
65+	30	7.7	44	1	1	5	12	18	23	24
GRAND TOTAL	**646**	**7.4**	**43**	**1**	**1**	**6**	**10**	**16**	**19**	**34**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.2	89	<1	<1	1	2	17	31	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	158	4.0	5	2	2	3	5	8	9	11
20-34	16	3.6	3	1	2	3	5	6	6	6
35-49	10	4.1	2	1	2	4	5	6	6	6
50-64	3	6.3	2	5	5	6	7	8	8	8
65+	4	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.0	103	<1	<1	6	20	24	25	25
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	75	5.7	27	2	2	4	6	10	19	30
20-34	37	4.2	4	1	2	4	5	7	8	9
35-49	13	5.3	8	2	2	5	7	10	11	11
50-64	17	3.8	8	2	2	3	4	7	11	13
65+	13	3.9	14	2	2	3	4	7	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.2	89	<1	<1	1	2	17	31	31
B. *Operated*	191	4.0	5	1	2	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	8	8.9	99	<1	<1	4	17	24	25	25
B. *Operated*	155	5.0	17	2	2	4	5	9	11	23
1. SINGLE DX	201	4.0	9	1	2	3	5	8	9	11
2. MULTIPLE DX	163	5.2	21	2	2	4	6	9	14	25
A. NOT OPERATED	18	6.3	93	<1	<1	1	6	24	29	31
B. OPERATED	346	4.4	11	2	2	4	5	8	10	21
TOTAL 0-19 YRS	250	4.7	19	1	2	3	5	9	10	25
20-34	54	3.9	3	1	2	4	5	6	8	9
35-49	23	4.8	6	2	2	4	6	8	10	11
50-64	20	4.2	8	2	2	3	5	7	10	13
65+	17	3.8	11	1	2	3	4	6	12	16
GRAND TOTAL	**364**	**4.5**	**15**	**1**	**2**	**3**	**5**	**8**	**10**	**23**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	4.5	29	1	1	2	6	10	15	31
20-34	17	3.9	12	<1	1	3	6	8	12	14
35-49	10	4.7	2	3	3	5	5	7	7	7
50-64	10	4.6	15	1	1	4	5	11	13	13
65+	7	12.1	80	1	2	14	19	24	25	25
B. *Operated*										
0-19 YRS	336	5.0	21	1	2	3	6	11	14	25
20-34	196	4.7	56	1	1	3	5	8	12	30
35-49	57	6.3	166	1	1	4	6	13	14	92
50-64	42	4.8	12	1	2	4	6	8	11	21
65+	12	9.0	86	3	3	5	10	22	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	6.9	49	<1	1	5	10	16	19	76
20-34	19	7.7	85	<1	1	4	10	21	32	36
35-49	21	9.9	51	1	2	9	12	18	25	33
50-64	18	7.6	28	1	1	6	11	16	18	18
65+	18	16.9	255	2	4	10	20	49	54	54
B. *Operated*										
0-19 YRS	187	8.3	73	1	2	6	10	18	25	57
20-34	107	8.9	130	1	2	4	10	22	38	84
35-49	56	10.8	108	2	2	7	16	24	32	53
50-64	35	12.1	66	2	3	11	17	25	29	30
65+	18	13.6	267	1	2	8	16	56	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.9	28	1	1	3	7	13	15	29
B. *Operated*	643	5.1	45	1	2	3	6	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	172	8.5	80	1	1	6	11	18	24	54
B. *Operated*	403	9.4	102	1	2	6	12	21	31	67
1. SINGLE DX	757	5.1	43	1	1	3	6	10	14	32
2. MULTIPLE DX	575	9.1	95	1	2	6	11	20	30	61
A. NOT OPERATED	286	7.0	62	1	1	5	9	16	20	52
B. OPERATED	1046	6.8	72	1	2	4	8	15	21	54
TOTAL 0-19 YRS	689	6.1	42	1	1	4	8	13	18	44
20-34	339	6.2	82	1	1	3	6	13	22	51
35-49	144	8.5	119	1	2	5	10	17	25	57
50-64	105	7.7	43	1	2	5	10	17	21	29
65+	55	13.5	199	2	3	9	16	39	55	97
GRAND TOTAL	**1332**	**6.8**	**69**	**1**	**2**	**4**	**8**	**15**	**21**	**54**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	3.4	11	1	1	3	4	6	8	19
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.2	6	1	1	2	4	7	9	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	10.1	165	2	2	5	11	28	40	90
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	18.1	222	2	3	13	35	46	82	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	3.4	11	1	1	3	4	6	8	19
B. *Operated*	9	3.2	6	1	1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	300	10.1	165	2	2	5	11	28	40	90
B. *Operated*	16	18.1	222	2	3	13	35	46	82	99+
1. SINGLE DX	550	3.4	11	1	1	3	4	6	8	19
2. MULTIPLE DX	316	10.5	170	2	2	6	12	32	42	99+
A. NOT OPERATED	841	5.8	76	1	1	3	5	12	22	53
B. OPERATED	25	12.8	194	1	2	8	21	40	58	99+
TOTAL 0-19 YRS	866	6.0	81	1	1	3	6	13	24	55
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**866**	**6.0**	**81**	**1**	**1**	**3**	**6**	**13**	**24**	**55**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	724	3.4	9	1	1	3	4	7	8	15
20-34	142	3.5	11	<1	1	2	5	7	10	18
35-49	64	4.0	20	<1	1	3	5	9	11	25
50-64	38	4.3	17	1	1	4	5	7	7	26
65+	53	7.0	45	1	1	5	9	15	19	38
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	7.2	23	3	3	5	11	15	15	15
35-49										
50-64	3	8.3	2	7	7	8	9	10	10	10
65+	2	31.5	113	24	24	31	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	926	4.3	17	1	1	3	5	8	11	19
20-34	117	5.1	71	1	1	3	6	9	13	45
35-49	95	5.8	35	1	1	5	8	11	13	38
50-64	142	6.7	69	1	2	4	9	14	18	42
65+	163	10.6	131	2	2	7	13	22	29	66
B. *Operated*										
0-19 YRS	10	8.6	27	1	2	7	12	16	17	17
20-34	6	7.7	48	1	1	5	11	19	20	20
35-49	6	13.3	104	2	2	12	14	30	32	32
50-64	12	10.4	74	2	3	7	14	22	31	33
65+	11	16.1	122	3	5	11	25	31	37	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	3.7	12	1	1	3	5	7	10	18
B. *Operated*	12	11.3	110	3	4	8	17	51	91	99+
2. MULTIPLE DX										
A. *Not Operated*	1443	5.4	44	1	1	4	6	10	15	30
B. *Operated*	45	11.4	79	2	3	8	16	25	32	38
1. SINGLE DX	1033	3.8	14	1	1	3	5	7	11	21
2. MULTIPLE DX	1488	5.6	46	1	1	4	6	11	16	33
A. NOT OPERATED	2464	4.7	32	1	1	3	6	9	13	28
B. OPERATED	57	11.4	84	2	3	8	16	26	36	95
TOTAL 0-19 YRS	1661	3.9	14	1	1	3	5	8	10	17
20-34	271	4.4	38	1	1	3	5	9	11	23
35-49	165	5.4	34	1	1	4	7	11	15	39
50-64	195	6.5	59	1	1	4	8	14	18	36
65+	229	10.2	117	1	2	7	12	23	29	48
GRAND TOTAL	**2521**	**4.8**	**34**	**1**	**1**	**3**	**6**	**9**	**14**	**29**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	497	3.1	6	1	1	2	4	6	7	14
20-34	35	5.4	17	1	2	4	7	11	13	21
35-49	18	7.8	24	2	3	7	8	16	19	21
50-64	22	8.5	40	2	2	6	13	19	22	24
65+	32	4.7	9	2	2	4	6	9	10	16
B. *Operated*										
0-19 YRS	4	8.3	45	3	3	7	13	17	17	17
20-34	8	6.9	60	3	3	3	8	21	24	24
35-49	6	14.8	315	3	3	8	15	46	50	50
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	2	15.5	41	11	11	15	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	518	3.9	9	1	1	3	5	7	9	13
20-34	51	4.9	17	1	2	4	6	8	17	21
35-49	32	7.6	59	2	2	6	9	15	16	43
50-64	56	6.2	18	1	2	6	8	14	15	16
65+	98	8.2	37	2	2	7	11	16	20	69
B. *Operated*										
0-19 YRS	7	15.0	163	3	3	10	22	35	38	38
20-34	15	9.6	33	3	3	8	14	17	21	22
35-49	10	8.1	50	3	3	6	9	20	25	25
50-64	12	13.6	74	3	3	14	19	26	29	30
65+	25	20.0	210	6	8	13	28	40	49	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	3.7	10	1	1	3	4	7	10	18
B. *Operated*	22	9.9	120	3	3	5	13	21	34	50
2. MULTIPLE DX										
A. *Not Operated*	755	4.9	18	1	1	4	6	10	13	21
B. *Operated*	69	14.4	136	3	3	11	20	30	38	59
1. SINGLE DX	626	3.9	15	1	1	3	4	7	11	20
2. MULTIPLE DX	824	5.7	35	1	2	4	7	11	16	36
A. NOT OPERATED	1359	4.3	15	1	1	3	5	8	12	21
B. OPERATED	91	13.3	135	3	3	9	17	28	38	58
TOTAL 0-19 YRS	1026	3.6	10	1	1	3	4	7	9	15
20-34	109	5.8	24	1	2	4	7	13	17	23
35-49	66	8.4	70	2	2	6	9	15	22	49
50-64	92	7.7	35	2	2	6	11	15	20	28
65+	157	9.4	81	2	2	7	12	20	30	61
GRAND TOTAL	**1450**	**4.9**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.9	16	<1	1	3	5	8	11	21
20-34	159	3.6	25	<1	1	2	4	7	8	21
35-49	84	4.8	29	<1	1	3	6	10	13	33
50-64	43	4.8	14	1	1	4	6	10	12	18
65+	28	6.1	22	1	1	5	8	12	17	20
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	14	4.6	7	2	2	4	7	8	10	11
35-49	18	5.4	64	1	1	3	5	9	26	36
50-64	6	7.5	71	2	2	5	7	22	24	24
65+	8	7.1	32	1	1	6	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.7	15	1	1	2	4	8	12	22
20-34	121	4.6	17	1	1	3	6	9	14	21
35-49	102	5.0	19	1	1	4	6	9	16	23
50-64	88	7.2	67	1	1	5	9	15	19	50
65+	101	7.9	56	2	2	6	11	15	20	43
B. *Operated*										
0-19 YRS	2	15.0	392	1	1	15	29	29	29	29
20-34	8	12.1	202	2	2	6	16	37	43	43
35-49	14	6.2	25	1	2	5	9	15	16	16
50-64	16	7.4	73	1	1	5	8	12	29	37
65+	6	17.8	85	8	9	18	31	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	4.2	23	1	1	3	6	8	11	20
B. *Operated*	49	5.7	38	1	2	4	7	12	14	36
2. MULTIPLE DX										
A. *Not Operated*	490	5.7	37	1	1	4	7	12	16	27
B. *Operated*	46	9.6	98	1	2	7	12	28	38	99+
1. SINGLE DX	464	4.4	25	1	1	3	6	9	12	24
2. MULTIPLE DX	536	6.0	43	1	1	4	7	13	18	37
A. NOT OPERATED	905	5.0	31	1	1	3	6	10	15	26
B. OPERATED	95	7.6	70	1	2	5	9	18	32	74
TOTAL 0-19 YRS	184	3.9	19	1	1	2	5	8	12	26
20-34	302	4.3	27	1	1	3	5	8	11	24
35-49	218	5.1	27	1	1	4	6	10	16	30
50-64	153	6.6	53	1	1	5	8	13	18	37
65+	143	8.0	53	1	2	6	11	16	21	50
GRAND TOTAL	**1000**	**5.3**	**35**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.7	1	<1	1	1	2	3	4	5
20-34	34	2.8	4	<1	1	2	4	5	7	8
35-49	44	2.9	5	1	1	2	4	6	7	11
50-64	78	3.1	4	<1	1	2	4	5	7	12
65+	116	3.5	8	<1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	20	2.1	3	<1	<1	1	2	5	6	7
20-34	16	3.6	7	1	1	3	5	7	8	9
35-49	19	4.2	3	2	2	4	6	6	7	7
50-64	25	3.5	4	1	1	3	5	6	7	8
65+	30	3.9	11	1	1	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	2.8	4	<1	1	2	4	6	7	9
20-34	28	3.6	25	1	1	3	4	5	8	28
35-49	37	3.9	7	1	1	4	5	7	8	13
50-64	96	4.8	16	1	1	4	6	8	12	23
65+	187	5.1	20	1	1	4	6	9	13	28
B. *Operated*										
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5
20-34	14	4.9	11	1	1	4	7	10	11	11
35-49	20	4.5	6	1	1	4	6	8	9	10
50-64	43	6.0	41	1	2	4	7	14	20	31
65+	82	6.0	53	1	1	4	6	13	16	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	3.0	5	<1	1	2	4	6	7	12
B. *Operated*	110	3.5	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	401	4.5	16	1	1	4	6	8	11	28
B. *Operated*	163	5.7	40	1	1	4	6	12	16	30
1. SINGLE DX	432	3.1	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	564	4.9	23	1	1	4	6	9	13	28
A. NOT OPERATED	723	3.8	12	1	1	3	5	7	9	17
B. OPERATED	273	4.8	27	1	1	3	5	10	13	24
TOTAL 0-19 YRS	127	2.3	3	<1	1	2	3	5	6	8
20-34	92	3.5	12	1	1	3	4	7	9	21
35-49	120	3.7	6	1	1	3	5	7	8	12
50-64	242	4.3	17	1	1	3	5	8	12	24
65+	415	4.8	23	1	1	4	6	9	13	25
GRAND TOTAL	**996**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.8	19	<1	1	3	4	7	14	22
20-34	28	3.6	7	<1	1	3	5	7	8	12
35-49	9	2.2	1	1	1	2	3	4	4	4
50-64	11	5.0	11	1	1	4	8	10	10	10
65+	16	4.6	24	<1	<1	3	6	10	17	20
B. *Operated*										
0-19 YRS	48	2.1	2	<1	<1	2	2	3	5	9
20-34	54	3.2	10	1	1	2	3	6	9	20
35-49	28	4.6	16	<1	<1	3	6	9	12	19
50-64	18	2.6	3	<1	<1	2	3	5	7	8
65+	12	3.8	8	2	2	3	4	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.2	6	1	2	4	5	8	10	11
20-34	35	5.5	26	1	1	3	7	14	18	20
35-49	25	6.6	41	1	1	4	10	18	20	24
50-64	36	7.7	48	2	2	6	10	14	20	38
65+	51	6.8	48	1	1	4	9	15	21	37
B. *Operated*										
0-19 YRS	9	4.9	23	2	2	3	5	13	17	17
20-34	21	3.6	11	<1	1	3	4	6	11	16
35-49	16	5.6	16	1	2	4	8	13	14	14
50-64	24	8.2	180	<1	1	4	7	17	34	66
65+	24	14.1	504	2	3	8	14	41	55	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.9	13	<1	1	3	5	8	10	21
B. *Operated*	160	3.1	9	<1	<1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	169	6.4	37	1	1	4	8	14	19	35
B. *Operated*	94	7.9	147	1	1	4	8	16	29	72
1. SINGLE DX	246	3.4	10	<1	1	2	4	7	9	20
2. MULTIPLE DX	263	6.9	77	1	1	4	8	14	20	45
A. NOT OPERATED	255	5.5	31	1	1	4	7	12	18	24
B. OPERATED	254	4.9	65	<1	1	3	5	9	15	46
TOTAL 0-19 YRS	101	3.2	9	<1	1	2	4	6	8	19
20-34	138	3.9	14	1	1	3	5	7	13	20
35-49	78	5.2	24	<1	1	3	7	13	16	23
50-64	89	6.5	73	1	1	4	7	13	17	55
65+	103	7.8	114	1	2	4	9	17	26	61
GRAND TOTAL	**509**	**5.2**	**48**	**1**	**1**	**3**	**6**	**12**	**17**	**37**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	11.0	58	4	4	11	18	18	18	18
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	9	15.6	251	1	3	9	19	43	44	44
B. *Operated*										
0-19 YRS	6	9.7	41	1	1	10	13	18	19	19
20-34	4	12.0	150	<1	<1	9	21	28	28	28
35-49	3	6.3	20	2	2	6	10	11	11	11
50-64	8	14.4	156	2	2	11	21	35	38	38
65+	16	18.8	257	2	4	17	23	36	58	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	12.0	223	1	1	6	23	29	29	29
65+	27	17.3	417	2	3	10	20	40	63	95
B. *Operated*										
0-19 YRS	3	8.3	32	2	2	10	12	13	13	13
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	17	17.4	251	1	3	13	24	46	49	51
50-64	29	33.0	494	7	8	29	48	67	71	84
65+	97	29.0	435	6	9	25	42	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	14.1	199	1	3	9	14	43	44	44
B. *Operated*	37	14.6	175	1	2	12	20	28	38	67
2. MULTIPLE DX										
A. *Not Operated*	33	15.6	369	1	3	9	19	33	56	95
B. *Operated*	148	27.7	439	4	7	22	41	70	99	99+
1. SINGLE DX	49	14.5	177	1	2	11	19	33	42	67
2. MULTIPLE DX	181	25.5	446	3	5	20	39	67	95	99+
A. NOT OPERATED	45	15.2	319	1	3	9	19	42	52	95
B. OPERATED	185	25.1	413	2	5	20	38	67	88	99+
TOTAL 0-19 YRS	10	8.7	33	1	1	10	13	16	19	19
20-34	9	9.3	85	<1	1	4	16	24	28	28
35-49	21	15.2	225	1	3	10	20	43	47	51
50-64	41	27.2	470	2	6	21	39	64	68	84
65+	149	25.0	426	4	6	20	37	69	99	99+
GRAND TOTAL	**230**	**23.2**	**400**	**2**	**4**	**18**	**35**	**59**	**88**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.8	4	1	1	2	3	5	7	10
20-34	197	3.0	5	<1	1	2	4	6	7	10
35-49	531	3.3	7	1	1	3	4	6	8	12
50-64	513	3.7	7	1	1	3	5	7	9	13
65+	303	4.9	20	1	1	3	6	10	13	20
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	11	3.5	4	1	1	3	4	7	7	7
35-49	104	3.1	7	1	1	2	4	6	8	15
50-64	122	3.6	18	1	1	2	4	8	9	25
65+	20	5.1	21	1	1	3	7	10	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.9	4	1	1	2	4	6	7	9
20-34	187	3.6	9	1	1	3	5	6	9	16
35-49	567	4.3	13	1	1	3	6	9	10	19
50-64	909	5.3	29	1	2	4	6	10	12	26
65+	948	6.5	29	1	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	36	6.1	14	1	2	6	9	10	13	17
35-49	155	5.9	33	1	2	4	8	12	15	35
50-64	261	6.0	36	1	2	4	7	15	18	37
65+	78	9.8	58	2	2	8	13	22	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1596	3.7	10	1	1	3	5	7	9	15
B. *Operated*	259	3.5	13	1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	2647	5.4	25	1	1	4	7	10	14	25
B. *Operated*	532	6.5	39	1	2	4	8	15	19	35
1. SINGLE DX	1855	3.6	10	1	1	3	4	7	9	15
2. MULTIPLE DX	3179	5.5	27	1	1	4	7	11	15	27
A. NOT OPERATED	4243	4.7	20	1	1	3	6	9	12	21
B. OPERATED	791	5.5	32	1	1	3	7	12	16	31
TOTAL 0-19 YRS	92	2.9	4	1	1	2	4	6	7	10
20-34	431	3.5	8	1	1	3	4	7	9	14
35-49	1357	4.0	13	1	1	3	5	8	10	18
50-64	1805	4.8	24	1	1	3	6	9	12	25
65+	1349	6.3	29	1	2	5	8	13	16	29
GRAND TOTAL	**5034**	**4.8**	**22**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.7	8	<1	1	3	5	7	8	16
20-34	19	2.2	2	<1	<1	2	3	4	5	6
35-49	21	4.0	6	1	1	3	6	7	9	11
50-64	40	4.5	12	<1	1	3	7	10	11	13
65+	68	6.3	81	1	1	4	8	11	14	62
B. *Operated*										
0-19 YRS	5	3.2	15	<1	<1	1	5	10	10	10
20-34	8	3.5	30	1	1	2	2	13	17	17
35-49	7	4.4	13	2	2	4	5	11	12	12
50-64	29	4.4	16	1	1	3	6	9	11	19
65+	19	5.8	17	1	2	4	9	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	5.4	27	1	1	4	7	13	17	25
20-34	31	4.4	34	<1	<1	2	5	9	22	25
35-49	41	4.5	9	1	1	4	6	8	11	14
50-64	85	6.9	50	1	2	5	8	13	19	40
65+	186	8.5	132	1	2	6	9	16	27	63
B. *Operated*										
0-19 YRS	8	6.9	33	2	2	4	11	16	17	17
20-34	12	8.3	57	<1	1	7	11	20	25	26
35-49	22	7.9	20	2	3	7	12	13	16	19
50-64	60	7.8	33	2	2	7	11	14	20	29
65+	51	12.1	74	2	4	10	17	23	38	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	4.3	25	1	1	3	6	8	11	18
B. *Operated*	68	4.6	17	1	1	3	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	481	6.7	73	1	1	5	8	13	19	49
B. *Operated*	153	9.2	49	2	2	8	12	18	23	42
1. SINGLE DX	389	4.3	23	1	1	3	6	9	11	18
2. MULTIPLE DX	634	7.3	68	1	1	5	9	15	21	45
A. NOT OPERATED	802	5.7	55	1	1	4	7	11	16	36
B. OPERATED	221	7.8	44	1	2	6	11	17	21	41
TOTAL 0-19 YRS	324	4.5	18	1	1	3	6	9	14	22
20-34	70	4.3	32	<1	<1	2	4	10	18	26
35-49	91	5.2	13	1	1	4	6	11	12	17
50-64	214	6.3	35	1	1	5	8	12	18	32
65+	324	8.4	108	1	2	6	9	16	24	66
GRAND TOTAL	**1023**	**6.2**	**53**	**1**	**1**	**4**	**8**	**12**	**18**	**40**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.8	4	<1	1	2	4	6	7	8
20-34	257	2.3	3	<1	1	2	3	4	6	10
35-49	263	2.3	2	<1	1	2	3	4	6	7
50-64	199	2.6	5	1	1	2	3	5	7	10
65+	123	4.1	15	1	1	3	5	7	14	22
B. *Operated*										
0-19 YRS	54	2.3	3	<1	1	1	3	5	7	7
20-34	59	4.5	11	<1	1	4	6	10	11	14
35-49	57	5.8	21	<1	1	5	8	13	16	19
50-64	37	5.4	18	1	1	4	7	11	14	21
65+	45	6.0	26	1	1	5	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.5	14	1	1	3	6	8	11	23
20-34	128	3.5	12	1	1	3	5	6	9	19
35-49	104	4.0	26	1	1	2	4	8	13	31
50-64	116	5.6	48	1	1	4	6	9	17	43
65+	238	8.4	129	1	1	5	8	22	32	99+
B. *Operated*										
0-19 YRS	40	3.2	15	<1	1	2	3	6	11	21
20-34	41	6.0	15	<1	1	5	8	12	13	17
35-49	55	9.6	210	<1	1	6	9	17	49	76
50-64	51	7.6	41	<1	1	6	10	17	20	31
65+	130	12.4	148	2	2	9	15	26	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	2.7	5	<1	1	2	3	5	7	12
B. *Operated*	252	4.7	17	<1	1	4	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	633	5.9	69	1	1	3	6	12	22	94
B. *Operated*	317	9.1	117	<1	1	6	11	19	28	57
1. SINGLE DX	1164	3.1	9	<1	1	2	4	6	8	16
2. MULTIPLE DX	950	7.0	87	1	1	4	8	15	24	55
A. NOT OPERATED	1545	4.0	34	1	1	2	4	7	11	33
B. OPERATED	569	7.2	77	<1	1	5	9	15	21	50
TOTAL 0-19 YRS	211	3.1	9	<1	1	2	4	6	8	17
20-34	485	3.2	9	<1	1	2	4	6	9	14
35-49	479	3.9	39	<1	1	2	4	8	11	29
50-64	403	4.4	26	1	1	3	5	9	13	29
65+	536	8.2	107	1	1	5	9	19	28	68
GRAND TOTAL	**2114**	**4.8**	**48**	**1**	**1**	**3**	**6**	**10**	**15**	**39**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1912	2.5	4	1	1	2	3	5	7	10
20-34	1490	2.9	7	<1	1	2	4	6	8	15
35-49	677	3.5	8	1	1	3	4	7	9	15
50-64	375	4.1	11	1	1	3	6	8	10	17
65+	356	5.3	20	1	1	4	7	11	14	21
B. *Operated*										
0-19 YRS	206	4.0	6	1	1	3	5	8	10	12
20-34	334	4.4	18	<1	1	3	5	9	12	24
35-49	97	5.3	24	<1	1	5	7	9	12	29
50-64	56	6.4	26	1	2	5	9	15	16	25
65+	25	6.7	36	<1	<1	6	9	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	876	3.2	8	1	1	2	4	6	9	14
20-34	1138	3.9	15	1	1	3	5	8	10	18
35-49	534	5.2	21	1	1	4	7	10	13	20
50-64	510	6.3	30	1	2	5	8	12	16	27
65+	831	7.8	42	1	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	105	5.8	30	1	2	4	6	11	16	32
20-34	273	6.9	60	1	1	5	8	14	19	40
35-49	117	8.7	43	2	2	7	12	18	21	32
50-64	108	10.7	39	3	4	9	13	20	26	60
65+	120	13.1	109	2	4	10	16	25	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4810	3.1	8	1	1	2	4	6	8	15
B. *Operated*	718	4.6	17	<1	1	4	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	3889	5.1	25	1	1	4	7	10	14	24
B. *Operated*	723	8.6	64	1	2	7	11	18	24	43
1. SINGLE DX	5528	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX	4612	5.6	33	1	1	4	7	12	16	28
A. NOT OPERATED	8699	4.0	16	1	1	3	5	8	11	20
B. OPERATED	1441	6.6	45	1	1	5	8	14	19	37
TOTAL 0-19 YRS	3099	2.9	7	1	1	2	4	6	8	13
20-34	3235	3.7	17	<1	1	3	5	7	10	19
35-49	1425	4.7	19	1	1	4	6	10	12	20
50-64	1049	6.0	27	1	1	5	8	12	16	26
65+	1332	7.6	46	1	2	6	10	15	21	40
GRAND TOTAL	**10140**	**4.4**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	3.9	12	1	1	3	5	8	11	17
20-34	53	3.6	12	<1	1	3	5	7	9	20
35-49	33	2.9	4	<1	<1	3	4	5	6	10
50-64	30	4.1	11	1	1	3	6	10	11	12
65+	46	6.0	41	<1	1	4	7	13	20	30
B. *Operated*										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	21	7.7	201	<1	1	4	8	11	37	68
35-49	16	4.4	21	<1	<1	4	5	7	16	20
50-64	10	5.8	27	<1	1	4	7	15	15	15
65+	10	7.3	29	<1	<1	7	11	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	4.7	24	1	1	3	6	10	13	26
20-34	73	4.0	24	1	1	2	4	10	13	30
35-49	56	5.1	37	1	1	4	6	11	13	40
50-64	132	5.8	22	1	1	5	8	12	16	22
65+	249	8.9	57	1	2	7	12	18	24	36
B. *Operated*										
0-19 YRS	13	8.4	50	1	2	9	12	17	23	25
20-34	26	13.1	352	<1	2	9	13	24	44	98
35-49	18	11.8	452	1	1	5	13	17	63	94
50-64	28	11.0	147	2	2	6	15	32	37	50
65+	52	15.8	141	1	3	13	21	34	42	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	4.0	15	<1	1	3	5	9	12	19
B. *Operated*	61	6.2	84	<1	<1	4	7	12	16	63
2. MULTIPLE DX										
A. *Not Operated*	752	6.3	39	1	1	5	8	13	18	29
B. *Operated*	137	13.1	214	1	2	9	17	27	38	95
1. SINGLE DX	442	4.3	25	<1	1	3	5	9	12	21
2. MULTIPLE DX	889	7.3	72	1	1	5	9	15	22	41
A. NOT OPERATED	1133	5.5	32	1	1	4	7	12	15	28
B. OPERATED	198	11.0	183	<1	1	7	14	23	35	81
TOTAL 0-19 YRS	478	4.4	20	1	1	3	6	9	12	25
20-34	173	5.7	100	1	1	3	6	11	15	60
35-49	123	5.4	91	<1	<1	3	6	10	15	56
50-64	200	6.3	41	1	1	4	8	14	17	35
65+	357	9.5	74	1	2	7	13	19	25	47
GRAND TOTAL	**1331**	**6.3**	**58**	**1**	**1**	**4**	**8**	**14**	**18**	**36**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	976	4.6	25	1	1	3	6	9	13	24
20-34	264	4.0	13	1	1	3	5	8	10	19
35-49	245	4.2	13	1	1	3	6	9	11	17
50-64	285	4.8	18	1	1	3	6	10	14	24
65+	608	7.0	63	1	1	5	9	15	20	73
B. *Operated*										
0-19 YRS	37	3.6	10	<1	<1	2	5	8	9	17
20-34	101	3.5	8	<1	<1	3	4	8	9	14
35-49	84	3.9	16	<1	<1	2	5	10	11	21
50-64	56	6.1	49	1	1	3	7	13	24	37
65+	51	7.1	44	1	1	4	9	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	701	6.4	39	1	1	4	8	14	19	31
20-34	305	4.4	26	1	1	3	5	9	11	25
35-49	332	6.3	69	1	1	4	7	14	19	57
50-64	612	6.5	60	1	1	5	8	13	17	34
65+	1773	9.9	126	1	2	7	12	22	34	99+
B. *Operated*										
0-19 YRS	47	12.9	265	1	1	7	16	39	50	82
20-34	81	6.6	61	1	1	4	7	14	23	43
35-49	84	8.0	63	1	2	5	10	19	22	41
50-64	122	11.0	188	1	2	7	14	23	32	88
65+	188	16.8	258	2	3	13	22	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2378	5.1	33	1	1	3	6	11	15	29
B. *Operated*	329	4.6	25	<1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	3723	7.9	90	1	1	5	10	17	25	67
B. *Operated*	522	12.1	195	1	2	8	16	26	45	89
1. SINGLE DX	2707	5.1	32	1	1	3	6	11	15	28
2. MULTIPLE DX	4245	8.4	104	1	2	5	10	18	28	75
A. NOT OPERATED	6101	6.8	69	1	1	4	8	14	21	55
B. OPERATED	851	9.2	142	1	1	5	11	22	30	80
TOTAL 0-19 YRS	1761	5.5	39	1	1	4	7	11	17	33
20-34	751	4.4	23	1	1	3	6	9	12	25
35-49	745	5.6	46	1	1	4	7	11	16	30
50-64	1075	6.6	66	1	1	4	8	13	18	37
65+	2620	9.7	125	1	2	6	12	21	33	99+
GRAND TOTAL	**6952**	**7.1**	**79**	**1**	**1**	**5**	**9**	**15**	**22**	**57**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.2	4	1	1	2	3	4	5	8
20-34	12	3.3	14	<1	<1	2	3	10	13	13
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	21	7.0	15	2	2	7	8	11	15	19
20-34	8	7.3	11	3	3	7	9	12	13	13
35-49	3	7.0	1	6	6	7	8	8	8	8
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.7	13	1	1	3	5	7	9	23
20-34	23	4.3	11	1	1	4	6	7	11	16
35-49	14	6.2	36	1	1	4	8	17	19	20
50-64	12	8.2	169	1	1	3	7	26	44	47
65+	10	13.2	128	1	1	11	19	29	39	39
B. *Operated*										
0-19 YRS	35	12.0	250	1	1	6	14	47	60	99+
20-34	25	15.5	202	2	3	11	18	30	43	72
35-49	10	22.5	340	2	4	23	50	99+	99+	99+
50-64	10	21.6	192	5	6	24	37	67	97	99+
65+	6	5.0	16	1	1	4	6	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	2.3	4	1	1	2	3	4	6	12
B. *Operated*	34	7.2	13	2	3	7	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	137	5.2	42	1	1	4	5	10	17	40
B. *Operated*	86	14.9	237	1	2	9	24	48	72	99+
1. SINGLE DX	212	3.1	9	1	1	2	4	7	9	15
2. MULTIPLE DX	223	8.9	139	1	1	5	10	27	45	99+
A. NOT OPERATED	315	3.5	23	1	1	2	4	7	10	23
B. OPERATED	120	12.7	185	1	2	8	17	39	56	99+
TOTAL 0-19 YRS	291	4.1	46	1	1	2	5	7	10	51
20-34	68	8.6	109	1	1	6	10	18	25	65
35-49	29	11.6	192	1	2	7	18	50	97	99+
50-64	26	13.0	196	1	2	7	22	44	55	99+
65+	21	8.3	86	<1	1	5	12	19	29	39
GRAND TOTAL	**435**	**6.1**	**84**	**1**	**1**	**3**	**6**	**16**	**27**	**75**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.6	4	1	1	2	3	6	7	9
20-34	22	3.8	9	1	1	3	6	7	10	13
35-49	6	3.2	3	2	2	3	4	6	6	6
50-64	4	4.5	11	2	2	4	7	9	9	9
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.7	17	3	3	9	10	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.1	31	1	1	4	11	12	15	29
20-34	40	7.1	29	<1	1	6	10	14	18	24
35-49	20	5.4	13	<1	1	5	6	10	13	16
50-64	19	9.2	188	1	1	6	9	16	43	63
65+	16	16.1	181	1	2	11	24	37	43	45
B. *Operated*										
0-19 YRS	19	14.2	138	4	4	11	15	36	43	45
20-34	41	16.3	368	1	2	12	20	59	95	99+
35-49	14	11.9	186	1	2	5	16	39	41	42
50-64	5	15.0	45	8	8	14	18	26	26	26
65+	8	15.9	119	3	4	23	29	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.0	5	1	1	2	4	6	7	11
B. *Operated*	11	4.5	9	2	2	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	141	7.8	74	1	1	5	11	15	23	47
B. *Operated*	87	15.0	243	1	2	12	21	43	92	99+
1. SINGLE DX	129	3.1	6	1	1	2	4	6	8	11
2. MULTIPLE DX	228	10.6	149	1	2	7	13	26	42	99+
A. NOT OPERATED	259	5.6	48	1	1	4	7	12	16	38
B. OPERATED	98	13.8	227	1	2	11	18	42	77	99+
TOTAL 0-19 YRS	152	5.1	42	1	1	3	6	11	15	41
20-34	107	9.8	179	1	1	6	12	21	47	99+
35-49	41	7.2	79	1	2	4	6	16	30	42
50-64	31	9.4	130	1	2	8	11	16	26	63
65+	26	15.2	150	2	3	11	27	43	99+	99+
GRAND TOTAL	**357**	**7.9**	**110**	**1**	**1**	**5**	**10**	**18**	**29**	**99**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	1	<1	<1	1	2	4	4	5
20-34	59	2.2	4	<1	<1	1	3	5	6	11
35-49	14	2.1	2	<1	<1	2	3	4	5	5
50-64	6	4.2	13	1	1	3	5	10	11	11
65+	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	303	2.2	3	<1	<1	2	3	4	5	8
20-34	503	2.5	2	<1	1	2	3	4	5	9
35-49	110	3.1	7	1	1	2	4	6	9	14
50-64	32	3.3	10	1	1	2	4	7	9	17
65+	8	2.6	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.4	4	<1	1	2	3	5	6	11
20-34	71	3.4	17	<1	<1	2	4	7	9	25
35-49	25	2.7	7	<1	<1	2	3	7	9	12
50-64	19	5.3	36	1	1	3	6	14	21	24
65+	26	9.3	135	1	1	4	10	23	31	53
B. *Operated*										
0-19 YRS	179	4.2	19	1	1	3	5	8	12	24
20-34	352	5.6	63	1	1	4	6	10	15	57
35-49	131	5.8	30	1	1	4	7	11	16	27
50-64	42	6.3	30	1	1	5	9	12	16	28
65+	19	13.7	450	1	1	7	15	38	71	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.2	3	<1	<1	1	3	5	5	11
B. *Operated*	956	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	182	4.1	36	<1	1	2	4	8	16	26
B. *Operated*	723	5.5	56	1	1	4	6	10	16	45
1. SINGLE DX	1066	2.4	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	905	5.2	52	1	1	3	6	10	16	43
A. NOT OPERATED	292	3.4	25	<1	<1	2	4	6	11	25
B. OPERATED	1679	3.8	28	<1	1	2	4	7	10	26
TOTAL 0-19 YRS	550	2.8	9	<1	1	2	3	5	7	17
20-34	985	3.6	27	<1	1	2	4	6	9	28
35-49	280	4.3	19	<1	1	3	5	9	12	21
50-64	99	5.0	25	1	1	3	7	11	16	26
65+	57	9.3	222	1	1	4	9	22	42	85
GRAND TOTAL	**1971**	**3.7**	**28**	**<1**	**1**	**2**	**4**	**7**	**10**	**26**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	6.3	54	1	1	4	6	15	21	38
20-34	161	6.3	37	1	1	5	8	13	16	39
35-49	72	6.4	22	1	2	5	9	13	15	21
50-64	58	11.1	115	2	3	8	14	20	28	68
65+	77	11.1	52	2	4	10	14	23	28	81
B. *Operated*										
0-19 YRS	8	16.5	67	5	6	18	24	25	25	25
20-34	22	15.5	149	3	4	11	20	35	43	47
35-49	6	9.8	16	6	6	9	11	16	17	17
50-64	2	10.5	113	3	3	10	18	18	18	18
65+	2	44.5	2245	11	11	44	78	78	78	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	6.9	52	1	2	5	8	12	19	44
20-34	142	8.1	89	1	2	6	10	14	19	65
35-49	73	8.7	44	1	2	7	12	17	24	32
50-64	97	11.2	67	2	3	9	16	23	27	38
65+	214	18.8	198	4	6	15	24	37	50	99+
B. *Operated*										
0-19 YRS	17	21.3	497	2	3	15	24	53	73	84
20-34	61	16.6	342	2	3	12	18	39	64	96
35-49	22	23.0	444	2	4	16	26	56	70	83
50-64	10	14.1	58	3	4	12	19	26	27	27
65+	26	18.2	209	3	3	12	33	43	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	7.8	55	1	2	6	11	16	21	40
B. *Operated*	40	16.1	204	3	4	11	20	30	44	78
2. MULTIPLE DX										
A. *Not Operated*	581	12.5	140	2	3	9	16	27	35	72
B. *Operated*	136	18.3	330	2	3	12	22	45	62	99
1. SINGLE DX	484	8.5	72	1	2	6	11	18	24	42
2. MULTIPLE DX	717	13.6	181	2	3	10	17	30	42	83
A. NOT OPERATED	1025	10.5	109	1	2	7	13	23	30	66
B. OPERATED	176	17.8	301	3	3	12	22	43	59	95
TOTAL 0-19 YRS	156	8.7	123	1	1	5	10	20	29	53
20-34	386	9.1	124	1	2	6	11	17	25	65
35-49	173	9.6	110	1	2	7	12	18	26	59
50-64	167	11.3	83	2	3	9	15	23	27	40
65+	319	17.0	184	3	5	13	23	34	45	99+
GRAND TOTAL	**1201**	**11.5**	**143**	**1**	**2**	**8**	**15**	**25**	**34**	**72**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	9	5.2	14	1	2	4	6	11	14	14
35-49	3	5.3	16	1	1	6	8	9	9	9
50-64	4	9.5	43	<1	<1	10	14	16	16	16
65+	2	32.0	1152	8	8	32	56	56	56	56
B. *Operated*										
0-19 YRS										
20-34	6	45.0	1233	4	5	43	81	83	83	83
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	8	20.3	766	2	2	16	86	99+	99+	99+
35-49	3	12.3	112	<1	<1	14	70	22	22	22
50-64	4	25.0	360	9	9	20	39	51	51	51
65+	9	22.2	314	4	5	20	42	77	99+	99+
B. *Operated*										
0-19 YRS	7	47.3	1446	7	12	90	99+	99+	99+	99+
20-34	12	33.6	365	11	15	32	61	99+	99+	99+
35-49	5	34.8	1172	7	7	37	86	99	99+	99+
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.4	126	<1	1	4	8	14	28	56
B. *Operated*	7	40.4	1174	4	6	23	77	83	83	83
2. MULTIPLE DX										
A. *Not Operated*	26	20.7	384	2	3	14	33	94	99+	99+
B. *Operated*	24	37.8	794	7	9	44	95	99+	99+	99+
1. SINGLE DX	31	14.8	528	1	1	6	14	59	80	83
2. MULTIPLE DX	50	28.9	644	3	7	26	73	99+	99+	99+
A. NOT OPERATED	50	14.3	300	1	1	9	22	55	98	99+
B. OPERATED	31	38.4	645	7	8	39	86	99+	99+	99+
TOTAL 0-19 YRS	15	25.5	1107	1	1	20	95	99+	99+	99+
20-34	35	25.2	666	2	3	20	57	94	99+	99+
35-49	12	20.0	628	<1	1	13	30	89	98	99+
50-64	8	17.3	241	<1	2	13	21	44	51	51
65+	11	24.0	382	4	6	20	48	69	96	99+
GRAND TOTAL	**81**	**23.5**	**640**	**1**	**2**	**16**	**52**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	4	1	1	2	5	6	7	7
20-34	35	2.9	4	1	1	2	4	6	7	7
35-49	46	3.5	6	1	1	3	5	7	9	10
50-64	32	4.0	5	1	2	3	6	7	8	9
65+	66	7.0	38	1	2	5	9	15	20	31
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.2	46	<1	1	3	5	11	17	35
20-34	96	5.3	25	1	1	4	7	11	15	26
35-49	110	5.7	27	1	1	4	7	11	14	27
50-64	144	7.7	42	2	2	6	10	15	26	30
65+	262	11.7	108	2	3	9	15	24	33	54
B. *Operated*										
0-19 YRS	6	7.3	64	<1	<1	5	7	21	23	23
20-34	36	9.9	70	3	3	7	12	19	29	41
35-49	37	9.7	45	3	4	8	12	19	25	34
50-64	38	15.3	251	2	3	12	18	28	51	83
65+	31	20.4	424	3	5	13	26	72	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	4.6	19	1	1	3	6	9	12	25
B. *Operated*	3	5.7	17	1	1	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	638	8.6	72	1	2	6	10	18	27	43
B. *Operated*	148	13.3	199	3	3	9	16	28	51	99+
1. SINGLE DX	195	4.6	19	1	1	3	6	9	12	25
2. MULTIPLE DX	786	9.5	99	1	2	7	12	19	29	59
A. NOT OPERATED	830	7.7	62	1	2	5	9	15	24	41
B. OPERATED	151	13.2	196	2	3	9	15	28	51	99
TOTAL 0-19 YRS	45	4.8	36	<1	1	3	5	7	15	35
20-34	168	5.8	35	1	1	4	7	13	17	32
35-49	194	5.9	29	1	1	4	8	12	17	31
50-64	215	8.5	84	2	2	6	10	15	27	47
65+	359	11.6	132	2	3	8	14	24	39	70
GRAND TOTAL	**981**	**8.5**	**87**	**1**	**2**	**6**	**10**	**18**	**27**	**53**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	8.4	68	1	2	6	11	20	28	36
20-34	34	10.0	103	2	3	7	10	19	33	54
35-49	16	12.3	67	<1	1	14	19	22	24	25
50-64	27	15.2	85	4	5	14	20	26	32	41
65+	87	18.2	154	3	5	14	27	33	45	52
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	2	16.5	85	10	10	16	23	23	23	23
35-49										
50-64	1	28.0		28	28	28	28	28	28	28
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	9.0	61	2	2	7	12	24	33	99+
20-34	52	13.3	155	2	5	9	15	27	35	68
35-49	42	14.4	180	2	3	8	20	35	47	54
50-64	44	18.0	237	3	4	14	26	43	63	99+
65+	189	24.0	284	6	8	20	31	51	58	95
B. *Operated*										
0-19 YRS	14	25.1	397	3	4	15	48	55	56	56
20-34	31	25.0	489	3	5	20	35	73	84	99+
35-49	15	34.8	331	16	18	24	55	59	62	63
50-64	15	36.2	423	11	17	30	49	62	83	90
65+	22	36.8	648	5	12	32	62	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	14.2	129	2	3	10	20	30	38	51
B. *Operated*	5	14.2	116	3	3	10	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	360	19.2	255	3	5	14	27	44	56	98
B. *Operated*	97	30.9	489	4	6	24	49	65	87	99+
1. SINGLE DX	203	14.2	128	2	3	10	21	29	37	51
2. MULTIPLE DX	457	21.7	326	3	5	16	30	51	62	99+
A. NOT OPERATED	558	17.4	215	3	4	13	24	39	51	85
B. OPERATED	102	30.1	483	4	6	24	48	64	85	99+
TOTAL 0-19 YRS	83	11.4	153	2	2	7	13	29	49	85
20-34	119	15.4	255	2	4	10	18	35	56	89
35-49	73	18.1	255	2	3	14	23	47	57	62
50-64	87	20.4	269	4	5	17	28	46	59	96
65+	298	23.2	292	5	7	19	31	49	60	99+
GRAND TOTAL	**660**	**19.4**	**277**	**3**	**4**	**14**	**27**	**47**	**57**	**99**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.0	5	<1	<1	1	2	4	8	12
20-34	16	3.5	12	<1	1	2	4	5	12	15
35-49	13	2.3	3	<1	<1	2	3	5	6	6
50-64	33	5.5	60	1	2	3	5	11	16	44
65+	71	10.8	128	1	2	6	14	29	34	90
B. *Operated*										
0-19 YRS	333	4.0	31	1	1	2	4	10	17	30
20-34	56	4.8	21	1	1	4	6	9	17	22
35-49	31	3.6	8	1	1	3	5	7	11	11
50-64	47	4.7	14	1	1	4	6	10	12	19
65+	58	9.8	78	1	2	8	13	19	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.9	30	1	1	4	5	8	18	27
20-34	17	6.9	67	2	2	3	7	16	28	34
35-49	17	4.7	16	1	1	3	6	11	12	13
50-64	44	10.4	168	1	2	5	16	30	32	67
65+	155	19.4	334	2	3	13	28	53	66	99+
B. *Operated*										
0-19 YRS	83	7.7	61	1	1	5	9	20	26	31
20-34	50	10.1	101	1	1	7	13	21	25	52
35-49	25	13.2	372	2	2	6	18	26	47	97
50-64	55	14.0	257	2	2	7	21	32	47	78
65+	82	17.2	288	2	3	12	22	46	54	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.8	73	<1	1	2	6	15	27	49
B. *Operated*	525	4.8	35	1	1	3	5	12	18	30
2. MULTIPLE DX										
A. *Not Operated*	260	14.6	271	1	2	8	20	39	61	97
B. *Operated*	295	12.4	205	1	2	8	17	26	43	86
1. SINGLE DX	724	5.1	46	1	1	3	5	12	19	36
2. MULTIPLE DX	555	13.4	237	1	2	8	18	32	50	87
A. NOT OPERATED	459	10.8	204	1	1	5	14	30	45	77
B. OPERATED	820	7.5	109	1	1	4	9	19	25	49
TOTAL 0-19 YRS	509	4.4	35	1	1	2	4	11	18	30
20-34	139	6.8	60	1	1	4	8	17	21	44
35-49	86	6.4	131	1	1	4	6	13	19	73
50-64	179	9.1	148	1	1	4	10	23	32	67
65+	366	15.7	258	2	2	10	21	40	60	99+
GRAND TOTAL	**1279**	**8.7**	**146**	**1**	**1**	**4**	**10**	**23**	**33**	**69**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	1.4	1	<1	<1	1	1	2	4	7
20-34	25	1.7	1	<1	<1	1	3	3	3	3
35-49	15	2.3	3	<1	<1	2	3	5	6	7
50-64	13	2.0	3	<1	<1	1	2	4	6	7
65+	18	6.4	71	<1	1	2	6	22	26	28
B. *Operated*										
0-19 YRS	1369	1.6	2	<1	1	1	2	3	4	7
20-34	286	2.4	3	1	1	2	3	4	5	9
35-49	203	2.6	7	1	1	2	3	5	7	16
50-64	258	2.3	3	1	1	2	3	5	6	9
65+	261	3.2	32	1	1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.2	12	<1	<1	2	4	9	12	14
20-34	15	4.6	24	<1	<1	2	5	14	15	16
35-49	9	5.2	15	2	2	4	6	12	14	14
50-64	18	4.7	24	1	1	3	8	10	16	20
65+	55	14.8	157	2	4	11	20	31	39	61
B. *Operated*										
0-19 YRS	213	4.2	45	1	1	2	5	9	13	48
20-34	167	7.5	115	1	1	4	7	18	31	60
35-49	98	5.0	45	1	1	3	6	9	13	45
50-64	114	5.3	43	1	1	3	6	11	22	61
65+	195	11.1	229	1	1	5	14	32	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.3	14	<1	<1	1	2	4	7	23
B. *Operated*	2377	2.0	6	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	128	8.7	105	1	1	5	12	21	26	57
B. *Operated*	787	6.9	112	1	1	3	7	16	29	72
1. SINGLE DX	2507	2.1	7	<1	1	1	2	4	5	10
2. MULTIPLE DX	915	7.1	111	1	1	3	8	18	28	60
A. NOT OPERATED	258	5.5	[illegible]9	<1	1	2	6	16	22	40
B. OPERATED	3164	3.2	37	1	1	2	3	6	10	38
TOTAL 0-19 YRS	1672	2.0	8	<1	1	1	2	3	5	12
20-34	493	4.1	47	1	1	2	4	7	13	51
35-49	325	3.4	20	1	1	2	4	6	9	21
50-64	403	3.3	17	1	1	2	4	7	9	31
65+	529	7.4	138	1	1	3	8	21	33	82
GRAND TOTAL	**3422**	**3.4**	**39**	**1**	**1**	**2**	**3**	**6**	**11**	**39**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.3	3	<1	1	1	3	4	6	7
20-34	14	1.6	1	<1	<1	1	2	3	4	5
35-49	11	1.6	1	<1	<1	1	2	3	5	5
50-64	3	4.3	17	1	1	3	7	9	9	9
65+	5	4.4	21	1	1	3	7	12	12	12
B. *Operated*										
0-19 YRS	282	2.0	6	<1	<1	1	2	3	4	13
20-34	264	2.0	3	<1	1	2	2	3	5	9
35-49	62	2.1	2	<1	1	2	3	4	5	6
50-64	52	2.0	2	1	1	2	2	4	4	6
65+	16	2.1	2	1	1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	4	<1	<1	2	4	6	7	7
20-34	26	3.8	16	<1	<1	2	4	10	13	15
35-49	5	3.4	5	1	1	3	5	7	7	7
50-64	6	8.7	107	1	1	3	17	25	26	26
65+	8	9.0	59	3	3	6	10	22	27	27
B. *Operated*										
0-19 YRS	66	4.0	26	1	1	2	5	9	11	29
20-34	115	4.5	74	1	1	3	4	6	14	49
35-49	44	3.9	7	1	1	3	5	7	9	13
50-64	34	3.8	20	1	1	2	5	6	9	26
65+	27	5.2	30	1	1	3	8	13	32	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.3	5	<1	<1	1	3	5	6	12
B. *Operated*	676	2.0	4	<1	1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	55	4.9	32	<1	1	3	6	10	16	27
B. *Operated*	286	4.3	42	1	1	3	5	9	12	31
1. SINGLE DX	733	2.0	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	341	4.4	40	1	1	3	5	9	13	30
A. NOT OPERATED	112	3.5	20	<1	1	2	4	8	12	26
B. OPERATED	962	2.7	16	<1	1	2	3	5	8	18
TOTAL 0-19 YRS	382	2.4	10	<1	1	1	2	4	7	17
20-34	419	2.8	24	<1	1	2	3	5	7	16
35-49	122	2.7	5	<1	1	2	4	5	7	12
50-64	95	3.1	17	1	1	2	4	5	9	26
65+	56	4.8	29	1	1	3	7	11	21	95
GRAND TOTAL	**1074**	**2.8**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**22**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	9.6	78	2	2	6	13	25	28	28
20-34	2	5.0		5	5	5	5	5	5	5
35-49	5	10.6	81	4	4	7	15	26	26	26
50-64	6	14.3	336	1	1	4	29	43	45	45
65+	57	17.7	343	1	2	13	25	51	76	99+
B. *Operated*										
0-19 YRS	17	16.5	223	1	2	11	23	42	48	51
20-34	14	10.4	19	3	5	10	13	15	18	19
35-49	28	11.2	29	6	6	10	14	19	23	25
50-64	106	15.2	87	5	6	13	17	27	39	46
65+	419	20.0	185	5	7	17	24	37	51	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	19.8	419	3	3	10	35	51	51	51
20-34	7	9.1	53	2	3	7	11	22	24	24
35-49	3	35.0	2887	2	2	6	74	97	97	97
50-64	13	32.8	957	4	5	18	55	84	92	94
65+	104	21.3	474	1	2	16	32	79	98	99+
B. *Operated*										
0-19 YRS	18	25.9	359	3	6	20	41	55	61	64
20-34	29	18.1	177	4	5	13	26	34	38	66
35-49	42	21.2	341	6	8	16	23	40	67	95
50-64	147	22.1	259	6	8	18	26	47	61	99+
65+	1122	28.1	402	7	10	23	41	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	15.7	290	1	2	9	25	49	62	99+
B. *Operated*	584	18.4	164	5	7	15	22	36	45	76
2. MULTIPLE DX										
A. *Not Operated*	132	21.0	545	1	3	15	32	79	96	99+
B. *Operated*	1358	27.0	385	7	9	21	39	68	96	99+
1. SINGLE DX	664	18.0	180	4	6	15	22	36	48	81
2. MULTIPLE DX	1490	26.6	401	6	8	21	38	68	96	99+
A. NOT OPERATED	212	19.6	456	1	2	13	29	54	88	99+
B. OPERATED	1942	24.4	334	6	8	19	34	58	85	99+
TOTAL 0-19 YRS	50	18.3	284	2	2	13	28	47	52	64
20-34	52	14.3	127	3	5	12	17	29	35	65
35-49	78	17.4	308	5	6	13	19	28	56	96
50-64	272	19.6	242	5	6	15	24	42	55	94
65+	1702	25.4	366	5	8	20	35	63	92	99+
GRAND TOTAL	**2154**	**23.9**	**348**	**5**	**7**	**18**	**33**	**58**	**86**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	24.4	264	1	3	23	32	45	56	69
20-34	8	51.6	686	6	16	58	82	94	99+	99+
35-49	2	29.0	338	16	16	29	42	42	42	42
50-64	2	28.5	613	11	11	28	46	46	46	46
65+	16	21.5	529	3	6	14	21	45	83	98
B. *Operated*										
0-19 YRS	103	21.2	343	2	3	16	32	50	63	88
20-34	37	15.3	276	2	3	11	16	28	43	97
35-49	13	20.0	159	4	7	19	31	51	89	99+
50-64	9	18.6	154	3	7	16	41	99+	99+	99+
65+	35	18.0	102	3	4	16	24	36	41	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	26.7	295	2	5	27	37	53	57	65
20-34	10	46.0	1342	1	1	65	85	99+	99+	99+
35-49	4	13.5	192	5	5	8	22	34	34	34
50-64	8	27.6	445	4	5	26	41	60	65	65
65+	24	36.0	944	6	9	24	59	89	92	94
B. *Operated*										
0-19 YRS	100	31.3	447	5	7	26	48	65	76	99+
20-34	81	26.8	392	5	8	21	38	62	73	99+
35-49	31	19.9	163	5	7	19	31	48	93	99+
50-64	29	30.5	450	5	7	32	53	99+	99+	99+
65+	55	35.5	493	11	13	32	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	25.7	344	2	3	23	34	50	64	97
B. *Operated*	197	19.3	268	2	4	15	27	46	63	99+
2. MULTIPLE DX										
A. *Not Operated*	98	30.5	594	2	5	26	46	75	88	99+
B. *Operated*	296	29.6	425	5	8	25	47	73	99+	99+
1. SINGLE DX	350	22.1	310	2	3	19	31	47	63	99+
2. MULTIPLE DX	394	29.8	466	5	7	25	47	73	94	99+
A. NOT OPERATED	251	27.5	445	2	4	24	38	61	80	99+
B. OPERATED	493	25.5	387	3	5	20	38	64	88	99+
TOTAL 0-19 YRS	380	25.7	350	2	4	22	36	55	64	85
20-34	136	26.5	531	3	6	18	40	71	91	99+
35-49	50	19.8	164	5	5	18	31	46	93	99+
50-64	48	27.7	394	5	7	25	47	99+	99+	99+
65+	130	29.2	530	5	10	24	42	88	99+	99+
GRAND TOTAL	**744**	**26.2**	**407**	**3**	**5**	**22**	**38**	**63**	**84**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.0	10	1	1	2	3	6	9	19
20-34	86	3.4	7	<1	1	3	5	7	10	12
35-49	35	4.6	15	<1	1	3	6	10	13	16
50-64	30	6.5	23	1	2	5	9	14	17	18
65+	21	19.0	447	2	3	13	23	59	69	78
B. *Operated*										
0-19 YRS	316	4.7	25	1	1	3	5	9	12	26
20-34	290	6.6	49	1	2	5	8	12	14	49
35-49	157	6.2	23	2	2	5	8	12	15	21
50-64	75	8.8	77	1	1	6	11	17	27	50
65+	26	13.4	120	2	2	10	19	30	39	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.7	16	1	1	3	7	11	12	17
20-34	36	4.9	35	1	1	3	5	14	15	31
35-49	25	6.0	31	1	1	4	9	13	17	21
50-64	37	17.3	353	1	2	10	26	44	51	86
65+	40	16.7	306	1	3	11	22	38	63	75
B. *Operated*										
0-19 YRS	111	11.0	188	2	2	6	12	22	45	72
20-34	191	13.0	207	2	2	7	16	35	48	76
35-49	97	13.9	258	3	3	8	17	37	64	99+
50-64	74	20.2	294	2	5	15	30	46	65	99+
65+	44	25.6	431	5	6	19	44	63	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.8	57	1	1	3	5	10	15	42
B. *Operated*	864	6.2	42	1	1	4	8	12	16	38
2. MULTIPLE DX										
A. *Not Operated*	175	10.3	191	1	1	5	12	24	42	74
B. *Operated*	517	14.8	260	2	3	9	19	40	56	99+
1. SINGLE DX	1164	5.9	46	1	1	4	7	12	16	38
2. MULTIPLE DX	692	13.7	246	1	2	8	17	37	52	98
A. NOT OPERATED	475	6.8	113	1	1	3	7	15	23	60
B. OPERATED	1381	9.5	141	1	2	6	11	20	37	74
TOTAL 0-19 YRS	592	5.5	59	1	1	3	6	11	18	48
20-34	603	8.1	104	1	2	5	9	16	31	55
35-49	314	8.4	108	1	2	5	10	16	23	74
50-64	216	13.8	220	1	2	9	18	36	48	98
65+	131	19.4	348	2	4	13	23	54	71	99+
GRAND TOTAL	**1856**	**8.8**	**135**	**1**	**1**	**5**	**10**	**19**	**32**	**71**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	3.2	11	1	1	2	4	6	12	16
20-34	109	3.0	7	<1	1	2	4	6	7	15
35-49	58	3.1	6	1	1	2	4	6	7	13
50-64	64	4.4	16	1	1	4	5	8	11	23
65+	50	9.4	105	1	1	6	11	19	31	50
B. *Operated*										
0-19 YRS	307	3.5	8	1	1	3	4	6	9	14
20-34	564	4.4	8	1	2	4	5	8	10	14
35-49	330	4.7	10	1	2	4	6	8	11	18
50-64	236	6.3	29	2	2	5	7	11	15	33
65+	116	8.4	48	2	3	6	11	17	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.1	10	1	1	3	5	9	11	13
20-34	60	4.8	20	<1	1	3	6	11	14	22
35-49	41	4.9	16	1	1	3	7	11	12	20
50-64	47	7.4	53	1	2	5	9	16	34	99+
65+	85	16.6	256	2	3	10	22	45	49	72
B. *Operated*										
0-19 YRS	132	7.3	71	1	2	5	8	17	25	52
20-34	300	8.5	110	2	2	5	10	16	26	64
35-49	186	7.6	72	2	2	5	8	14	22	53
50-64	173	12.3	172	2	3	9	14	25	35	67
65+	115	18.0	268	4	5	12	22	43	56	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	4.1	26	1	1	3	5	7	13	24
B. *Operated*	1553	4.9	16	1	2	4	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	277	8.8	124	1	1	5	10	20	35	64
B. *Operated*	906	10.1	140	2	3	6	11	22	32	67
1. SINGLE DX	1945	4.7	18	1	1	4	6	9	12	22
2. MULTIPLE DX	1183	9.8	136	1	2	6	11	21	33	68
A. NOT OPERATED	669	6.0	71	1	1	3	6	14	20	48
B. OPERATED	2459	6.8	68	1	2	4	7	13	20	46
TOTAL 0-19 YRS	594	4.3	25	1	1	3	5	9	13	26
20-34	1033	5.5	42	1	2	4	6	10	14	32
35-49	615	5.4	31	1	2	4	6	10	13	26
50-64	520	8.2	86	2	2	5	9	16	25	57
65+	366	13.5	191	2	3	8	17	30	46	73
GRAND TOTAL	**3128**	**6.6**	**69**	**1**	**2**	**4**	**7**	**13**	**20**	**47**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.9	4	<1	1	1	2	4	6	12
20-34	38	2.8	9	<1	<1	2	3	9	10	11
35-49	15	3.1	8	1	1	2	4	6	10	12
50-64	6	3.2	19	<1	<1	1	2	11	12	12
65+	10	15.1	109	1	3	13	20	31	35	35
B. *Operated*										
0-19 YRS	16	2.8	1	<1	1	3	3	5	5	5
20-34	16	2.8	4	<1	1	2	4	6	7	7
35-49	11	2.4	1	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	8	1	1	2	4	7	9	14
20-34	50	3.9	9	<1	<1	3	5	9	9	11
35-49	27	5.9	12	1	1	5	9	11	12	13
50-64	28	7.4	37	1	2	6	10	17	19	28
65+	43	11.5	108	1	2	8	14	26	36	45
B. *Operated*										
0-19 YRS	19	3.0	4	1	1	3	3	7	8	8
20-34	30	3.8	5	1	1	3	5	7	8	10
35-49	13	11.1	138	<1	1	6	17	30	35	36
50-64	10	6.9	27	3	3	5	8	15	20	20
65+	9	22.0	150	2	6	20	27	39	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.4	26	<1	1	1	3	10	12	30
B. *Operated*	45	2.7	2	<1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	209	5.9	43	1	1	4	8	12	18	36
B. *Operated*	81	7.2	77	1	1	4	8	20	28	43
1. SINGLE DX	170	3.2	20	<1	1	2	3	7	12	26
2. MULTIPLE DX	290	6.3	53	1	1	4	8	13	24	37
A. NOT OPERATED	334	5.0	38	1	1	3	7	11	16	35
B. OPERATED	126	5.6	55	1	1	3	5	13	25	38
TOTAL 0-19 YRS	152	2.5	5	1	1	2	3	5	8	12
20-34	134	3.4	8	<1	1	2	5	8	9	11
35-49	66	5.7	42	1	1	3	7	12	17	35
50-64	45	6.6	33	1	1	5	9	16	18	28
65+	63	13.5	124	1	2	10	19	28	36	46
GRAND TOTAL	**460**	**5.1**	**43**	**1**	**1**	**3**	**6**	**11**	**18**	**35**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34										
35-49										
50-64										
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	18.0		18	18	18	18	18	18	18
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	17.0		17	17	17	17	17	17	17
B. *Operated*	3	12.7	34	6	6	15	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	4	3.5	7	1	1	3	5	7	7	7
B. *Operated*	3	15.3	14	11	11	17	18	18	18	18
1. SINGLE DX	4	13.8	28	6	6	16	17	17	17	17
2. MULTIPLE DX	7	8.6	48	1	1	7	15	18	18	18
A. NOT OPERATED	5	6.2	42	1	1	4	9	17	17	17
B. OPERATED	6	14.0	22	6	6	16	17	18	18	18
TOTAL 0-19 YRS	4	8.3	37	1	1	8	13	15	15	15
20-34	1	18.0		18	18	18	18	18	18	18
35-49	3	12.0	75	2	2	17	17	17	17	17
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	1	17.0		17	17	17	17	17	17	17
GRAND TOTAL	**11**	**10.5**	**44**	**1**	**2**	**11**	**17**	**18**	**18**	**18**

357: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6		<1	<1	2	2	2	2	2
20-34	23	3.0	16	<1	<1	2	3	6	13	18
35-49	9	2.4	5	<1	<1	1	3	6	7	7
50-64	3	1.3		1	1	1	2	2	2	2
65+	8	3.9	9	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	85	2.3	1	<1	1	2	3	4	4	6
20-34	355	2.4	2	<1	1	2	3	4	5	9
35-49	92	2.5	3	1	1	2	3	4	5	10
50-64	50	1.8	3	<1	1	1	2	3	5	11
65+	23	2.5	13	<1	<1	1	2	4	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	18	2.4	3	<1	<1	2	4	5	6	7
35-49	3	6.7	96	1	1	1	14	18	18	18
50-64	3	4.3	6	2	2	4	6	7	7	7
65+	9	7.0	27	1	2	7	8	59	99+	99+
B. *Operated*										
0-19 YRS	20	2.8	3	1	1	3	4	4	6	8
20-34	69	3.3	6	1	1	3	4	6	10	12
35-49	30	3.7	19	1	1	3	3	7	11	23
50-64	31	4.3	16	1	1	3	5	8	14	20
65+	38	6.2	43	1	1	4	7	18	23	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.8	10	<1	<1	2	3	7	9	18
B. *Operated*	605	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	35	4.2	18	<1	1	3	6	8	19	99+
B. *Operated*	188	4.0	18	1	1	3	4	8	12	24
1. SINGLE DX	653	2.4	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	223	4.1	18	1	1	3	4	8	13	26
A. NOT OPERATED	83	3.4	14	<1	<1	2	5	8	13	72
B. OPERATED	793	2.8	7	<1	1	2	3	4	6	15
TOTAL 0-19 YRS	112	2.4	2	<1	1	2	3	4	4	7
20-34	465	2.6	4	<1	1	2	3	4	5	11
35-49	134	2.8	8	<1	1	2	3	5	7	19
50-64	87	2.8	9	<1	1	1	3	6	8	18
65+	78	5.0	31	<1	1	3	6	14	19	79
GRAND TOTAL	**876**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

358: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	4	1	1	3	5	6	6	6
20-34	26	2.1	2	<1	1	2	3	4	5	7
35-49	5	2.6	9	<1	<1	1	3	8	8	8
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	118	3.6	4	1	1	3	4	6	8	10
20-34	310	3.6	4	1	2	3	4	6	7	12
35-49	111	4.0	4	1	2	4	5	7	7	10
50-64	56	4.2	5	2	2	4	5	8	8	14
65+	5	3.6	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	1	1	3	5	6	6	6
20-34	7	4.9	15	2	2	3	6	12	13	13
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	3.4	3	1	1	3	4	6	6	6
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	35	5.0	12	2	2	4	6	9	12	18
20-34	105	5.1	34	1	1	4	6	10	11	34
35-49	42	5.2	13	2	2	4	7	9	11	22
50-64	29	4.7	6	1	2	4	6	9	10	10
65+	7	6.3	50	2	2	4	6	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.5	4	<1	1	2	3	6	7	8
B. *Operated*	600	3.8	4	1	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	20	3.4	9	<1	1	3	5	6	10	13
B. *Operated*	218	5.1	23	1	2	4	6	9	11	22
1. SINGLE DX	642	3.7	4	1	1	3	5	6	8	11
2. MULTIPLE DX	238	4.9	22	1	1	4	6	9	11	22
A. NOT OPERATED	62	2.8	5	<1	1	2	4	6	7	12
B. OPERATED	818	4.1	10	1	2	4	5	7	9	15
TOTAL 0-19 YRS	167	3.9	6	1	1	3	5	7	8	13
20-34	448	3.9	12	1	1	3	5	6	8	16
35-49	160	4.2	7	1	1	4	5	7	9	12
50-64	90	4.3	6	1	2	4	5	8	9	12
65+	15	4.7	27	1	1	3	6	7	18	22
GRAND TOTAL	**880**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.9	31	<1	<1	2	3	10	19	21
20-34	14	4.2	15	<1	1	4	6	7	14	16
35-49	11	9.6	90	1	1	5	17	24	27	27
50-64	5	2.4	4	1	1	2	3	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	89	3.4	20	<1	1	1	3	9	12	23
20-34	90	4.0	24	<1	1	2	4	10	15	26
35-49	39	4.0	22	1	1	2	4	12	16	20
50-64	15	4.2	26	1	1	2	5	12	17	19
65+	10	17.0	651	1	1	2	43	58	63	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.5	38	1	1	6	11	18	20	21
20-34	9	8.7	47	1	1	8	16	18	18	18
35-49	12	6.7	20	1	2	5	11	13	14	14
50-64	2	8.0	98	1	1	8	15	15	15	15
65+	4	24.3	176	6	6	27	33	37	37	37
B. *Operated*										
0-19 YRS	38	6.5	45	1	1	4	10	15	19	30
20-34	65	11.3	163	1	1	6	16	28	43	58
35-49	22	6.7	68	1	1	5	9	13	25	38
50-64	22	7.3	101	1	1	3	11	34	59	99+
65+	18	19.4	620	1	2	8	23	66	78	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.2	42	<1	1	2	6	17	21	27
B. *Operated*	243	4.3	53	<1	1	2	4	11	16	44
2. MULTIPLE DX										
A. *Not Operated*	43	9.1	67	1	1	6	14	19	26	37
B. *Operated*	165	9.9	175	1	1	5	12	26	39	81
1. SINGLE DX	286	4.5	51	<1	1	2	4	12	18	38
2. MULTIPLE DX	208	9.8	153	1	1	5	12	24	37	77
A. NOT OPERATED	86	7.2	58	1	1	4	9	18	22	34
B. OPERATED	408	6.6	110	1	1	3	8	16	26	61
TOTAL 0-19 YRS	155	4.6	31	<1	1	2	6	12	18	26
20-34	178	6.9	87	<1	1	3	8	18	26	46
35-49	84	5.8	45	1	1	3	9	16	19	34
50-64	44	5.7	64	1	1	2	6	16	34	99+
65+	33	18.7	544	1	1	5	32	56	71	82
GRAND TOTAL	**494**	**6.7**	**100**	**1**	**1**	**3**	**8**	**16**	**26**	**57**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.1	3	<1	1	2	2	4	6	9
20-34	66	2.3	2	<1	1	2	3	4	5	9
35-49	43	2.7	3	<1	1	2	4	5	7	8
50-64	12	4.6	31	1	1	3	6	11	20	21
65+	13	5.8	10	2	3	5	8	10	12	12
B. *Operated*										
0-19 YRS	84	3.6	3	1	1	3	5	6	7	9
20-34	219	3.9	9	1	1	3	5	6	7	12
35-49	53	4.0	7	1	2	4	5	8	9	14
50-64	18	4.5	4	2	3	4	5	7	9	10
65+	4	4.8	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.7	16	<1	1	2	5	7	15	16
20-34	25	3.0	7	<1	<1	2	4	6	8	13
35-49	14	5.8	26	<1	1	4	9	15	17	17
50-64	18	8.1	34	1	1	7	13	17	19	20
65+	34	9.5	68	2	2	7	14	20	29	33
B. *Operated*										
0-19 YRS	64	5.2	21	2	2	5	6	9	10	33
20-34	181	5.2	12	2	2	4	6	9	11	19
35-49	71	6.3	24	2	2	5	7	12	17	29
50-64	34	6.6	95	1	2	4	6	10	21	57
65+	7	26.1	1009	1	2	9	50	77	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.7	6	<1	1	2	3	5	7	11
B. *Operated*	378	3.9	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	116	6.2	40	1	1	4	8	16	19	32
B. *Operated*	357	6.0	49	2	2	5	6	9	14	36
1. SINGLE DX	571	3.5	7	1	1	3	5	6	8	12
2. MULTIPLE DX	473	6.0	47	1	2	4	6	10	16	33
A. NOT OPERATED	309	4.0	21	<1	1	2	5	9	15	21
B. OPERATED	735	4.9	29	1	2	4	6	8	10	24
TOTAL 0-19 YRS	232	3.7	11	1	1	3	5	6	9	15
20-34	491	4.1	10	1	1	4	5	7	9	17
35-49	181	4.7	16	1	1	4	5	9	13	19
50-64	82	6.2	53	1	1	4	7	12	18	46
65+	58	10.3	186	2	2	6	11	20	32	79
GRAND TOTAL	**1044**	**4.6**	**27**	**1**	**1**	**4**	**5**	**8**	**11**	**22**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.9	24	<1	1	2	4	7	16	23
20-34	96	5.0	13	1	1	4	7	10	12	18
35-49	80	5.4	11	2	2	5	7	10	11	19
50-64	36	5.9	10	1	3	5	7	12	12	14
65+	12	9.9	20	3	4	10	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34	4	7.5	15	2	2	8	10	11	11	11
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.6	4	1	1	3	5	6	8	9
20-34	39	5.7	12	2	2	4	7	12	12	15
35-49	48	6.1	26	2	2	4	7	11	16	29
50-64	42	8.1	43	3	4	7	9	13	24	37
65+	51	10.8	52	3	4	9	13	20	29	35
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	10.8	64	3	3	9	17	21	21	21
35-49	3	15.7	70	6	6	20	21	21	21	21
50-64	3	20.7	64	13	13	20	27	29	29	29
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	5.4	14	1	2	5	7	10	12	18
B. *Operated*	7	5.7	13	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	194	7.5	37	2	3	6	9	15	20	33
B. *Operated*	12	13.8	73	2	3	13	20	24	28	29
1. SINGLE DX	253	5.4	14	1	2	5	7	10	12	18
2. MULTIPLE DX	206	7.9	41	2	3	6	9	16	21	32
A. NOT OPERATED	440	6.4	25	1	2	5	8	12	16	29
B. OPERATED	19	10.8	65	2	2	9	18	21	26	29
TOTAL 0-19 YRS	37	3.7	16	<1	1	2	4	5	11	23
20-34	143	5.5	15	1	2	4	7	11	13	18
35-49	133	5.9	19	2	2	5	7	10	14	23
50-64	82	7.6	36	2	3	6	8	13	20	35
65+	64	10.6	45	3	4	9	13	19	25	34
GRAND TOTAL	**459**	**6.5**	**28**	**1**	**2**	**5**	**8**	**12**	**17**	**29**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.4	3	<1	1	2	3	4	7	8
20-34	249	4.2	11	1	1	3	6	8	11	17
35-49	155	4.6	14	1	1	4	6	8	11	23
50-64	69	6.2	19	1	1	5	9	13	16	19
65+	43	8.0	54	1	1	5	11	19	23	31
B. *Operated*										
0-19 YRS										
20-34	12	5.7	13	2	2	5	8	11	12	12
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.8	4	<1	1	2	4	5	7	10
20-34	162	4.0	11	<1	1	3	6	8	11	16
35-49	125	5.5	18	1	1	4	8	11	13	22
50-64	88	5.8	20	1	2	5	7	11	15	25
65+	100	10.7	67	2	3	8	14	22	28	39
B. *Operated*										
0-19 YRS	6	2.7	4	1	1	2	4	6	6	6
20-34	9	5.2	11	2	2	4	8	10	10	10
35-49	13	6.8	21	1	2	6	10	13	15	15
50-64	3	11.0	81	2	2	11	18	20	20	20
65+	4	6.3	16	2	2	6	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	647	4.4	16	1	1	3	6	9	12	19
B. *Operated*	17	4.6	12	1	2	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	538	5.8	30	1	1	4	8	13	16	27
B. *Operated*	35	6.0	21	1	2	4	10	11	14	20
1. SINGLE DX	664	4.4	16	1	1	3	6	9	12	19
2. MULTIPLE DX	573	5.8	30	1	1	4	8	12	16	27
A. NOT OPERATED	1185	5.0	23	1	1	4	6	11	14	25
B. OPERATED	52	5.5	18	1	2	4	9	11	13	20
TOTAL 0-19 YRS	200	2.5	3	<1	1	2	3	5	7	9
20-34	432	4.2	11	1	1	3	6	9	11	17
35-49	298	5.0	16	1	1	4	7	10	13	22
50-64	160	6.1	21	1	2	5	8	12	16	22
65+	147	9.8	63	2	3	7	13	21	27	38
GRAND TOTAL	**1237**	**5.0**	**23**	**1**	**1**	**4**	**6**	**11**	**14**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	1.9	2	<1	1	1	2	4	4	8
20-34	76	2.4	5	<1	<1	2	3	5	6	13
35-49	47	3.5	17	1	1	2	4	8	10	26
50-64	17	4.6	12	<1	1	3	9	10	11	11
65+	29	8.1	130	1	1	4	9	14	38	55
B. *Operated*										
0-19 YRS	72	2.5	1	1	1	2	3	4	5	5
20-34	195	2.7	2	1	1	2	3	4	5	6
35-49	101	3.0	2	1	1	3	4	5	5	7
50-64	51	5.6	55	1	2	5	6	8	10	54
65+	17	6.2	57	1	2	4	7	9	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.3	9	1	1	2	4	6	11	15
20-34	44	2.3	2	<1	1	2	3	4	5	6
35-49	25	3.8	10	1	1	3	4	6	12	14
50-64	31	5.5	20	1	1	5	7	11	17	18
65+	69	11.0	110	2	2	7	17	22	31	51
B. *Operated*										
0-19 YRS	17	2.9	3	1	1	3	4	6	7	7
20-34	44	3.6	10	1	1	3	4	6	8	20
35-49	28	6.0	63	1	1	3	7	15	29	32
50-64	24	7.8	37	2	3	6	9	14	20	30
65+	20	11.5	131	2	3	7	15	29	41	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	3.1	22	<1	1	2	3	6	9	23
B. *Operated*	436	3.2	11	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	197	6.2	58	1	1	3	7	16	20	42
B. *Operated*	133	5.9	50	1	1	3	6	14	19	40
1. SINGLE DX	711	3.2	15	1	1	2	4	5	7	14
2. MULTIPLE DX	330	6.1	55	1	1	3	7	15	20	40
A. NOT OPERATED	472	4.4	39	<1	1	2	4	10	16	33
B. OPERATED	569	3.8	21	1	1	3	4	6	9	30
TOTAL 0-19 YRS	223	2.4	3	<1	1	2	3	4	5	11
20-34	359	2.7	4	<1	1	2	3	5	6	10
35-49	201	3.6	15	1	1	3	4	6	9	27
50-64	123	5.9	37	1	2	5	7	10	14	36
65+	135	9.9	112	1	2	6	13	21	34	52
GRAND TOTAL	**1041**	**4.1**	**30**	**1**	**1**	**3**	**4**	**8**	**12**	**31**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1084	1.4	1	<1	1	1	2	2	3	5
20-34	268	1.8	5	<1	<1	1	2	3	4	10
35-49	58	2.1	4	<1	1	1	2	4	7	11
50-64	28	2.3	4	<1	1	2	3	5	7	9
65+	42	3.2	9	1	1	2	4	7	10	15
B. *Operated*										
0-19 YRS	5	3.4	7	1	1	3	5	7	7	7
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	575	2.1	8	<1	1	1	2	4	5	12
20-34	315	2.6	14	<1	1	1	3	5	8	18
35-49	135	2.8	7	1	1	2	3	6	8	14
50-64	84	3.8	12	1	1	2	6	9	10	18
65+	84	7.6	68	1	1	4	11	20	23	42
B. *Operated*										
0-19 YRS	126	3.0	24	<1	1	2	3	6	9	29
20-34	137	2.8	10	<1	1	2	3	5	8	19
35-49	46	3.8	16	<1	1	2	5	10	12	19
50-64	34	3.5	13	1	1	2	4	10	11	15
65+	22	5.6	25	<1	1	5	8	16	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1480	1.6	2	<1	1	1	2	3	4	7
B. *Operated*	7	3.3	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1193	2.8	16	<1	1	2	3	6	9	21
B. *Operated*	365	3.2	17	<1	1	2	4	8	10	24
1. SINGLE DX	1487	1.6	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	1558	2.9	16	<1	1	2	3	6	10	21
A. NOT OPERATED	2673	2.1	9	<1	1	1	2	4	6	15
B. OPERATED	372	3.2	17	<1	1	2	4	7	10	24
TOTAL 0-19 YRS	1790	1.7	5	<1	1	1	2	3	4	9
20-34	722	2.3	10	<1	<1	1	2	5	7	17
35-49	239	2.9	8	<1	1	2	3	6	9	14
50-64	146	3.4	11	1	1	2	4	9	10	15
65+	148	6.1	48	1	1	4	8	16	21	48
GRAND TOTAL	**3045**	**2.3**	**10**	**<1**	**1**	**1**	**2**	**4**	**7**	**16**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	679	1.6	10	<1	1	1	2	2	3	8
20-34	154	1.6	2	<1	<1	1	2	2	4	8
35-49	43	2.6	13	<1	<1	2	2	4	8	22
50-64	31	2.0	1	<1	<1	2	3	4	4	4
65+	31	4.3	17	1	1	3	5	11	15	17
B. *Operated*										
0-19 YRS	12	6.0	12	1	2	5	8	11	12	12
20-34	19	5.4	32	<1	<1	3	9	14	17	18
35-49	7	7.7	45	<1	<1	8	10	18	20	20
50-64	11	8.0	11	1	3	8	9	12	13	13
65+	6	13.5	80	3	4	12	14	28	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	2.4	10	<1	1	1	2	4	8	19
20-34	197	2.9	15	<1	<1	1	3	7	11	28
35-49	77	3.6	23	1	1	2	4	7	13	27
50-64	49	3.5	20	1	1	2	3	11	15	19
65+	80	8.0	106	1	1	5	10	17	33	87
B. *Operated*										
0-19 YRS	102	8.3	250	<1	1	3	8	29	68	99+
20-34	104	13.0	342	<1	1	4	21	48	59	94
35-49	51	8.3	78	1	1	5	15	25	34	99+
50-64	36	16.5	499	1	1	8	23	64	85	99+
65+	50	16.2	356	1	1	11	20	32	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	1.7	9	<1	1	1	2	3	4	9
B. *Operated*	55	7.2	33	<1	1	7	11	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	778	3.3	26	<1	1	2	3	7	14	29
B. *Operated*	343	11.7	301	1	1	4	17	32	62	99+
1. SINGLE DX	993	2.0	12	<1	1	1	2	4	6	14
2. MULTIPLE DX	1121	5.9	125	<1	1	2	5	16	28	92
A. NOT OPERATED	1716	2.4	17	<1	1	1	2	5	8	20
B. OPERATED	398	11.1	267	<1	1	5	15	30	59	99+
TOTAL 0-19 YRS	1168	2.5	34	<1	1	1	2	4	8	29
20-34	474	4.8	102	<1	<1	1	3	13	24	62
35-49	178	4.9	42	<1	1	2	5	16	23	80
50-64	127	7.2	184	1	1	2	8	17	27	93
65+	167	10.0	181	1	1	5	13	27	33	94
GRAND TOTAL	**2114**	**4.1**	**75**	**<1**	**1**	**1**	**3**	**9**	**18**	**62**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	5	1	1	4	5	7	7	7
20-34	24	2.4	3	<1	1	2	3	6	6	6
35-49	7	2.3	2	1	1	3	3	4	4	4
50-64	7	2.4	3	<1	<1	2	4	5	5	5
65+	5	5.6	8	2	2	7	8	8	8	8
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	24	4.8	18	1	1	4	6	10	15	19
35-49	3	5.0	19	2	2	3	8	10	10	10
50-64	4	14.0	174	3	3	10	22	33	33	33
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.7	11	1	1	4	6	9	11	16
20-34	32	5.4	15	1	1	5	7	10	12	19
35-49	9	5.3	9	3	3	4	6	10	12	12
50-64	21	6.7	25	1	1	6	8	16	17	18
65+	20	12.7	61	3	4	11	16	20	29	38
B. *Operated*										
0-19 YRS	29	6.8	15	3	3	6	8	9	11	24
20-34	57	14.4	233	3	4	10	14	33	46	91
35-49	27	11.3	113	3	4	8	14	19	30	57
50-64	21	12.6	154	4	5	9	14	22	43	60
65+	13	13.9	94	6	6	12	16	32	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.9	4	1	1	2	4	6	7	8
B. *Operated*	34	5.9	39	1	1	4	7	12	18	33
2. MULTIPLE DX										
A. *Not Operated*	110	6.8	31	1	2	5	9	14	18	27
B. *Operated*	147	12.0	149	3	4	8	13	22	37	61
1. SINGLE DX	86	4.1	20	1	1	3	5	8	11	28
2. MULTIPLE DX	257	9.8	105	2	3	7	11	18	25	57
A. NOT OPERATED	162	5.6	26	1	1	4	7	11	16	20
B. OPERATED	181	10.9	134	2	3	8	12	20	34	59
TOTAL 0-19 YRS	68	5.4	13	1	2	5	7	9	10	23
20-34	137	8.5	128	1	1	6	10	15	23	59
35-49	46	8.3	82	1	2	6	10	17	21	57
50-64	53	9.0	94	1	2	7	10	17	28	59
65+	39	12.0	70	3	4	11	15	20	34	38
GRAND TOTAL	**343**	**8.4**	**90**	**1**	**2**	**6**	**10**	**16**	**21**	**54**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	4.0	11	1	1	3	5	8	11	17
20-34	70	4.4	11	1	1	4	7	9	10	15
35-49	14	2.8	4	1	1	2	3	6	8	8
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	5	10.0	55	3	3	9	14	22	22	22
B. *Operated*										
0-19 YRS	35	7.7	8	3	4	7	9	11	13	14
20-34	31	9.8	54	4	4	7	11	21	24	37
35-49	9	8.9	10	4	4	10	11	13	14	14
50-64	4	5.5	17	1	1	6	9	9	9	9
65+	3	14.0	76	4	4	18	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.2	19	1	1	4	8	11	14	19
20-34	74	4.4	10	1	2	4	5	9	11	17
35-49	23	3.5	7	1	1	3	5	7	10	12
50-64	12	6.3	15	1	2	5	10	11	12	12
65+	6	7.2	20	2	2	7	11	13	13	13
B. *Operated*										
0-19 YRS	65	15.8	153	4	6	12	18	37	42	61
20-34	128	16.6	285	3	5	10	20	32	56	92
35-49	37	20.2	355	5	6	10	36	60	85	99+
50-64	17	17.4	138	4	7	15	21	37	44	46
65+	10	22.8	524	8	10	16	26	92	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	4.2	12	1	1	3	6	8	11	18
B. *Operated*	82	8.8	29	3	4	8	10	14	20	33
2. MULTIPLE DX										
A. *Not Operated*	184	4.8	14	1	1	4	7	10	12	18
B. *Operated*	257	17.2	260	4	6	11	21	39	60	99
1. SINGLE DX	294	5.5	21	1	1	4	7	10	14	23
2. MULTIPLE DX	441	12.0	194	1	2	8	14	29	43	90
A. NOT OPERATED	396	4.5	13	1	1	3	6	9	11	18
B. OPERATED	339	15.1	217	3	5	10	18	35	50	97
TOTAL 0-19 YRS	290	7.4	66	1	1	5	9	14	21	43
20-34	303	10.1	163	1	2	7	10	23	32	72
35-49	83	11.4	226	1	1	7	11	39	59	99+
50-64	35	11.5	106	1	2	9	15	24	37	46
65+	24	15.1	274	3	3	13	18	27	89	99+
GRAND TOTAL	**735**	**9.4**	**135**	**1**	**1**	**6**	**10**	**21**	**32**	**68**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	<1	<1	3	5	6	6	6
20-34	7	4.1	21	1	1	3	5	12	14	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	61	4.9	15	<1	1	4	6	10	14	17
20-34	66	4.5	10	1	1	4	6	8	10	16
35-49	25	5.1	20	2	2	4	6	8	13	24
50-64	11	3.6	3	1	1	3	5	6	7	7
65+	8	3.5	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.0	13	<1	<1	4	7	11	11	11
20-34	16	3.7	7	<1	<1	4	5	8	9	9
35-49	8	3.8	9	1	1	3	5	9	10	10
50-64	6	5.8	19	2	2	5	6	13	14	14
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	40	5.6	47	<1	1	3	7	13	16	39
20-34	73	5.2	18	1	1	4	7	12	15	19
35-49	27	6.3	30	1	1	5	8	15	19	24
50-64	12	8.8	53	2	2	6	11	22	25	26
65+	18	6.3	55	<1	1	4	8	13	24	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.8	13	<1	<1	3	5	8	13	14
B. *Operated*	171	4.6	12	1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	42	4.1	10	<1	1	4	6	9	11	14
B. *Operated*	170	5.8	33	1	1	4	7	13	16	31
1. SINGLE DX	184	4.6	12	1	1	4	6	8	11	17
2. MULTIPLE DX	212	5.5	29	1	1	4	7	12	15	28
A. NOT OPERATED	55	4.0	11	<1	1	3	6	9	11	14
B. OPERATED	341	5.2	23	1	1	4	7	11	15	24
TOTAL 0-19 YRS	114	5.1	25	<1	1	4	6	11	15	25
20-34	162	4.7	14	1	1	4	6	9	13	17
35-49	61	5.4	23	1	1	4	6	10	16	24
50-64	30	6.2	30	2	2	5	6	13	20	26
65+	29	5.0	38	<1	1	3	6	11	14	32
GRAND TOTAL	**396**	**5.1**	**21**	**1**	**1**	**4**	**6**	**10**	**14**	**24**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.4	5	<1	<1	1	3	6	7	11
20-34	23	1.9	2	<1	1	1	2	4	5	7
35-49	8	2.3	6	1	1	1	2	6	8	8
50-64	11	1.8	1	<1	<1	1	2	4	4	4
65+	10	4.1	23	1	1	2	6	12	15	15
B. *Operated*										
0-19 YRS	142	2.1	5	<1	<1	1	2	5	7	11
20-34	72	2.4	5	<1	<1	1	3	5	7	12
35-49	31	2.8	14	<1	<1	2	3	5	6	22
50-64	13	6.8	319	<1	<1	1	2	18	57	66
65+	11	1.8	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	5	<1	<1	1	2	5	7	14
20-34	74	3.7	39	<1	<1	2	4	7	9	39
35-49	33	3.9	30	<1	1	2	5	7	10	31
50-64	27	5.2	26	<1	1	3	8	12	15	22
65+	38	8.6	143	1	1	4	10	19	33	63
B. *Operated*										
0-19 YRS	220	2.9	10	<1	1	2	4	6	9	17
20-34	231	3.4	23	<1	1	2	4	6	9	22
35-49	123	4.1	57	<1	1	2	5	8	10	43
50-64	108	6.3	81	1	1	3	7	14	22	51
65+	95	7.5	97	1	1	5	9	18	30	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.4	6	<1	<1	1	3	6	7	13
B. *Operated*	269	2.5	21	<1	<1	1	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	223	4.4	50	<1	1	2	5	9	15	37
B. *Operated*	777	4.3	44	<1	1	2	5	9	13	39
1. SINGLE DX	377	2.5	16	<1	<1	1	3	5	7	14
2. MULTIPLE DX	1000	4.3	45	<1	1	2	5	9	14	38
A. NOT OPERATED	331	3.8	36	<1	<1	2	4	8	12	32
B. OPERATED	1046	3.8	39	<1	1	2	4	8	12	36
TOTAL 0-19 YRS	469	2.6	8	<1	<1	1	3	5	7	14
20-34	400	3.2	22	<1	<1	2	4	6	9	26
35-49	195	3.8	43	<1	<1	2	4	8	10	31
50-64	159	5.9	85	1	1	3	7	13	21	63
65+	154	7.1	99	1	1	4	8	17	29	63
GRAND TOTAL	**1377**	**3.8**	**38**	**<1**	**1**	**2**	**4**	**8**	**12**	**35**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	10	<1	<1	2	4	6	11	14
20-34	24	2.3	3	<1	<1	2	3	4	6	9
35-49	7	2.3	4	<1	<1	1	3	6	6	6
50-64	7	2.0	2	1	1	1	3	4	4	4
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	39	2.5	4	<1	1	2	4	6	7	8
20-34	52	3.8	8	1	1	3	6	7	9	14
35-49	13	4.0	9	1	1	3	5	9	11	11
50-64	4	6.0	11	2	2	6	8	10	10	10
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.5	20	1	1	3	6	12	14	14
20-34	30	4.4	66	1	1	2	4	7	9	46
35-49	7	4.9	14	2	2	4	5	11	13	13
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	35	5.9	83	1	1	4	5	10	21	51
20-34	72	9.3	203	<1	1	5	8	22	48	70
35-49	16	6.7	15	2	3	7	8	16	71	99+
50-64	11	7.5	21	1	2	7	10	15	15	15
65+	6	10.3	29	2	2	11	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.6	5	<1	<1	2	3	5	7	13
B. *Operated*	111	3.4	7	1	1	2	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	49	4.4	45	1	1	3	5	7	13	46
B. *Operated*	140	8.1	131	1	1	5	8	17	35	73
1. SINGLE DX	178	3.1	7	<1	1	2	4	7	8	13
2. MULTIPLE DX	189	7.1	110	1	1	4	7	15	25	69
A. NOT OPERATED	116	3.4	23	<1	1	2	4	6	9	25
B. OPERATED	251	6.0	81	1	1	4	7	11	18	68
TOTAL 0-19 YRS	108	3.9	34	<1	1	2	5	7	11	34
20-34	178	5.9	103	<1	1	3	6	9	19	63
35-49	43	4.9	13	1	1	4	7	10	14	99+
50-64	25	5.2	17	1	1	4	7	11	15	15
65+	13	6.5	28	1	1	5	10	15	16	16
GRAND TOTAL	**367**	**5.2**	**64**	**<1**	**1**	**3**	**6**	**9**	**15**	**51**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.4	5	<1	1	3	5	6	6	12
20-34	69	3.2	4	1	1	3	4	6	6	11
35-49	18	3.6	7	1	1	3	4	8	9	10
50-64	12	5.5	12	2	2	4	7	10	13	14
65+	7	3.9	7	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	234	2.3	6	<1	1	1	3	5	6	13
20-34	354	2.6	6	<1	1	2	3	6	8	14
35-49	127	3.1	11	1	1	2	4	6	8	19
50-64	91	3.2	14	<1	1	2	4	7	11	21
65+	24	3.2	18	1	1	2	3	7	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.2	43	<1	<1	3	6	11	19	35
20-34	64	3.7	12	<1	1	3	5	7	9	21
35-49	25	5.2	46	<1	1	4	5	11	17	34
50-64	13	6.4	20	1	2	4	10	12	14	15
65+	13	8.2	33	2	3	6	11	17	21	22
B. *Operated*										
0-19 YRS	162	5.0	38	1	1	3	6	11	15	31
20-34	341	3.8	29	1	1	2	4	7	10	26
35-49	115	5.1	46	1	1	3	6	12	16	43
50-64	68	7.1	106	1	1	4	8	16	24	60
65+	46	8.5	111	1	2	4	12	23	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.5	6	1	1	3	5	6	8	12
B. *Operated*	830	2.7	8	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	154	4.9	29	<1	1	3	6	11	14	34
B. *Operated*	732	4.9	48	1	1	3	5	11	16	43
1. SINGLE DX	975	2.8	8	<1	1	2	3	6	8	14
2. MULTIPLE DX	886	4.9	44	1	1	3	5	11	15	36
A. NOT OPERATED	299	4.2	18	<1	1	3	5	8	11	23
B. OPERATED	1562	3.7	28	1	1	2	4	8	12	27
TOTAL 0-19 YRS	474	3.6	21	<1	1	2	4	8	12	26
20-34	828	3.2	16	<1	1	2	4	6	9	18
35-49	285	4.1	29	1	1	2	4	8	12	32
50-64	184	5.0	51	1	1	3	6	11	15	42
65+	90	6.7	72	1	1	4	8	16	23	83
GRAND TOTAL	**1861**	**3.8**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**27**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.0	10	<1	1	3	6	9	10	15
20-34	54	3.9	9	<1	1	3	5	8	10	14
35-49	17	3.9	5	1	1	3	6	7	8	8
50-64	11	4.2	11	1	1	4	6	9	12	12
65+	9	13.7	115	1	3	12	17	32	36	36
B. *Operated*										
0-19 YRS	182	4.0	23	<1	1	2	5	9	14	26
20-34	139	5.6	47	1	1	3	7	13	19	37
35-49	36	7.1	114	1	1	4	8	16	35	51
50-64	31	8.0	109	1	1	5	10	17	34	50
65+	10	10.9	77	1	1	9	19	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.3	17	1	2	4	6	10	14	21
20-34	23	5.5	27	1	2	4	7	9	17	26
35-49	19	5.2	35	1	1	3	5	13	20	25
50-64	19	6.2	16	3	4	5	7	9	16	21
65+	18	13.8	335	1	2	6	15	31	59	76
B. *Operated*										
0-19 YRS	68	7.9	84	1	1	4	11	19	23	51
20-34	67	8.1	108	<1	1	4	9	23	32	54
35-49	39	8.7	84	1	1	5	12	22	28	41
50-64	19	14.1	312	1	1	7	19	42	60	64
65+	18	16.6	424	<1	1	9	19	55	67	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	4.5	20	<1	1	3	6	9	13	24
B. *Operated*	398	5.3	49	1	1	3	6	12	18	39
2. MULTIPLE DX										
A. *Not Operated*	109	6.9	81	1	2	4	7	14	25	51
B. *Operated*	211	9.4	145	1	1	5	13	22	33	62
1. SINGLE DX	554	5.1	41	1	1	3	6	11	17	35
2. MULTIPLE DX	320	8.6	124	1	1	5	10	21	28	61
A. NOT OPERATED	265	5.5	46	1	1	4	6	10	15	32
B. OPERATED	609	6.8	86	1	1	4	7	17	23	54
TOTAL 0-19 YRS	345	4.9	34	<1	1	3	5	11	16	27
20-34	283	5.8	54	1	1	4	7	13	20	37
35-49	111	6.9	75	1	1	4	8	17	23	46
50-64	80	8.5	129	1	1	5	9	19	28	62
65+	55	14.2	273	1	1	9	19	33	55	76
GRAND TOTAL	**874**	**6.4**	**74**	**1**	**1**	**4**	**7**	**15**	**22**	**51**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	4	4.3	13	1	1	3	7	9	9	9
20-34	6	5.3	13	2	2	4	8	11	11	11
35-49	6	7.3	33	<1	<1	7	13	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	6	3.8	26	<1	<1	2	4	13	14	14
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	10	5.4	24	1	1	3	8	13	15	15
20-34	32	6.7	50	<1	1	4	9	15	22	32
35-49	7	18.6	243	1	1	15	31	41	43	43
50-64	3	6.3	17	3	3	5	9	11	11	11
65+	5	18.0	287	4	4	12	27	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.2		<1	<1	1	1	2	2	2
B. *Operated*	16	5.8	20	<1	1	4	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	12	4.2	17	<1	1	3	5	11	14	14
B. *Operated*	57	8.9	103	<1	1	5	11	22	33	46
1. SINGLE DX	27	3.9	17	<1	<1	2	6	11	13	14
2. MULTIPLE DX	69	8.1	91	<1	1	4	11	21	32	45
A. NOT OPERATED	23	2.7	11	<1	<1	1	3	8	11	14
B. OPERATED	73	8.2	86	<1	1	5	11	21	31	45
TOTAL 0-19 YRS	22	4.0	15	<1	<1	2	6	10	13	15
20-34	47	5.8	41	<1	1	3	8	13	21	32
35-49	15	12.3	155	<1	1	10	15	33	40	43
50-64	4	5.3	16	2	2	4	8	11	11	11
65+	8	12.0	233	<1	1	5	16	38	46	46
GRAND TOTAL	**96**	**6.9**	**73**	**<1**	**1**	**4**	**9**	**15**	**23**	**45**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.2	8	1	1	3	4	9	10	10
20-34	14	8.8	187	<1	1	5	8	16	46	55
35-49	16	9.8	378	1	1	4	10	14	61	81
50-64	3	3.0	3	1	1	4	4	4	4	4
65+	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-19 YRS	46	5.0	50	<1	1	2	4	12	23	33
20-34	92	4.5	15	1	1	3	6	10	12	20
35-49	41	7.0	67	1	1	4	7	16	25	50
50-64	21	4.8	18	1	1	3	6	12	15	17
65+	5	8.0	31	2	2	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.1	223	1	1	4	7	11	48	61
20-34	26	6.0	42	1	1	4	8	9	23	30
35-49	28	10.2	75	1	3	7	13	23	28	37
50-64	17	8.6	39	1	2	9	13	20	68	99+
65+	21	12.2	73	3	4	10	20	32	60	99+
B. *Operated*										
0-19 YRS	25	10.8	378	1	2	5	8	18	72	77
20-34	62	7.2	79	1	1	4	8	20	32	93
35-49	42	9.2	254	1	2	4	6	24	35	94
50-64	25	11.3	79	2	2	7	16	25	28	34
65+	16	20.5	478	2	3	13	23	59	75	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.7	193	1	1	4	8	12	24	81
B. *Operated*	205	5.2	38	1	1	3	6	12	16	33
2. MULTIPLE DX										
A. *Not Operated*	107	9.0	83	1	2	6	12	21	31	99+
B. *Operated*	170	10.1	211	1	2	5	12	25	39	91
1. SINGLE DX	250	5.7	66	1	1	3	6	12	16	50
2. MULTIPLE DX	277	9.7	161	1	2	5	12	23	34	98
A. NOT OPERATED	152	8.6	115	1	1	5	11	20	31	99
B. OPERATED	375	7.4	122	1	1	4	8	16	27	75
TOTAL 0-19 YRS	96	6.9	159	1	1	3	7	12	26	74
20-34	194	5.9	52	1	1	3	7	12	21	50
35-49	127	8.8	173	1	1	4	11	18	32	84
50-64	66	8.1	53	1	2	6	12	21	25	89
65+	44	14.8	226	2	3	11	16	33	67	99+
GRAND TOTAL	**527**	**7.8**	**120**	**1**	**1**	**4**	**9**	**17**	**28**	**81**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	4.3	5	1	2	4	5	6	9	13
20-34	148	4.2	4	1	1	4	5	6	8	10
35-49	39	4.6	10	<1	1	4	5	9	12	16
50-64	8	4.1	5	1	1	4	6	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	5	4.4	5	1	1	5	6	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.4	6	1	1	4	5	7	9	13
20-34	78	4.3	14	1	1	4	5	7	10	25
35-49	34	5.1	19	1	2	4	5	10	15	23
50-64	15	5.1	9	2	2	4	6	9	12	13
65+	13	9.0	66	2	2	9	10	22	28	30
B. *Operated*										
0-19 YRS	15	5.7	21	1	2	4	6	15	16	16
20-34	23	5.3	12	1	2	5	6	12	13	14
35-49	4	8.3	13	3	3	9	10	11	11	11
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	4.3	5	1	1	4	5	6	8	13
B. *Operated*	8	5.6	13	1	1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	198	4.8	16	1	1	4	6	9	11	26
B. *Operated*	44	5.7	14	1	2	5	7	12	14	16
1. SINGLE DX	379	4.3	5	1	1	4	5	6	9	13
2. MULTIPLE DX	242	5.0	16	1	1	4	6	9	13	23
A. NOT OPERATED	569	4.5	9	1	1	4	5	7	9	15
B. OPERATED	52	5.7	14	1	2	5	7	12	14	16
TOTAL 0-19 YRS	253	4.4	6	1	2	4	5	7	9	13
20-34	250	4.3	8	1	1	4	5	7	9	13
35-49	78	5.1	15	1	1	4	5	10	13	21
50-64	26	5.0	8	1	2	5	6	9	10	13
65+	14	8.7	62	2	2	7	10	21	28	30
GRAND TOTAL	**621**	**4.6**	**10**	**1**	**1**	**4**	**5**	**7**	**10**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	585	1.9	3	<1	1	1	2	4	5	10
20-34	389	2.3	4	<1	<1	2	3	4	6	10
35-49	163	2.8	8	<1	<1	2	3	6	8	14
50-64	101	4.3	21	<1	1	2	5	10	14	22
65+	119	6.1	32	1	1	5	8	13	17	30
B. *Operated*										
0-19 YRS	39	3.1	13	<1	<1	2	3	7	9	20
20-34	36	4.5	38	1	1	2	5	9	13	35
35-49	18	3.7	10	1	1	3	5	9	11	11
50-64	12	4.0	9	1	1	4	6	9	9	9
65+	10	9.0	101	1	1	4	15	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	455	2.3	5	<1	1	2	3	5	6	13
20-34	516	2.9	7	<1	1	2	4	6	8	13
35-49	234	3.7	14	1	1	3	4	7	10	18
50-64	205	5.2	24	1	1	4	7	11	12	25
65+	485	10.8	146	1	2	7	13	24	36	91
B. *Operated*										
0-19 YRS	58	2.9	6	<1	1	2	4	7	8	10
20-34	73	5.8	70	<1	1	4	6	11	17	53
35-49	24	7.4	38	1	2	6	9	16	22	26
50-64	15	11.2	101	2	2	7	20	33	80	99+
65+	27	18.5	312	1	2	12	26	41	53	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	2.7	9	<1	1	2	3	5	8	16
B. *Operated*	115	4.3	29	<1	1	2	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	1895	5.1	56	<1	1	3	6	11	17	39
B. *Operated*	197	7.3	105	1	1	4	8	19	29	67
1. SINGLE DX	1472	2.8	11	<1	1	2	3	6	9	17
2. MULTIPLE DX	2092	5.3	61	<1	1	3	6	12	19	41
A. NOT OPERATED	3252	4.1	38	<1	1	2	5	9	13	32
B. OPERATED	312	6.2	79	<1	1	3	7	14	25	52
TOTAL 0-19 YRS	1137	2.2	4	<1	1	1	3	4	6	11
20-34	1014	2.9	12	<1	1	2	4	6	8	14
35-49	439	3.6	13	<1	1	2	4	8	10	20
50-64	333	5.1	27	1	1	4	7	11	14	28
65+	641	10.2	137	1	2	7	13	22	34	77
GRAND TOTAL	**3564**	**4.3**	**42**	**<1**	**1**	**2**	**5**	**10**	**14**	**35**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.3	24	1	1	2	3	9	16	20
20-34	28	2.4	4	<1	<1	1	3	5	8	8
35-49	5	5.4	12	2	2	4	8	10	10	10
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
B. Operated										
0-19 YRS	9	5.6	57	1	1	2	8	19	23	23
20-34	16	7.3	106	1	1	4	7	16	35	43
35-49	9	4.8	18	1	1	3	7	12	14	14
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	6.5	21	1	1	6	11	12	12	12
20-34	15	3.2	7	1	1	2	4	7	9	10
35-49	3	2.0		2	2	2	2	2	2	2
50-64	4	4.8		4	4	5	5	5	5	5
65+	8	8.0	31	3	3	6	13	15	16	16
B. Operated										
0-19 YRS	8	4.8	17	1	1	3	8	11	12	12
20-34	20	11.3	315	<1	1	6	12	36	61	65
35-49	9	7.7	75	1	1	4	10	22	28	28
50-64	2	18.5	613	1	1	18	36	36	36	36
65+	3	3.3	1	2	2	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.9	11	<1	1	2	3	8	10	20
B. Operated	34	6.2	68	1	1	3	7	14	22	43
2. MULTIPLE DX										
A. Not Operated	40	5.1	17	1	1	3	7	12	13	16
B. Operated	42	9.0	192	1	1	4	10	19	45	65
1. SINGLE DX	87	4.2	35	<1	1	2	4	9	14	36
2. MULTIPLE DX	82	7.1	110	1	1	4	8	13	21	63
A. NOT OPERATED	93	3.8	15	1	1	2	5	10	12	18
B. OPERATED	76	7.8	137	1	1	4	8	15	34	63
TOTAL 0-19 YRS	44	4.8	28	1	1	2	7	12	15	23
20-34	79	5.8	114	<1	1	3	6	11	16	63
35-49	26	5.6	35	1	1	3	8	13	17	28
50-64	9	7.0	121	1	1	4	5	24	36	36
65+	11	6.7	27	2	2	4	12	15	16	16
GRAND TOTAL	**169**	**5.6**	**73**	**1**	**1**	**3**	**7**	**12**	**16**	**55**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.8	3	<1	<1	1	2	4	6	6
20-34	5	1.4		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.2	1	<1	<1	2	3	3	3	3
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64										
65+										
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.6	2	<1	1	1	2	2	5	6
B. Operated	9	2.7	3	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	9	2.6	5	<1	<1	2	3	6	8	8
B. Operated	3	2.0	3	1	1	1	3	4	4	4
1. SINGLE DX	24	2.0	2	<1	1	1	2	5	6	6
2. MULTIPLE DX	12	2.4	4	<1	<1	2	3	5	8	8
A. NOT OPERATED	24	2.0	3	<1	1	1	2	4	7	3
B. OPERATED	12	2.5	3	<1	<1	2	4	5	6	6
TOTAL 0-19 YRS	19	1.9	3	<1	<1	1	2	5	6	6
20-34	13	2.1	1	<1	<1	2	3	4	5	5
35-49	4	3.5	10	1	1	2	5	8	8	8
50-64										
65+										
GRAND TOTAL	**36**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	1.4	1	<1	<1	1	1	2	3	6
20-34	48	1.5	1	<1	<1	1	2	2	3	6
35-49	30	1.3		<1	<1	1	1	2	3	3
50-64	43	1.5	1	<1	<1	1	2	2	4	7
65+	26	1.8	7	<1	1	1	1	3	6	14
B. *Operated*										
0-19 YRS	53	3.3	8	<1	1	2	4	7	10	11
20-34	8	2.9	14	<1	<1	2	3	9	12	12
35-49	6	3.2	19	1	1	2	2	11	12	12
50-64	8	6.1	26	1	1	5	8	15	17	17
65+	5	5.8	64	1	1	2	8	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	6	1	1	2	3	6	7	15
20-34	15	2.0	3	<1	<1	1	3	4	6	7
35-49	19	3.3	6	1	1	2	5	7	9	9
50-64	29	3.0	9	1	1	1	4	7	10	12
65+	40	5.3	85	<1	1	2	6	11	17	56
B. *Operated*										
0-19 YRS	29	6.3	28	1	1	5	9	13	19	20
20-34	12	6.9	108	<1	<1	4	7	20	35	38
35-49	12	13.6	155	<1	1	10	25	31	34	35
50-64	19	9.1	179	1	1	4	9	21	42	59
65+	24	7.7	146	<1	1	4	6	17	37	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	80	3.7	14	<1	1	2	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	152	3.4	28	1	1	2	4	7	10	21
B. *Operated*	96	8.2	113	1	1	5	9	20	29	58
1. SINGLE DX	450	1.8	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX	248	5.3	66	1	1	2	6	12	20	56
A. NOT OPERATED	522	2.0	10	<1	<1	1	2	4	6	12
B. OPERATED	176	6.2	73	1	1	4	7	13	21	52
TOTAL 0-19 YRS	354	2.2	7	<1	<1	1	2	5	7	14
20-34	83	2.5	20	<1	<1	1	2	5	7	29
35-49	67	4.2	49	<1	1	2	3	11	24	34
50-64	99	3.7	46	<1	1	1	4	7	12	40
65+	95	5.0	80	<1	1	2	5	12	19	57
GRAND TOTAL	**698**	**3.0**	**29**	**<1**	**<1**	**1**	**3**	**7**	**11**	**28**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	81	1	1	4	10	24	27	27
20-34	8	8.4	40	1	2	6	15	16	16	16
35-49										
50-64										
65+	2	10.0	162	1	1	10	19	19	19	19
B. *Operated*										
0-19 YRS	26	16.0	168	3	3	11	23	37	41	50
20-34	17	13.4	71	3	3	11	22	26	27	27
35-49	3	9.0	37	2	2	12	13	13	13	13
50-64	7	17.7	167	2	4	17	19	39	44	44
65+	4	11.0	77	4	4	8	17	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	13.7	226	<1	1	11	18	25	49	64
20-34	14	7.4	71	1	1	4	11	23	26	27
35-49	3	8.7	20	4	4	9	12	13	13	13
50-64	4	21.0	437	3	3	22	62	99+	99+	99+
65+	10	20.9	368	3	3	13	30	53	59	59
B. *Operated*										
0-19 YRS	32	21.6	413	4	7	16	28	66	88	99+
20-34	36	23.1	364	3	6	21	32	90	99+	99+
35-49	22	27.9	327	6	9	23	38	54	64	69
50-64	20	32.1	452	10	12	21	53	62	71	80
65+	17	37.5	224	17	18	36	47	61	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	8.5	59	1	1	4	15	18	24	27
B. *Operated*	57	14.7	124	2	3	12	20	30	38	50
2. MULTIPLE DX										
A. *Not Operated*	49	13.7	225	1	1	10	22	38	59	99+
B. *Operated*	127	26.9	385	5	8	22	40	65	81	99+
1. SINGLE DX	74	13.3	115	2	3	11	19	27	37	49
2. MULTIPLE DX	176	23.2	374	2	3	18	33	62	75	99+
A. NOT OPERATED	66	12.3	186	1	1	9	17	27	51	94
B. OPERATED	184	23.1	335	3	6	18	32	55	69	99+
TOTAL 0-19 YRS	83	17.0	278	2	3	12	22	39	64	97
20-34	75	16.4	250	1	2	12	26	46	91	99+
35-49	28	23.8	322	2	5	21	33	50	61	69
50-64	31	27.4	405	3	9	20	47	62	78	99+
65+	33	27.6	348	3	4	24	44	51	63	65
GRAND TOTAL	**250**	**20.3**	**317**	**2**	**3**	**16**	**28**	**50**	**66**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	5.9	42	1	1	3	8	14	19	31
20-34	112	4.9	38	<1	1	2	6	12	21	29
35-49	50	5.0	45	<1	1	2	5	12	22	35
50-64	24	8.3	31	1	2	7	11	16	19	22
65+	10	8.4	57	1	1	5	17	20	21	21
B. *Operated*										
0-19 YRS	28	7.7	83	1	1	5	9	20	26	42
20-34	13	14.8	241	1	3	8	20	44	50	51
35-49	7	10.9	79	<1	<1	13	19	20	20	20
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	2	33.0	450	18	18	33	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	7.3	49	1	1	5	10	15	22	34
20-34	176	5.9	50	1	1	3	8	14	19	48
35-49	78	9.2	156	1	1	5	11	21	28	70
50-64	57	10.1	113	1	1	5	14	25	32	48
65+	30	16.1	202	1	2	12	21	38	41	64
B. *Operated*										
0-19 YRS	55	18.4	204	2	3	16	25	38	43	70
20-34	58	17.9	286	2	4	14	20	42	53	88
35-49	21	25.4	266	4	7	22	39	59	79	99+
50-64	17	23.6	269	7	9	19	29	55	61	62
65+	13	19.5	224	3	7	14	27	39	54	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	5.7	42	1	1	3	7	14	20	30
B. *Operated*	52	10.9	148	1	1	7	16	23	42	51
2. MULTIPLE DX										
A. *Not Operated*	661	7.8	78	1	1	5	10	18	25	47
B. *Operated*	164	19.8	251	2	4	16	25	41	58	86
1. SINGLE DX	445	6.3	56	1	1	3	8	16	21	42
2. MULTIPLE DX	825	10.2	135	1	1	6	14	24	34	62
A. NOT OPERATED	1054	7.0	66	1	1	4	9	16	23	41
B. OPERATED	216	17.6	239	1	2	14	23	40	53	77
TOTAL 0-19 YRS	600	7.9	74	1	1	5	10	19	26	39
20-34	359	7.9	113	1	1	4	10	19	26	53
35-49	156	10.1	170	1	1	5	14	24	40	74
50-64	100	11.9	143	1	2	8	16	26	36	60
65+	55	16.1	200	1	2	13	21	36	46	64
GRAND TOTAL	**1270**	**8.8**	**111**	**1**	**1**	**5**	**12**	**21**	**29**	**57**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.9	2	1	1	2	4	5	6	6
20-34	19	3.3	12	<1	<1	2	5	8	12	14
35-49	5	2.4	2	1	1	2	4	4	4	4
50-64	5	4.6	11	1	1	4	6	10	10	10
65+	4	4.3	16	1	1	3	7	10	10	10
B. *Operated*										
0-19 YRS	13	4.6	15	1	2	3	6	10	14	15
20-34	52	3.5	7	1	1	2	5	7	9	11
35-49	12	7.9	359	1	1	2	3	23	62	68
50-64	14	3.7	6	<1	1	3	4	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	5	<1	<1	2	4	6	7	7
20-34	21	4.4	19	1	1	3	5	12	15	16
35-49	9	6.9	79	<1	<1	4	9	21	29	29
50-64	16	7.9	45	1	1	6	11	19	22	24
65+	17	14.2	222	2	3	12	20	53	86	99+
B. *Operated*										
0-19 YRS	26	2.5	8	1	1	2	3	5	7	14
20-34	52	3.9	18	1	1	3	4	14	17	97
35-49	19	4.9	26	1	1	3	6	11	18	22
50-64	9	2.9	2	2	2	2	3	5	6	6
65+	4	11.5	252	<1	<1	5	21	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.3	8	<1	1	2	4	7	10	14
B. *Operated*	91	4.3	53	1	1	3	5	8	9	46
2. MULTIPLE DX										
A. *Not Operated*	71	7.7	92	1	1	4	10	19	25	92
B. *Operated*	110	3.9	24	1	1	2	4	7	16	60
1. SINGLE DX	137	3.9	38	1	1	2	4	8	10	22
2. MULTIPLE DX	181	5.4	54	1	1	3	6	15	20	88
A. NOT OPERATED	117	6.0	63	1	1	3	7	15	20	76
B. OPERATED	201	4.1	37	1	1	3	4	8	14	51
TOTAL 0-19 YRS	60	3.1	8	1	1	2	4	6	8	15
20-34	144	3.7	13	1	1	2	5	9	14	21
35-49	45	5.8	118	1	1	3	5	9	24	68
50-64	44	5.2	24	1	1	3	6	10	16	24
65+	25	12.2	195	1	1	9	17	34	72	99+
GRAND TOTAL	**318**	**4.8**	**47**	**1**	**1**	**3**	**5**	**10**	**16**	**66**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	2.4	5	<1	1	2	3	5	7	11
20-34	222	3.0	10	<1	<1	2	4	6	8	13
35-49	64	4.0	21	1	1	3	5	7	9	31
50-64	39	4.8	21	1	1	3	7	10	15	20
65+	55	6.8	28	1	1	5	9	13	19	24
B. *Operated*										
0-19 YRS	37	4.9	19	<1	1	4	7	9	17	19
20-34	42	6.9	37	1	1	5	9	18	20	21
35-49	16	6.1	21	1	1	5	8	15	16	16
50-64	7	4.1	14	1	1	3	8	10	10	10
65+	5	6.6	36	1	1	6	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	3.6	13	1	1	2	4	8	11	17
20-34	161	3.3	7	<1	1	2	4	6	9	14
35-49	75	4.5	12	<1	1	4	6	9	11	20
50-64	79	6.8	50	1	1	4	9	14	17	41
65+	172	12.7	193	2	2	8	16	28	42	87
B. *Operated*										
0-19 YRS	29	9.4	162	<1	1	8	11	15	30	68
20-34	43	6.9	30	1	2	5	10	15	18	20
35-49	22	7.5	202	1	2	3	6	14	40	68
50-64	12	14.3	134	2	3	10	20	34	37	37
65+	15	25.0	446	6	8	17	28	59	74	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	628	3.3	13	<1	1	2	4	7	10	19
B. *Operated*	107	5.9	27	1	1	5	7	15	18	21
2. MULTIPLE DX										
A. *Not Operated*	629	6.5	81	1	1	4	7	15	21	54
B. *Operated*	121	10.6	182	1	2	7	13	21	35	71
1. SINGLE DX	735	3.7	16	<1	1	2	5	8	11	20
2. MULTIPLE DX	750	7.2	99	1	1	4	8	16	23	61
A. NOT OPERATED	1257	4.9	49	<1	1	3	6	11	16	34
B. OPERATED	228	8.4	114	1	1	5	10	18	22	68
TOTAL 0-19 YRS	456	3.4	21	1	1	2	4	8	11	18
20-34	468	3.8	15	<1	1	2	5	8	12	20
35-49	177	4.8	40	1	1	3	6	9	11	31
50-64	137	6.8	52	1	1	4	9	14	20	38
65+	247	12.0	184	1	2	8	15	25	41	79
GRAND TOTAL	**1485**	**5.4**	**61**	**1**	**1**	**3**	**6**	**12**	**18**	**42**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	863	1.6	2	<1	<1	1	2	3	4	7
20-34	306	2.3	10	<1	<1	1	3	4	6	17
35-49	136	2.6	7	<1	1	2	3	6	8	29
50-64	56	4.5	32	1	1	3	5	10	17	30
65+	87	5.8	67	1	1	3	7	11	15	53
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	709	4.7	69	<1	1	2	5	9	18	51
20-34	1153	6.3	103	<1	1	3	6	16	27	58
35-49	586	6.9	111	1	1	3	7	15	27	55
50-64	345	8.5	153	1	1	4	10	19	30	76
65+	451	9.1	94	1	2	7	11	19	28	48
B. *Operated*										
0-19 YRS	8	14.9	353	1	2	6	21	47	57	57
20-34	44	18.0	342	1	1	13	27	56	85	99+
35-49	28	12.3	128	2	2	8	16	27	34	47
50-64	22	16.3	132	1	4	15	24	36	38	39
65+	32	19.0	239	2	4	15	27	41	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1448	2.2	10	<1	1	1	2	4	6	13
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	3244	6.7	103	1	1	3	7	16	26	56
B. *Operated*	134	16.6	238	1	2	12	24	38	57	99+
1. SINGLE DX	1449	2.2	10	<1	1	1	2	4	6	13
2. MULTIPLE DX	3378	7.1	112	1	1	3	8	17	28	59
A. NOT OPERATED	4692	5.3	78	<1	1	2	5	12	20	47
B. OPERATED	135	16.4	238	1	2	12	24	38	57	99+
TOTAL 0-19 YRS	1580	3.1	36	<1	1	1	3	6	9	29
20-34	1504	5.8	97	<1	1	2	5	15	26	58
35-49	750	6.3	97	1	1	3	7	14	25	54
50-64	423	8.4	141	1	1	4	10	19	30	62
65+	570	9.2	104	1	2	7	11	20	29	61
GRAND TOTAL	**4827**	**5.6**	**86**	**<1**	**1**	**2**	**6**	**13**	**23**	**51**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	397	1.5	15	<1	1	1	1	2	3	6
20-34	119	1.5	1	<1	<1	1	1	3	4	8
35-49	66	1.8	7	<1	<1	1	2	3	4	19
50-64	28	1.8	8	<1	<1	1	2	2	4	16
65+	16	2.6	8	1	1	1	3	6	10	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	2.4	11	<1	1	1	2	5	9	16
20-34	110	3.3	21	<1	1	2	4	8	10	26
35-49	76	3.7	27	1	1	2	3	8	15	29
50-64	41	3.8	20	<1	<1	2	5	10	18	99+
65+	43	8.2	194	<1	1	3	8	15	45	71
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	11.6	83	3	3	11	13	26	32	32
35-49	3	7.0	61	2	2	3	13	16	16	16
50-64	2	7.5	13	5	5	10	77	99+	99+	99+
65+	3	31.7	1782	2	2	80	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	1.6	11	<1	<1	1	1	2	3	8
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	410	3.6	39	<1	1	2	4	8	13	40
B. *Operated*	17	13.4	350	2	2	11	24	99+	99+	99+
1. SINGLE DX	628	1.6	11	<1	<1	1	1	2	3	8
2. MULTIPLE DX	427	4.0	54	<1	1	2	4	10	15	84
A. NOT OPERATED	1036	2.4	23	<1	1	1	2	4	8	22
B. OPERATED	19	12.2	324	2	2	10	16	99+	99+	99+
TOTAL 0-19 YRS	539	1.8	14	<1	1	1	2	3	4	13
20-34	237	2.7	17	<1	<1	1	3	6	10	19
35-49	145	2.9	19	<1	1	2	3	5	12	25
50-64	71	3.1	16	<1	<1	1	4	9	16	99+
65+	63	7.8	226	<1	1	2	8	15	73	99+
GRAND TOTAL	**1055**	**2.6**	**30**	**<1**	**1**	**1**	**2**	**5**	**9**	**32**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	2.6	8	<1	1	1	3	6	8	16
20-34	125	2.4	9	<1	<1	1	2	4	9	15
35-49	58	2.6	5	<1	1	2	3	6	8	11
50-64	44	4.6	28	1	1	3	5	10	17	27
65+	52	5.8	27	1	1	4	9	13	16	25
B. *Operated*										
0-19 YRS	4	10.0	24	4	4	11	14	14	14	14
20-34	9	17.8	559	1	2	7	25	59	73	73
35-49	1	40.0		40	40	40	40	40	40	40
50-64	4	22.3	469	3	3	16	36	53	53	53
65+	2	2.5	1	2	2	3	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	5.4	67	<1	1	3	5	11	27	38
20-34	108	3.7	29	<1	1	2	4	7	9	35
35-49	95	5.7	56	1	1	3	8	12	16	46
50-64	117	8.1	102	1	1	4	10	19	26	54
65+	162	9.0	73	1	2	6	13	20	29	51
B. *Operated*										
0-19 YRS	4	9.5	35	1	1	11	13	14	14	14
20-34	10	7.4	49	1	1	8	17	99+	99+	99+
35-49	15	12.9	158	2	2	10	17	38	42	43
50-64	17	18.5	223	2	4	16	32	45	78	99+
65+	26	14.8	174	2	2	14	22	36	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.1	13	<1	1	2	4	7	10	18
B. *Operated*	20	16.7	380	2	2	9	25	61	85	99+
2. MULTIPLE DX										
A. *Not Operated*	621	6.6	70	1	1	4	8	15	24	44
B. *Operated*	72	13.9	163	1	2	10	23	42	87	99+
1. SINGLE DX	476	3.7	36	<1	1	2	4	9	13	34
2. MULTIPLE DX	693	7.4	85	1	1	4	9	19	30	56
A. NOT OPERATED	1077	5.1	49	<1	1	3	6	12	18	34
B. OPERATED	92	14.5	208	1	2	10	23	43	90	99+
TOTAL 0-19 YRS	324	4.0	36	<1	1	2	4	9	14	33
20-34	252	3.7	45	<1	1	2	4	8	11	72
35-49	169	5.5	61	1	1	3	7	11	19	42
50-64	182	8.5	117	1	1	4	10	22	33	68
65+	242	8.9	79	1	1	6	13	21	30	99+
GRAND TOTAL	**1169**	**5.9**	**68**	**1**	**1**	**3**	**7**	**14**	**23**	**53**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.5	39	1	1	3	7	13	21	25
20-34	42	2.7	5	<1	<1	1	4	6	7	10
35-49	17	5.5	16	<1	1	5	8	12	13	13
50-64	12	10.9	268	1	1	6	8	31	57	61
65+	37	8.3	68	1	1	5	9	23	27	32
B. *Operated*										
0-19 YRS	81	5.4	34	<1	1	3	8	11	16	32
20-34	215	3.6	22	<1	<1	2	4	8	12	27
35-49	119	6.1	49	<1	1	4	8	14	21	33
50-64	174	9.6	102	1	2	7	13	19	22	59
65+	276	11.3	169	1	2	7	15	26	34	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.8	130	1	1	4	9	17	28	65
20-34	65	4.2	14	<1	1	3	5	9	10	19
35-49	47	6.0	33	1	1	5	9	11	14	31
50-64	78	8.9	62	1	2	7	11	21	23	39
65+	119	11.1	180	1	1	6	15	29	47	78
B. *Operated*										
0-19 YRS	177	12.0	218	1	2	8	13	28	41	83
20-34	265	8.2	102	<1	1	5	10	20	31	72
35-49	249	10.8	125	1	1	7	15	27	37	63
50-64	502	13.3	175	1	2	10	17	29	43	82
65+	617	16.3	282	2	3	11	20	38	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	5.9	60	<1	1	3	7	13	22	40
B. *Operated*	865	7.8	100	<1	1	4	10	18	25	53
2. MULTIPLE DX										
A. *Not Operated*	351	8.3	103	1	1	5	10	20	29	64
B. *Operated*	1810	13.1	206	1	2	9	17	31	46	96
1. SINGLE DX	989	7.5	95	<1	1	4	9	17	25	52
2. MULTIPLE DX	2161	12.3	192	1	2	8	16	30	43	91
A. NOT OPERATED	475	7.6	93	1	1	5	9	18	27	60
B. OPERATED	2675	11.4	178	1	1	7	15	27	39	79
TOTAL 0-19 YRS	316	9.5	158	1	1	6	11	21	32	72
20-34	587	5.7	61	<1	<1	3	6	13	22	45
35-49	432	8.8	95	1	1	5	11	21	31	51
50-64	766	12.0	151	1	2	9	16	25	39	71
65+	1049	14.1	240	1	2	9	18	34	51	98
GRAND TOTAL	**3150**	**10.8**	**167**	**1**	**1**	**7**	**14**	**26**	**38**	**78**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	1.8	1	<1	<1	2	2	3	[illegible]	4
20-34	223	2.7	4	1	1	2	3	6	7	10
35-49	89	2.8	3	1	1	2	3	5	6	9
50-64	63	3.4	4	1	1	3	4	6	7	12
65+	68	4.3	10	1	2	4	5	8	11	16
B. *Operated*										
0-19 YRS	61	2.1	2	<1	1	2	2	4	5	7
20-34	119	3.2	6	1	1	2	4	6	8	12
35-49	49	5.4	65	1	1	3	6	11	17	54
50-64	27	3.8	7	1	1	3	5	7	9	13
65+	17	7.5	36	1	2	6	9	15	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.2	14	1	1	2	3	5	7	23
20-34	56	3.1	4	1	1	2	4	7	8	9
35-49	51	4.4	9	1	1	4	5	9	11	13
50-64	50	4.9	19	1	1	3	7	13	15	18
65+	76	6.3	38	1	2	5	8	11	14	35
B. *Operated*										
0-19 YRS	8	5.8	38	1	1	2	11	15	15	15
20-34	47	7.1	90	1	2	4	9	13	16	64
35-49	39	9.4	184	1	1	5	11	25	29	77
50-64	24	7.0	48	1	2	5	9	11	21	34
65+	46	9.4	47	1	2	8	13	19	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	2.8	4	1	1	2	4	6	7	11
B. *Operated*	273	3.7	20	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	270	4.6	20	1	1	3	6	9	13	27
B. *Operated*	164	8.2	91	1	1	5	10	16	25	60
1. SINGLE DX	817	3.1	10	1	1	2	4	6	8	13
2. MULTIPLE DX	434	5.9	50	1	1	4	7	13	16	34
A. NOT OPERATED	814	3.4	10	1	1	2	4	7	9	14
B. OPERATED	437	5.4	51	1	1	3	6	11	16	32
TOTAL 0-19 YRS	207	2.3	5	<1	1	2	3	4	5	14
20-34	445	3.4	15	1	1	2	4	7	9	13
35-49	228	4.8	54	1	1	3	5	10	13	37
50-64	164	4.5	16	1	1	3	5	9	13	18
65+	207	6.4	34	1	2	5	8	13	17	31
GRAND TOTAL	**1251**	**4.1**	**25**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.9	9	1	2	4	7	9	9	17
20-34	147	6.2	17	2	2	5	8	10	15	20
35-49	96	7.6	41	2	3	6	9	15	17	38
50-64	55	7.6	27	2	3	6	10	14	20	25
65+	36	11.3	68	3	4	8	14	22	29	36
B. *Operated*										
0-19 YRS	26	7.4	33	1	2	6	10	15	21	25
20-34	53	10.1	52	1	2	8	14	21	24	30
35-49	39	9.2	114	2	3	7	9	20	28	62
50-64	36	10.1	48	2	3	10	12	18	19	38
65+	23	11.3	77	2	2	8	17	25	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.4	23	1	2	5	8	13	15	25
20-34	110	7.2	27	2	3	6	9	14	17	28
35-49	99	8.0	46	2	3	6	10	15	18	42
50-64	80	10.0	80	2	3	7	12	19	31	46
65+	84	12.9	121	3	4	10	16	27	39	86
B. *Operated*										
0-19 YRS	20	8.9	79	1	2	6	11	20	32	37
20-34	65	18.1	396	3	3	11	19	50	64	96
35-49	63	18.5	249	3	4	12	22	47	50	75
50-64	60	19.6	225	2	5	17	24	38	53	76
65+	76	21.7	222	3	4	19	30	45	51	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	6.9	29	2	2	6	8	13	17	29
B. *Operated*	177	9.7	65	2	2	8	12	20	25	36
2. MULTIPLE DX										
A. *Not Operated*	432	8.9	63	2	3	7	11	17	24	51
B. *Operated*	284	18.8	265	2	3	14	23	43	52	78
1. SINGLE DX	597	7.7	41	2	2	6	9	15	20	31
2. MULTIPLE DX	716	12.8	167	2	3	9	16	27	42	63
A. NOT OPERATED	852	7.9	47	2	2	6	9	15	20	39
B. OPERATED	461	15.3	208	2	3	11	19	33	48	67
TOTAL 0-19 YRS	191	6.1	25	1	2	5	8	11	15	26
20-34	375	9.1	108	2	2	6	10	18	23	62
35-49	297	10.2	113	2	3	7	12	19	31	57
50-64	231	11.9	121	2	3	9	15	24	38	58
65+	219	15.5	162	2	4	12	21	32	45	60
GRAND TOTAL	**1313**	**10.5**	**116**	**2**	**3**	**7**	**12**	**22**	**31**	**58**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	9	<1	<1	1	2	7	10	12
20-34	41	4.0	13	<1	1	3	5	9	12	16
35-49	38	5.7	27	1	1	5	8	12	16	26
50-64	35	6.6	21	1	2	6	8	10	17	22
65+	26	7.2	28	1	1	6	11	13	16	24
B. *Operated*										
0-19 YRS	33	7.0	82	<1	1	4	7	20	22	46
20-34	66	5.4	20	<1	1	4	7	11	16	21
35-49	45	9.8	216	1	2	5	9	20	32	87
50-64	55	8.5	59	1	2	6	11	21	23	37
65+	49	7.0	61	1	1	4	9	23	32	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	5.0	38	1	1	3	6	11	19	33
20-34	124	4.5	23	1	1	3	6	9	11	22
35-49	110	6.6	41	1	1	5	8	13	18	38
50-64	108	7.7	51	1	1	6	11	16	20	38
65+	125	11.5	141	1	2	8	15	29	44	99+
B. *Operated*										
0-19 YRS	45	8.6	91	1	1	5	11	28	31	38
20-34	100	10.2	88	<1	1	8	14	21	32	42
35-49	128	14.3	223	1	2	10	19	27	50	88
50-64	131	17.0	276	2	2	12	26	50	81	99+
65+	184	15.3	223	2	2	11	20	35	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	5.3	22	1	1	4	7	12	14	24
B. *Operated*	248	7.4	81	1	1	4	9	19	23	87
2. MULTIPLE DX										
A. *Not Operated*	526	7.3	69	1	1	5	9	16	23	49
B. *Operated*	588	14.1	208	1	2	10	19	33	51	99+
1. SINGLE DX	406	6.6	59	1	1	4	8	14	22	48
2. MULTIPLE DX	1114	10.9	153	1	1	7	14	26	39	91
A. NOT OPERATED	684	6.9	59	1	1	5	8	15	21	45
B. OPERATED	836	12.1	179	1	2	8	17	30	45	99+
TOTAL 0-19 YRS	155	6.2	62	1	1	3	7	16	24	38
20-34	331	6.3	47	1	1	4	8	14	19	39
35-49	321	10.0	149	1	2	6	12	23	29	81
50-64	329	11.4	159	1	2	7	16	27	45	99+
65+	384	12.4	171	1	2	8	17	31	48	99+
GRAND TOTAL	**1520**	**9.7**	**132**	**1**	**1**	**6**	**12**	**23**	**34**	**87**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2	1	1	1	2	3	3	4	4
20-34	9	2.9	4	1	1	3	4	6	7	7
35-49	3	10.7	154	3	3	4	20	25	25	25
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.5	6	<1	1	3	5	7	9	10
20-34	11	6.7	12	1	2	7	9	11	12	12
35-49	13	5.6	15	1	1	5	8	11	13	13
50-64	5	6.6	31	2	2	5	9	16	16	16
65+	13	5.6	20	<1	1	4	9	12	14	14
B. *Operated*										
0-19 YRS	3	8.7	12	5	5	9	11	12	12	12
20-34	2	15.5	85	9	9	15	22	22	22	22
35-49	2	45.5	2113	13	13	45	78	78	78	78
50-64	4	16.0	21	10	10	16	19	21	21	21
65+	2	7.0	32	3	3	7	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.0	15	1	1	2	3	4	6	25
B. *Operated*	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	71	5.0	14	1	1	4	7	10	12	16
B. *Operated*	13	17.4	363	3	5	12	18	33	70	78
1. SINGLE DX	40	3.0	14	1	1	2	3	4	6	25
2. MULTIPLE DX	84	6.9	84	1	1	5	9	13	16	59
A. NOT OPERATED	109	4.3	15	1	1	3	5	10	12	20
B. OPERATED	15	15.5	337	2	3	11	17	22	64	78
TOTAL 0-19 YRS	57	3.2	6	1	1	2	4	6	9	12
20-34	23	5.9	23	1	1	4	8	11	15	22
35-49	19	10.4	302	1	1	5	11	20	54	78
50-64	9	10.8	48	2	2	10	16	19	21	21
65+	16	5.5	20	<1	1	4	9	12	13	14
GRAND TOTAL	**124**	**5.6**	**65**	**1**	**1**	**3**	**7**	**12**	**16**	**39**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.1	4	<1	<1	1	2	6	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.3	3	<1	1	3	4	6	7	7
20-34	3076	2.2	2	<1	<1	2	3	4	4	6
35-49	1093	2.1	1	<1	<1	2	3	4	4	5
50-64	8	2.8	4	<1	<1	2	4	6	6	6
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	40	1.6	2	<1	<1	1	2	2	5	7
35-49	13	1.1		<1	<1	<1	1	1	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.3	8	<1	1	2	4	8	11	12
20-34	1281	2.9	4	<1	<1	3	4	5	6	9
35-49	558	2.8	4	<1	<1	2	4	5	6	9
50-64	5	3.0	7	<1	<1	2	5	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	4	<1	<1	1	2	6	7	7
B. *Operated*	4196	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	53	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	1861	2.9	4	<1	<1	3	4	5	6	9
1. SINGLE DX	4204	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	1914	2.9	4	<1	<1	3	4	5	6	9
A. NOT OPERATED	61	1.5	2	<1	<1	1	1	2	5	7
B. OPERATED	6057	2.4	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	32	3.3	6	<1	1	3	4	6	8	12
20-34	4405	2.4	2	<1	<1	2	3	4	5	7
35-49	1664	2.3	2	<1	<1	2	3	4	5	7
50-64	13	2.8	4	<1	<1	2	4	6	7	7
65+	4	4.0	17	1	1	2	6	10	10	10
GRAND TOTAL	**6118**	**2.4**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE D .										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	303	5.5	11	3	3	5	6	9	11	20
2500+	31450	4.2	2	2	3	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	3	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	13	68.3	809	8	29	83	99+	99+	99+	99+
1000-1499	111	53.2	343	27	31	50	67	82	90	99+
1500-1749	129	34.4	136	16	21	34	41	48	56	91
1750-2499	1946	10.8	62	3	4	8	15	21	26	37
2500+	36002	4.9	6	3	3	4	6	7	8	13
B. *Operated*										
1-999 G	12	88.5	17	84	86	99+	99+	99+	99+	99+
1000-1499	31	64.3	234	42	43	68	83	99+	99+	99+
1500-1749	22	45.0	180	29	32	42	52	61	75	83
1750-2499	75	24.5	298	6	7	19	32	52	59	98
2500+	295	11.9	157	3	4	7	14	27	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31753	4.3	2	2	3	4	5	6	7	9
B. *Operated*	3	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	38201	5.5	23	3	3	5	6	7	10	25
B. *Operated*	435	21.6	530	3	4	12	37	83	99+	99+
1. SINGLE DX	31756	4.3	2	2	3	4	5	6	7	9
2. MULTIPLE DX	38636	5.6	31	3	3	5	6	8	11	32
A. NOT OPERATED	69954	4.9	14	3	3	4	5	7	8	18
B. OPERATED	438	21.5	528	3	4	12	37	83	99+	99+
TOTAL 1-999 G	25	78.0	519	61	75	99+	99+	99+	99+	99+
1000-1499	142	55.6	338	29	32	53	70	87	94	99+
1500-1749	151	35.9	155	17	22	34	42	53	58	89
1750-2499	2324	10.5	72	3	4	7	14	21	27	43
2500+	67750	4.6	5	3	3	4	5	7	8	12
GRAND TOTAL	**70392**	**5.0**	**19**	**3**	**3**	**4**	**5**	**7**	**8**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	32	8.1	9	4	5	7	10	14	14	14
2500+	251	5.6	4	3	4	5	7	8	9	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	94.0		94	94	99+	99+	99+	99+	99+
1000-1499	36	53.4	433	18	32	57	68	86	96	99+
1500-1749	40	29.7	194	12	17	26	35	42	54	88
1750-2499	369	14.6	87	5	6	12	19	27	31	43
2500+	466	6.7	8	4	4	6	7	10	12	18
B. *Operated*										
1-999 G	3	90.0	3	89	89	91	96	99+	99+	99+
1000-1499	6	58.5	89	46	47	64	84	99+	99+	99+
1500-1749	5	41.0	52	30	30	40	47	48	48	48
1750-2499	14	18.8	369	7	7	13	20	32	71	82
2500+	2	13.5	41	9	9	13	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	5.8	5	3	4	5	7	9	9	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	912	12.8	169	4	5	8	16	28	38	77
B. *Operated*	30	37.2	777	7	8	40	67	94	99+	99+
1. SINGLE DX	283	5.8	5	3	4	5	7	9	9	14
2. MULTIPLE DX	942	13.6	206	4	5	8	16	29	43	92
A. NOT OPERATED	1195	11.2	139	4	4	7	12	24	34	68
B. OPERATED	30	37.2	777	7	8	40	67	94	99+	99+
TOTAL 1-999 G	4	91.0	6	89	89	94	99+	99+	99+	99+
1000-1499	42	54.1	384	19	32	58	68	92	99+	99+
1500-1749	45	30.9	190	13	17	28	39	47	51	88
1750-2499	415	14.2	93	5	6	11	19	26	31	49
2500+	719	6.3	7	3	4	6	7	9	11	17
GRAND TOTAL	**1225**	**11.8**	**170**	**4**	**4**	**7**	**12**	**26**	**38**	**88**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	4.5	1	4	4	4	5	5	5	5
2500+	58	3.6	2	1	2	4	4	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	54.0		54	54	54	54	54	54	54
1000-1499	1	48.0		48	48	48	48	48	48	48
1500-1749	2	29.0	8	27	27	29	31	31	31	31
1750-2499	10	13.9	163	2	2	7	24	35	36	36
2500+	61	5.3	8	2	3	5	7	9	12	15
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	1.0		<1	<1	<1	<1	<1	<1	<1
2500+	1	47.0		47	47	47	47	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.7	2	1	2	4	4	6	7	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	75	8.3	99	2	3	5	8	15	33	52
B. *Operated*	2	24.0	1058	<1	<1	23	47	47	47	47
1. SINGLE DX	60	3.7	2	1	2	4	4	6	7	8
2. MULTIPLE DX	77	8.7	116	2	3	5	8	22	35	52
A. NOT OPERATED	135	6.2	61	2	2	4	6	9	22	49
B. OPERATED	2	24.0	1058	<1	<1	23	47	47	47	47
TOTAL 1-999 G	1	54.0		54	54	54	54	54	54	54
1000-1499	1	48.0		48	48	48	48	48	48	48
1500-1749	2	29.0	8	27	27	29	31	31	31	31
1750-2499	13	11.5	144	<1	2	6	16	34	36	36
2500+	120	4.8	21	1	2	4	6	8	9	25
GRAND TOTAL	**137**	**6.5**	**72**	**1**	**2**	**4**	**6**	**9**	**26**	**49**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	4	1.8		<1	<1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	161	2.6	3	1	1	2	3	4	5	11
20-34	283	2.9	4	<1	1	2	4	5	6	10
35-49	119	3.6	23	<1	1	2	4	6	8	30
50-64	92	3.3	6	1	1	2	4	7	9	12
65+	49	3.9	7	<1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	43	4.0	16	1	1	3	4	8	14	21
20-34	66	6.0	102	1	1	4	5	13	17	70
35-49	38	6.1	29	1	2	4	7	15	19	22
50-64	31	5.7	25	1	2	3	8	13	18	19
65+	44	6.8	41	1	2	5	9	11	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7		<1	<1	2	2	2	2	2
B. *Operated*	704	3.1	7	<1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	9	1.2		<1	<1	1	1	2	2	2
B. *Operated*	222	5.7	50	1	2	4	6	13	17	26
1. SINGLE DX	713	3.0	7	<1	1	2	4	5	7	12
2. MULTIPLE DX	231	5.6	49	1	1	4	6	12	17	25
A. NOT OPERATED	18	1.4		<1	<1	1	2	2	2	2
B. OPERATED	926	3.7	19	1	1	3	4	7	10	19
TOTAL 0-19 YRS	209	2.9	5	1	1	2	3	4	6	14
20-34	356	3.4	23	<1	1	3	4	6	8	16
35-49	161	4.1	25	<1	1	3	5	8	12	23
50-64	123	3.9	12	1	1	3	4	9	11	18
65+	95	5.2	24	1	1	4	7	10	13	30
GRAND TOTAL	**944**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**19**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	13	2.7	8	1	1	2	3	6	10	11
50-64	7	3.0	16	1	1	1	3	10	12	12
65+	37	2.9	24	1	1	1	3	5	12	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	5	16.4	177	5	5	15	23	38	38	38
65+	1	5.0		5	5	52	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	2.8	19	1	1	1	3	5	12	27
B. *Operated*	8	11.6	146	1	2	6	23	75	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	67	3.9	40	1	1	1	4	12	19	89
A. NOT OPERATED	59	2.8	19	1	1	1	3	5	12	27
B. OPERATED	8	11.6	146	1	2	6	23	75	99+	99+
TOTAL 0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	15	2.7	7	1	1	2	3	5	10	11
50-64	12	8.6	121	1	1	4	13	24	36	38
65+	38	2.9	24	1	1	1	4	9	21	99+
GRAND TOTAL	**67**	**3.9**	**40**	**1**	**1**	**1**	**4**	**12**	**19**	**89**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1426	3.5	23	<1	1	2	4	7	10	26
20-34	1165	2.9	27	<1	<1	2	3	5	7	25
35-49	272	4.2	46	<1	<1	2	4	9	16	41
50-64	250	6.5	89	<1	1	3	7	16	28	50
65+	276	9.8	206	<1	1	5	10	29	43	96
B. *Operated*										
0-19 YRS	237	2.9	14	<1	<1	2	3	5	11	18
20-34	1075	3.2	13	<1	<1	2	4	6	8	18
35-49	400	4.0	11	<1	<1	3	5	8	11	19
50-64	225	4.1	19	<1	1	3	5	9	11	28
65+	231	3.9	22	1	1	2	4	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	779	4.8	54	<1	1	3	5	10	18	38
20-34	969	4.5	48	<1	<1	2	5	9	16	41
35-49	827	5.0	53	1	1	3	5	10	17	43
50-64	1576	5.5	63	<1	1	3	6	13	22	54
65+	1701	9.6	173	1	1	5	12	27	47	99+
B. *Operated*										
0-19 YRS	248	5.5	71	<1	<1	3	6	12	20	50
20-34	839	5.2	32	<1	<1	4	6	10	15	40
35-49	643	6.3	59	<1	1	4	8	14	20	41
50-64	934	6.6	82	<1	1	3	8	16	26	51
65+	1095	6.7	102	<1	1	3	7	16	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3389	4.1	50	<1	<1	2	4	8	13	40
B. *Operated*	2168	3.5	14	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	5852	6.3	94	<1	1	3	7	16	26	80
B. *Operated*	3759	6.2	73	<1	1	3	7	14	22	50
1. SINGLE DX	5557	3.9	36	<1	<1	2	4	8	11	34
2. MULTIPLE DX	9611	6.3	86	<1	1	3	7	15	25	66
A. NOT OPERATED	9241	5.5	79	<1	1	3	5	13	23	64
B. OPERATED	5927	5.2	53	<1	<1	3	6	11	18	41
TOTAL 0-19 YRS	2690	4.0	36	<1	<1	2	4	8	12	32
20-34	4048	3.8	30	<1	<1	2	4	8	11	30
35-49	2142	5.1	47	<1	1	3	6	11	17	40
50-64	2985	5.8	68	<1	1	3	7	14	23	49
65+	3303	8.2	145	1	1	4	10	22	37	99+
GRAND TOTAL	**15168**	**5.4**	**69**	**<1**	**1**	**3**	**6**	**12**	**21**	**54**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
336	Chest
253	Female genital organ
331	Head
336	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever